

Part of Thermo Fisher Scientific

SAFETY DATA SHEET

Revision Date 26-Jan-2015 Revision Number 1

1. Identification

Product Name Cytostain G, Fisher Pinnacle Portfolio

Cat No. : 22220105

Synonyms No information available

Recommended Use Laboratory chemicals.

Uses advised against No Information available

Details of the supplier of the safety data sheet

Emergency Telephone Number

Chemtrec US: (800) 424-9300 Chemtrec EU: 001 (202) 483-7616

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids

Skin Corrosion/irritation

Serious Eye Damage/Eye Irritation

Specific target organ toxicity (single exposure)

Category 2

Category 2

Category 1

Label Elements

Signal Word

Danger

Hazard Statements

Highly flammable liquid and vapor Causes skin irritation Causes serious eye irritation Causes damage to organs



Precautionary Statements

Prevention

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

Do not breathe dust/fume/gas/mist/vapors/spray

Do not eat, drink or smoke when using this product

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof electrical/ventilating/lighting/equipment

Use only non-sparking tools

Take precautionary measures against static discharge

Response

IF exposed: Call a POISON CENTER or doctor/physician

Skin

If skin irritation occurs: Get medical advice/attention

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

Eves

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

Storage

Store locked up

Store in a well-ventilated place. Keep cool

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Other hazards

WARNING! This product contains a chemical known in the State of California to cause birth defects or other reproductive harm. **Unknown Acute Toxicity**

.? % of the mixture consists of ingredients of unknown toxicity.

3. Composition / information on ingredients

| Component | CAS-No | Weight % |
|----------------------|------------|----------|
| Ethyl alcohol | 64-17-5 | 60 - 65 |
| Methyl alcohol | 67-56-1 | 3 - 3.8 |
| Isopropyl alcohol | 67-63-0 | 3 - 3.8 |
| Acetic acid | 64-19-7 | 1 - 2 |
| Phosphomolybdic acid | 12026-57-2 | < 1.0 |
| Fast green fcf | 2353-45-9 | < 1.0 |
| Acid red 87 | 17372-87-1 | < 1.0 |
| Acid orange 10 | 1936-15-8 | < 1.0 |

4. First-aid measures

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes.

Inhalation Move to fresh air.

Ingestion Do not induce vomiting.

Most important symptoms/effects Breathing difficulties. Inhalation of high vapor concentrations may cause symptoms like

headache, dizziness, tiredness, nausea and vomiting

Notes to Physician Treat symptomatically

5. Fire-fighting measures

Unsuitable Extinguishing Media No information available

Flash Point °C

Method - No information available

Autoignition Temperature

No information available

Explosion Limits

Upper No data available
Lower No data available
Sensitivity to Mechanical Impact No information available
Sensitivity to Static Discharge No information available

Specific Hazards Arising from the Chemical

Keep product and empty container away from heat and sources of ignition.

Hazardous Combustion Products

None known

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

HealthFlammabilityInstabilityPhysical hazards330N/A

6. Accidental release measures

Personal Precautions Ensure adequate ventilation. Use personal protective equipment.

Environmental Precautions See Section 12 for additional ecological information.

Methods for Containment and Clean No information available.

Up

7. Handling and storage

Handling Ensure adequate ventilation.

Storage Keep containers tightly closed in a dry, cool and well-ventilated place.

8. Exposure controls / personal protection

Exposure Guidelines This product does not contain any hazardous materials with occupational exposure limits

established by the region specific regulatory bodies.

| Component | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|----------------------|--|---|---|
| Ethyl alcohol | STEL: 1000 ppm | (Vacated) TWA: 1000 ppm (Vacated) TWA: 1900 mg/m ³ TWA: 1000 ppm TWA: 1900 mg/m ³ | IDLH: 3300 ppm TWA: 1000 ppm TWA: 1900 mg/m³ |
| Methyl alcohol | DI TWA: 200 ppm STEL: 250 ppm (Vacated) TWA: 200 ppm (Vacated) TWA: 260 mg/m³ (Vacated) STEL: 250 ppm (Vacated) STEL: 250 ppm (Vacated) STEL: 325 mg/m³ Skin TWA: 200 ppm TWA: 260 mg/m³ | | IDLH: 6000 ppm TWA: 200 ppm TWA: 260 mg/m³ STEL: 250 ppm STEL: 325 mg/m³ |
| Isopropyl alcohol | TWA: 200 ppm STEL: 400 ppm | (Vacated) TWA: 400 ppm (Vacated) TWA: 980 mg/m³ (Vacated) STEL: 500 ppm (Vacated) STEL: 1225 mg/m³ TWA: 400 ppm TWA: 980 mg/m³ | IDLH: 2000 ppm TWA: 400 ppm TWA: 980 mg/m³ STEL: 500 ppm STEL: 1225 mg/m³ |
| Acetic acid | TWA: 10 ppm STEL: 15 ppm | (Vacated) TWA: 10 ppm (Vacated) TWA: 25 mg/m³ TWA: 10 ppm TWA: 25 mg/m³ | IDLH: 50 ppm TWA: 10 ppm TWA: 25 mg/m³ STEL: 15 ppm STEL: 37 mg/m³ |
| Phosphomolybdic acid | TWA: 0.5 mg/m ³ | (Vacated) TWA: 5 mg/m ³ | IDLH: 1000 mg/m ³ |

| Component | Quebec | Mexico OEL (TWA) | Ontario TWAEV |
|----------------------|---|---|---------------------------------------|
| Ethyl alcohol | Ethyl alcohol TWA: 1000 ppm TWA: 1000 ppm TWA: 1880 mg/m³ TWA: 1900 mg/m³ | | STEL: 1000 ppm |
| Methyl alcohol | TWA: 200 ppm TWA: 262 mg/m³ STEL: 250 ppm STEL: 328 mg/m³ Skin | TWA: 200 ppm TWA: 260 mg/m³ STEL: 250 ppm STEL: 310 mg/m³ | TWA: 200 ppm STEL: 250 ppm Skin |
| Isopropyl alcohol | TWA: 400 ppm TWA: 985 mg/m³ STEL: 500 ppm STEL: 1230 mg/m³ | TWA: 400 ppm TWA: 980 mg/m³ STEL: 500 ppm STEL: 1225 mg/m³ | TWA: 200 ppm STEL: 400 ppm |
| Acetic acid | TWA: 10 ppm TWA: 25 mg/m ³ STEL: 15 ppm STEL: 37 mg/m ³ | TWA: 10 ppm TWA: 25 mg/m³ STEL: 15 ppm STEL: 37 mg/m³ | TWA: 10 ppm STEL: 15 ppm |
| Phosphomolybdic acid | TWA: 5 mg/m ³ | TWA: 5 mg/m ³ STEL: 10 mg/m ³ | TWA: 0.5 mg/m ³ |

Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH IDLH: The National Institute for Occupational Safety and Health Immediately Dangerous to Life or Health

Engineering Measures Ensure adequate ventilation, especially in confined areas.

Personal Protective Equipment

Eye/face Protection Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

Skin and body protection Wear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory Protection Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard

EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Physical State Liquid

AppearanceNo information availableOdorNo information availableOdor ThresholdNo information available

pН

Melting Point/Range No data available

Boiling Point/Range

Flash Point °C

Evaporation Rate No information available Flammability (solid,gas) No information available

Flammability or explosive limits

UpperNo data availableLowerNo data availableVapor PressureNo information available

Vapor PressureNo information availableVapor DensityNo information availableRelative DensityNo information availableSolubilityNo information availablePartition coefficient; n-octanol/waterNo data available

Autoignition TemperatureNo information availableDecomposition TemperatureNo information availableViscosityNo information available

10. Stability and reactivity

Reactive Hazard None known, based on information available

Stability Stable under normal conditions.

Conditions to Avoid Incompatible products.

Incompatible Materials Strong oxidizing agents

Hazardous Decomposition Products None under normal use conditions

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous Reactions None under normal processing.

11. Toxicological information

Acute Toxicity

Oral LD50

Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg.

Dermal LD50

Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg.

Vapor LC50

Based on ATE data, the classification criteria are not met. ATE > 20 mg/l.

Component Information

| Component | LD50 Oral | LD50 Dermal | LC50 Inhalation | | |
|-------------------|--------------------|---|--|--|--|
| Ethyl alcohol | 7060 mg/kg (Rat) | Not listed | 20000 ppm/10H (Rat) | | |
| Methyl alcohol | 6200 mg/kg (Rat) | 15800 mg/kg (Rabbit) | 64000 ppm (Rat) 4 h 22500 ppm (Rat) 8 h | | |
| Isopropyl alcohol | 5840 mg/kg (Rat) | 13900 mg/kg (Rat) 12870 mg/kg (Rabbit) | 72.6 mg/L (Rat) 4 h | | |
| Acetic acid | 3310 mg/kg (Rat) | 1060 mg/kg (Rabbit) | 11.4 mg/L (Rat) 4 h | | |
| Fast green fcf | 2 g/kg (Rat) | Not listed | Not listed | | |

Toxicologically Synergistic No information available

Products

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

IrritationNo information availableSensitizationNo information available

| Component | CAS-No | IARC | NTP | ACGIH | OSHA | Mexico |
|----------------------|-----------------|------------|------------|------------|------------|------------|
| Ethyl alcohol | 64-17-5 Group 1 | | Not listed | A3 | Х | Not listed |
| Methyl alcohol | 67-56-1 | Not listed |
| Isopropyl alcohol | 67-63-0 | Not listed |
| Acetic acid | 64-19-7 | Not listed |
| Phosphomolybdic acid | 12026-57-2 | Not listed | Not listed | A3 | Not listed | Not listed |
| Fast green fcf | 2353-45-9 | Not listed |
| Acid red 87 | 17372-87-1 | Not listed |
| Acid orange 10 | 1936-15-8 | group 3 | Not listed | Not listed | Not listed | Not listed |

Mutagenic Effects No information available

Reproductive Effects No information available.

Developmental Effects No information available.

Teratogenicity No information available.

STOT - single exposureSTOT - repeated exposure
None known

Aspiration hazard No information available

Symptoms / effects,both acute and Inhalation of high vapor concentrations may cause symptoms like headache, dizziness,

delayed tiredness, nausea and vomiting

Endocrine Disruptor Information No information available

Other Adverse Effects The toxicological properties have not been fully investigated.

12. Ecological information

Ecotoxicity

Do not empty into drains.

| Component | Freshwater Algae | Freshwater Fish | Microtox | Water Flea |
|-------------------|--|--|--|---|
| Ethyl alcohol | EC50 (72h) = 275 mg/l (Chlorella vulgaris) | LC50 = 14200 mg/l/96h | Photobacterium phosphoreum:EC50 = 34634 mg/L/30 min Photobacterium phosphoreum:EC50 = 35470 mg/L/5 min | EC50 = 9268 mg/L/48h EC50 = 10800 mg/L/24h |
| Methyl alcohol | Not listed | Pimephales promelas: LC50 > 10000 mg/L 96h | EC50 = 39000 mg/L 25 min EC50 = 40000 mg/L 15 min EC50 = 43000 mg/L 5 min | EC50 > 10000 mg/L 24h |
| Isopropyl alcohol | 1000 mg/L EC50 > 96 h 1000 mg/L EC50 > 72 h | 1400000 μg/L LC50 96 h 11130 mg/L LC50 96 h 9640 mg/L LC50 96 h | = 35390 mg/L EC50 Photobacterium phosphoreum 5 min | 13299 mg/L EC50 = 48 h 9714 mg/L EC50 = 24 h |
| Acetic acid | - | Pimephales promelas: LC50 = 88 mg/L/96h Lepomis macrochirus: LC50 = 75 mg/L/96h | phosphoreum: EC50 = 8.8 | EC50 = 95 mg/L/24h |
| Acid red 87 | Not listed | LC50= 1200 mg/L/48h (Oryzias latipes) | Not listed | Not listed |

Persistence and Degradability Bioaccumulation/ Accumulation

No information available No information available.

Mobility No information available.

| Component | log Pow |
|-------------------|---------|
| Ethyl alcohol | -0.32 |
| Methyl alcohol | -0.74 |
| Isopropyl alcohol | 0.05 |
| Acetic acid | -0.2 |
| Acid red 87 | 4.80 |

13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

| Component | RCRA - U Series Wastes | RCRA - P Series Wastes | | |
|--------------------------|------------------------|------------------------|--|--|
| Methyl alcohol - 67-56-1 | U154 | - | | |

14. Transport information

DOT

UN-No UN1987

Proper Shipping Name ALCOHOLS, N.O.S.

Hazard Class 3
Packing Group ||

<u>TDG</u>

UN-No UN1987

Proper Shipping Name ALCOHOLS, N.O.S.

Hazard Class 3
Packing Group ||

<u>IATA</u>

UN-No UN1987

Proper Shipping Name ALCOHOLS, N.O.S.

Hazard Class 3 Packing Group II

IMDG/IMO

UN-No UN1987

Proper Shipping Name ALCOHOLS, N.O.S.

Hazard Class 3 Packing Group II

15. Regulatory information

International Inventories

| Component | TSCA | DSL | NDSL | EINECS | ELINCS | NLP | PICCS | ENCS | AICS | IECSC | KECL |
|----------------------|------|-----|------|-----------|--------|-----|-------|-------------|------|-------|------|
| Ethyl alcohol | Х | Х | - | 200-578-6 | - | | Χ | Χ | Χ | Х | Χ |
| Methyl alcohol | Х | Х | - | 200-659-6 | - | | Χ | Χ | Х | Х | Χ |
| Isopropyl alcohol | X | Х | - | 200-661-7 | - | | Χ | Χ | Х | Х | Χ |
| Acetic acid | Х | Х | - | 200-580-7 | - | | Χ | Χ | Х | Х | Χ |
| Phosphomolybdic acid | Х | Х | - | 234-713-5 | - | | - | Χ | Х | Х | Х |
| Fast green fcf | Х | Х | - | 219-091-5 | - | | Χ | Χ | Х | Х | Х |
| Acid red 87 | Х | Х | - | 241-409-6 | - | | Χ | Χ | Χ | Х | Χ |
| Acid orange 10 | Х | Х | - | 217-705-6 | - | | Х | Х | Х | Х | Χ |

Legend:

X - Listed

E - Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.

F - Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.

- N Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.
- P Indicates a commenced PMN substance
- R Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.
- S Indicates a substance that is identified in a proposed or final Significant New Use Rule
- T Indicates a substance that is the subject of a Section 4 test rule under TSCA.
- XU Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B).
- Y1 Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.
- Y2 Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

U.S. Federal Regulations

TSCA 12(b)

Not applicable

SARA 313

Not applicable

| Component | CAS-No | Weight % | SARA 313 - Threshold Values % | |
|-------------------|---------|----------|----------------------------------|--|
| Methyl alcohol | 67-56-1 | 3 - 3.8 | 1.0 | |
| Isopropyl alcohol | 67-63-0 | 3 - 3.8 | 1.0 | |

SARA 311/312 Hazardous Categorization

| Acute Health Hazard | Yes |
|-----------------------------------|-----|
| Chronic Health Hazard | Yes |
| Fire Hazard | Yes |
| Sudden Release of Pressure Hazard | No |
| Reactive Hazard | No |

Clean Water Act Not applicable

| Component | CWA - Hazardous Substances | | | CWA - Priority Pollutants |
|-------------|-------------------------------|---------|---|---------------------------|
| Acetic acid | X | 5000 lb | - | - |

Clean Air Act Not applicable

| Component | HAPS Data | Class 1 Ozone Depletors | Class 2 Ozone Depletors |
|----------------|-----------|-------------------------|-------------------------|
| Methyl alcohol | X | | - |

OSHA Occupational Safety and Health Administration

Not applicable

CERCLA

Not applicable

| Component | Hazardous Substances RQs | CERCLA EHS RQs |
|----------------|--------------------------|----------------|
| Methyl alcohol | 5000 lb | - |
| Acetic acid | 5000 lb | - |

California Proposition 65

This product does not contain any Proposition 65 chemicals

| Component | CAS-No | California Prop. 65 | Prop 65 NSRL | Category |
|----------------|---------|---------------------|--------------|-----------------------------|
| Ethyl alcohol | 64-17-5 | Developmental | - | Developmental Carcinogen |
| Methyl alcohol | 67-56-1 | Developmental | - | Developmental |

State Right-to-Know Not applicable

| Component | Massachusetts | New Jersey | Pennsylvania | Illinois | Rhode Island |
|-------------------|---------------|------------|--------------|----------|--------------|
| Ethyl alcohol | X | Х | X | Х | Х |
| Methyl alcohol | X | X | X | X | X |
| Isopropyl alcohol | X | X | X | - | X |
| Acetic acid | X | X | X | - | Х |

U.S. Department of Transportation

Reportable Quantity (RQ): N
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

U.S. Department of Homeland Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade No information available

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR

WHMIS Hazard Class

B2 Flammable liquid
D2A Very toxic materials



16. Other information

Prepared By Regulatory Affairs

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com

Revision Date 26-Jan-2015 **Print Date** 26-Jan-2015

Revision Summary

This document has been updated to comply with the US OSHA HazCom 2012 Standard

replacing the current legislation under 29 CFR 1910.1200 to align with the Globally

Harmonized System of Classification and Labeling of Chemicals (GHS)

Disclaimer

The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of SDS