

Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

**SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING****Product Identifier**

Perihalan Produk: **Bactidrop TM Nitrate A**  
Product Description: **Bactidrop TM Nitrate A**  
Cat No. : R21536

**Relevant identified uses of the substance or mixture and uses advised against**

Recommended Use Laboratory chemicals.  
Uses advised against No Information available

**Details of the supplier of the safety data sheet**

Company Thermo Scientific Microbiology Sdn Bhd  
No.6, Jalan TTC 6, Taman Teknologi Cheng,  
Cheng, 75250 Melaka, Malaysia  
+606 334 0975 .

Supplier Remel  
12076 Santa Fe Drive Lenexa,  
KS 66215 United States  
Telephone: 1-800-255-6730  
Fax:1-800-621-8251

E-mail address mbd-sds@thermofisher.com

**Emergency Telephone Number**

(603) 5122 8888  
CHEMTREC Malaysia **1-800-815-308** (Malay)  
CHEMTREC Malaysia (Kuala Lumpur) **+(60)-327884561** (Malay)

**SECTION 2: HAZARDS IDENTIFICATION****Classification of the substance or mixture**

|                                   |                     |
|-----------------------------------|---------------------|
| Flammable liquids                 | Category 3 (H226)   |
| Skin Corrosion/Irritation         | Category 1 A (H314) |
| Serious Eye Damage/Eye Irritation | Category 1 (H318)   |

**Label Elements**

Signal Word

Danger

# SAFETY DATA SHEET

Bactidrop TM Nitrate A

Revision Date 29-Mar-2023

## Hazard Statements

H226 - Flammable liquid and vapor  
H314 - Causes severe skin burns and eye damage

## Precautionary Statements

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
P310 - Immediately call a POISON CENTER or doctor/physician  
P280 - Wear protective gloves/protective clothing/eye protection/face protection  
P301 + P330 + P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting  
P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower  
P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

## Other Hazards

This product does not contain any known or suspected endocrine disruptors

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

| Component        | CAS No    | Weight % |
|------------------|-----------|----------|
| Acetic acid      | 64-19-7   | 28       |
| Water            | 7732-18-5 | 71       |
| Sulphanilic Acid | 121-57-3  | 0.8      |

## SECTION 4: FIRST AID MEASURES

### Description of first aid measures

#### General Advice

Immediate medical attention is required. Show this safety data sheet to the doctor in attendance.

#### Eye Contact

Immediate medical attention is required. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing.

#### Skin Contact

Wash off immediately with plenty of water for at least 15 minutes. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Call a physician immediately.

#### Ingestion

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Clean mouth with water. Call a physician immediately.

#### Inhalation

If breathing is difficult, give oxygen. Remove from exposure, lie down. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a physician immediately.

#### Self-Protection of the First Aider

Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

### Most important symptoms and effects, both acute and delayed

Difficulty in breathing. Causes burns by all exposure routes. . Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated.

# SAFETY DATA SHEET

Bactidrop TM Nitrate A

Revision Date 29-Mar-2023

## Indication of any immediate medical attention and special treatment needed

### Notes to Physician

Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. Treat symptomatically.

## SECTION 5: FIREFIGHTING MEASURES

### Extinguishing media

#### Suitable Extinguishing Media

CO<sub>2</sub>, dry chemical, dry sand, alcohol-resistant foam. Water mist may be used to cool closed containers.

#### Extinguishing media which must not be used for safety reasons

No information available.

### Special hazards arising from the substance or mixture

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapors. Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

#### Hazardous Combustion Products

Thermal decomposition can lead to release of irritating gases and vapors.

### Advice for fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### Personal Precautions, Protective Equipment and Emergency Procedures

Evacuate personnel to safe areas. Use personal protective equipment as required. Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Remove all sources of ignition. Take precautionary measures against static discharges. Refer to protective measures listed in Sections 7 and 8.

### Environmental precautions

Should not be released into the environment. See Section 12 for additional Ecological Information.

### Methods and Material for Containment and Cleaning Up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

### Reference to Other Sections

Refer to protective measures listed in Sections 8 and 13.

## SECTION 7: HANDLING AND STORAGE

### Precautions for Safe Handling

Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Wear personal protective equipment/face protection. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance. Keep away

# SAFETY DATA SHEET

Bactidrop TM Nitrate A

Revision Date 29-Mar-2023

from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. Take precautionary measures against static discharges.

## Conditions for Safe Storage, Including any Incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area. Keep away from heat, sparks and flame.

## Specific End Uses

Use in laboratories.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control Parameters

| Component   | Malaysia | ACGIH TLV                   | OSHA PEL                                                                                                 |
|-------------|----------|-----------------------------|----------------------------------------------------------------------------------------------------------|
| Acetic acid |          | TWA: 10 ppm<br>STEL: 15 ppm | (Vacated) TWA: 10 ppm<br>(Vacated) TWA: 25 mg/m <sup>3</sup><br>TWA: 10 ppm<br>TWA: 25 mg/m <sup>3</sup> |

| Component   | European Union                                                                                                   | The United Kingdom                                                                     | Germany                                                                                                                                                                                                                                                        |
|-------------|------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Acetic acid | TWA: 25 mg/m <sup>3</sup> (15min)<br>TWA: 10 ppm (15min)<br>STEL: 50 mg/m <sup>3</sup> (8h)<br>STEL: 20 ppm (8h) | STEL: 37 mg/m <sup>3</sup><br>STEL: 15 ppm<br>TWA: 10 ppm<br>TWA: 25 mg/m <sup>3</sup> | TWA: 10 ppm (8 Stunden). AGW -<br>exposure factor 2<br>TWA: 25 mg/m <sup>3</sup> (8 Stunden). AGW -<br>exposure factor 2<br>TWA: 10 ppm (8 Stunden). MAK<br>TWA: 25 mg/m <sup>3</sup> (8 Stunden). MAK<br>Höhepunkt: 20 ppm<br>Höhepunkt: 50 mg/m <sup>3</sup> |

### Exposure Controls

#### Engineering Measures

Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas. Use explosion-proof electrical/ventilating/lighting equipment.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

### Personal protective equipment

#### Eye Protection

Goggles

#### Hand Protection

Protective gloves

#### Skin and body protection

Long sleeved clothing

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves.

(Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatibility, Dexterity, Operational conditions, User susceptibility, e.g.

sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

#### Respiratory Protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators

To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly

When RPE is used a face piece Fit Test should be conducted

### Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice

# SAFETY DATA SHEET

Bactidrop TM Nitrate A

Revision Date 29-Mar-2023

**Environmental exposure controls** Prevent product from entering drains

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

|                                         |                          |                                        |
|-----------------------------------------|--------------------------|----------------------------------------|
| Appearance                              | Clear                    |                                        |
| Physical State                          | Liquid                   |                                        |
| Odor                                    | vinegar-like             |                                        |
| Odor Threshold                          | No data available        |                                        |
| pH                                      | No information available |                                        |
| Melting Point/Range                     | No data available        |                                        |
| Softening Point                         | No data available        |                                        |
| Boiling Point/Range                     | No information available |                                        |
| Flash Point                             | No information available | Method - No information available      |
| Evaporation Rate                        | No information available |                                        |
| Flammability (solid,gas)                | Not applicable           | Liquid                                 |
| Explosion Limits                        | No data available        |                                        |
| Vapor Pressure                          | No information available |                                        |
| Vapor Density                           | No information available | (Air = 1.0)                            |
| Specific Gravity / Density              | No data available        |                                        |
| Bulk Density                            | Not applicable           | Liquid                                 |
| Water Solubility                        | No information available |                                        |
| Solubility in other solvents            | No information available |                                        |
| Partition Coefficient (n-octanol/water) |                          |                                        |
| Component                               | log Pow                  |                                        |
| Acetic acid                             | -0.2                     |                                        |
| Sulphanilic Acid                        | -2.298                   |                                        |
| Autoignition Temperature                | No data available        |                                        |
| Decomposition Temperature               | No data available        |                                        |
| Viscosity                               | No data available        |                                        |
| Explosive Properties                    |                          | explosive air/vapour mixtures possible |
| Oxidizing Properties                    | No information available |                                        |
| VOC Content(%)                          | 28.8                     |                                        |

## SECTION 10: STABILITY AND REACTIVITY

### Reactivity

None known, based on information available.

### Chemical Stability

# SAFETY DATA SHEET

Bactidrop TM Nitrate A

Revision Date 29-Mar-2023

Stable under normal conditions.

## Possibility of Hazardous Reactions

### **Hazardous Polymerization Hazardous Reactions**

Hazardous polymerization does not occur.  
None under normal processing.

## Conditions to Avoid

Incompatible products. Excess heat. Keep away from open flames, hot surfaces and sources of ignition.

## Incompatible Materials

None known.

## Hazardous Decomposition Products

Thermal decomposition can lead to release of irritating gases and vapors.

## SECTION 11: TOXICOLOGICAL INFORMATION

### Information on Toxicological Effects

#### Acute Toxicity

#### Toxicology data for the components

| Component        | LD50 Oral                  | LD50 Dermal               | LC50 Inhalation       |
|------------------|----------------------------|---------------------------|-----------------------|
| Acetic acid      | 3310 mg/kg ( Rat )         | -                         | > 40 mg/L ( Rat ) 4 h |
| Water            | -                          | -                         | -                     |
| Sulphanilic Acid | LD50 = 12300 mg/kg ( Rat ) | LD50 > 2000 mg/kg ( Rat ) |                       |

#### Chronic Toxicity Carcinogenicity

There are no known carcinogenic chemicals in this product

#### **Sensitization Mutagenic Effects Reproductive Effects Developmental Effects Target Organs**

No information available  
No information available  
No information available  
No information available  
No information available.

#### **Symptoms**

Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated.

## SECTION 12: ECOLOGICAL INFORMATION

# SAFETY DATA SHEET

Bactidrop TM Nitrate A

Revision Date 29-Mar-2023

## Ecotoxicity effects

Harmful to aquatic organisms. Contains a substance which is:. The product contains following substances which are hazardous for the environment.

| Component        | Freshwater Fish                                                                          | Water Flea                                 | Freshwater Algae                                     | Microtox                                                                                                                                                                        |
|------------------|------------------------------------------------------------------------------------------|--------------------------------------------|------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Acetic acid      | Pimephales promelas:<br>LC50 = 88 mg/L/96h<br>Lepomis macrochirus:<br>LC50 = 75 mg/L/96h | EC50 = 95 mg/L/24h                         | -                                                    | Photobacterium<br>phosphoreum: EC50 =<br>8.8 mg/L/15 min<br>Photobacterium<br>phosphoreum: EC50 =<br>8.8 mg/L/25 min<br>Photobacterium<br>phosphoreum: EC50 =<br>8.8 mg/L/5 min |
| Sulphanilic Acid | LC50: 77.8 - 129.6<br>mg/L, 96h static<br>(Pimephales promelas)                          | EC50: = 85.66 mg/L,<br>48h (Daphnia magna) | EC50: = 91 mg/L, 72h<br>(Desmodesmus<br>subspicatus) |                                                                                                                                                                                 |

## Persistence and degradability

### Degradation in sewage treatment plant

No information available

Contains substances known to be hazardous to the environment or not degradable in waste water treatment plants.

## Bioaccumulative potential

No information available

| Component        | log Pow | Bioconcentration factor (BCF) |
|------------------|---------|-------------------------------|
| Acetic acid      | -0.2    | No data available             |
| Sulphanilic Acid | -2.298  | No data available             |

## Mobility in soil

No information available.

## Other adverse effects

No information available

## SECTION 13: DISPOSAL CONSIDERATIONS

### Waste treatment methods

#### Waste from Residues/Unused Products

Dispose of in accordance with local regulations

#### Contaminated Packaging

Do not reuse empty containers

#### Other Information

According to the European Waste Catalog, Waste Codes are not product specific, but application specific Waste codes should be assigned by the user based on the application for which the product was used Do not flush to sewer

## SECTION 14: TRANSPORT INFORMATION

### IMDG/IMO

UN-No

UN3264

Hazard Class

8

Packing Group

II

Proper Shipping Name

CORROSIVE LIQUID, ACIDIC, INORGANIC,N.O.S.

### Road and Rail Transport

UN-No

UN3264

Hazard Class

8

# SAFETY DATA SHEET

Bactidrop TM Nitrate A

Revision Date 29-Mar-2023

**Packing Group** II  
**Proper Shipping Name** CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.

## IATA

**UN-No** UN3264  
**Hazard Class** 8  
**Packing Group** II  
**Proper Shipping Name** CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.

**Special Precautions for User** No special precautions required

## SECTION 15: REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

**International Inventories** X = listed

| Component        | EINECS    | TSCA | DSL | PICCS | ENCS | ISHL | IECSC | AICS | KECL     |
|------------------|-----------|------|-----|-------|------|------|-------|------|----------|
| Acetic acid      | 200-580-7 | X    | X   | X     | X    | X    | X     | X    | X        |
| Water            | 231-791-2 | X    | X   | X     | X    |      | X     | X    | KE-35400 |
| Sulphanilic Acid | 204-482-5 | X    | X   | X     | X    | X    | X     | X    | KE-01192 |

| Component        | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements | Rotterdam Convention (PIC) | Basel Convention (Hazardous Waste) |
|------------------|-------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|----------------------------|------------------------------------|
| Acetic acid      |                                                                                           |                                                                                          |                            | Annex I - Y34                      |
| Sulphanilic Acid |                                                                                           |                                                                                          |                            | Annex I - Y34                      |

## National Regulations

**Persistent Organic Pollutant** This product does not contain any known or suspected substance  
**Ozone Depletion Potential** This product does not contain any known or suspected substance

## SECTION 16: OTHER INFORMATION

### Legend

**CAS** - Chemical Abstracts Service

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**IECSC** - Chinese Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDL** - Canadian Domestic Substances List/Non-Domestic Substances List

**ENCS** - Japanese Existing and New Chemical Substances

**AICS** - Australian Inventory of Chemical Substances

**NZIoC** - New Zealand Inventory of Chemicals

**WEL** - Workplace Exposure Limit

**ACGIH** - American Conference of Governmental Industrial Hygienists

**RPE** - Respiratory Protective Equipment

**LC50** - Lethal Concentration 50%

**POW** - Partition coefficient Octanol:Water

**TWA** - Time Weighted Average

**IARC** - International Agency for Research on Cancer

**LD50** - Lethal Dose 50%

**EC50** - Effective Concentration 50%



# SAFETY DATA SHEET

Bactidrop TM Nitrate A

Revision Date 29-Mar-2023

**ADR** - European Agreement Concerning the International Carriage of Dangerous Goods by Road

**IMO/IMDG** - International Maritime Organization/International Maritime Dangerous Goods Code

**OECD** - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

**ICAO/IATA** - International Civil Aviation Organization/International Air Transport Association

**MARPOL** - International Convention for the Prevention of Pollution from Ships

**ATE** - Acute Toxicity Estimate

**VOC** - (Volatile Organic Compound)

## Key literature references and sources for data

<https://echa.europa.eu/information-on-chemicals>

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Revision Date

29-Mar-2023

Revision Summary

Not applicable.

**In accordance with local and national regulations: Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013**

## Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**