

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Identifier
Product Description:

Cat No. :

2-Propanol

A416-1; A416-4; A416-4LC; A416-20; A416-200; A416-200LC; A416-500; A416FB-19; A416FB-50; A416FB-115; A416FB-200; A416P-4; A416RB-50; A416RB-115; A416RB-200; A416RS-28; A416RS-50; A416RS-115; A416RS-200; A416S-4; A416SK-4; A416SK4-001; A416SS-28; A416SS-50; A416SS-115; A416SS-200; XXA416ET4LI; NC1348124; XXA416250GAL; NC1535916; A416RS-200ASME; NC1568699; A416RS1350ASME; NC1561773; NC1664140; XXA416ET200LI; NC1812445; XXA416RC275GAL; NC1871382; A416ETRS1350ASM; A416RS1250; NC2009250; A416SS-19; NC1949489; NC2592436

Synonyms
CAS No
Molecular Formula

2-Propanol; IPA; Isopropyl alcohol; Propan-2-ol; Isopropanol

67-63-0

C3 H8 O

Relevant identified uses of the substance or mixture and uses advised against
Recommended Use
Uses advised against

Laboratory chemicals.

No Information available

Details of the supplier of the safety data sheet
Importer

 Fisher Scientific Korea
 D5,D6, Incheon Airport Logistics Complex
 150, Gonghangdong-Ro 296 Beon-Gil
 Jung-Gu, Incheon
 Tel: +82-1661-9555
 Fax: +82-2-2023-0603

Supplier

 Fisher Scientific
 One Reagent Lane
 Fair Lawn, NJ 07410
 Tel: (201) 796-7100

E-mail address

Chem.KR@thermofisher.com

Emergency Telephone Number

Emergency telephone: Medical: +(82) 070-7686-0086 or + 1-703-741-5970

CHEMTREC: 080 822 1374 (Local), CHEMTREC: 1-800-424-9300 or + 1-703-527-3887

Korea: 00-308-13-2549 (24 hours a day, 7 days a week)

SECTION 2: HAZARDS IDENTIFICATION

Classification of the substance or mixture
Physical hazards

Flammable liquids

Category 2

Health hazards

Serious Eye Damage/Eye Irritation

Specific target organ toxicity - (single exposure)

Category 2

Category 3

SAFETY DATA SHEET

2-Propanol

Revision Date 06-Jun-2024

Environmental hazards

Based on available data, the classification criteria are not met

Label Elements



Signal Word

Danger

Hazard Statements

H225 - Highly flammable liquid and vapor

H319 - Causes serious eye irritation

H336 - May cause drowsiness or dizziness

Precautionary Statements

Prevention

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P233 - Keep container tightly closed

P243 - Take action to prevent static discharges

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P264 - Wash hands and face thoroughly after handling

P240 - Ground and bond container and receiving equipment

P241 - Use explosion-proof electrical/ ventilating/ lighting equipment

P242 - Use non-sparking tools

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray

P271 - Use only outdoors or in a well-ventilated area

Response

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P337 + P313 - If eye irritation persists: Get medical advice/attention

P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P312 - Call a POISON CENTER or doctor if you feel unwell

Storage

P403 + P235 - Store in a well-ventilated place. Keep cool

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

P405 - Store locked up

Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

Other Hazards

This product does not contain any known or suspected endocrine disruptors

NFPA

Health
2

Flammability
3

Instability
0

Physical hazards
N/A

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

SAFETY DATA SHEET

2-Propanol

Revision Date 06-Jun-2024

3.1. Substances

Component	Common Name	CAS No	Index No	Weight %
Isopropyl alcohol	2-Propanol; IPA; Propan-2-ol; Isopropanol	67-63-0	KE-29363	99 - 100

SECTION 4: FIRST AID MEASURES

Description of first aid measures

Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. Get medical attention if symptoms occur.
Ingestion	Do NOT induce vomiting. Get medical attention.
Inhalation	Remove to fresh air. Get medical attention. If not breathing, give artificial respiration.
Self-Protection of the First Aider	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

Most important symptoms and effects, both acute and delayed

Difficulty in breathing. May cause central nervous system depression. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically. Symptoms may be delayed.

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media

Suitable Extinguishing Media

CO₂, dry chemical, dry sand, alcohol-resistant foam. Water mist may be used to cool closed containers.

Extinguishing media which must not be used for safety reasons

Do not use water jetstream. Do not use a solid water stream as it may scatter and spread fire.

Special hazards arising from the substance or mixture

Flammable. Risk of ignition. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Containers may explode when heated.

Hazardous Combustion Products

Carbon monoxide (CO), Carbon dioxide (CO₂), peroxides.

Advice for fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

SAFETY DATA SHEET

2-Propanol

Revision Date 06-Jun-2024

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Use personal protective equipment as required. Remove all sources of ignition. Take precautionary measures against static discharges. Avoid contact with skin, eyes or clothing.

Environmental precautions

Should not be released into the environment. See Section 12 for additional Ecological Information.

Methods and Material for Containment and Cleaning Up

Prevent further leakage or spillage if safe to do so. Remove all sources of ignition. Soak up with inert absorbent material. Take precautionary measures against static discharges. Use spark-proof tools and explosion-proof equipment. Keep in suitable, closed containers for disposal.

Reference to Other Sections

Refer to protective measures listed in Sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

Precautions for Safe Handling

Wear personal protective equipment/face protection. Keep away from open flames, hot surfaces and sources of ignition. Use spark-proof tools and explosion-proof equipment. Use only non-sparking tools. Take precautionary measures against static discharges. Do not get in eyes, on skin, or on clothing. Do not breathe mist/vapors/spray. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded.

Conditions for Safe Storage, Including any Incompatibilities

Keep away from heat, sparks and flame. Flammables area. Keep container tightly closed in a dry and well-ventilated place.

Specific End Uses

Use in laboratories.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

Component	CAS No	Korea	ACGIH TLV	OSHA PEL
Isopropyl alcohol	67-63-0	STEL: 400 ppm TWA: 200 ppm	TWA: 200 ppm STEL: 400 ppm	(Vacated) TWA: 400 ppm (Vacated) TWA: 980 mg/m ³ (Vacated) STEL: 500 ppm (Vacated) STEL: 1225 mg/m ³ TWA: 400 ppm TWA: 980 mg/m ³

Component	CAS No	European Union	The United Kingdom	Germany
Isopropyl alcohol	67-63-0	Not listed	STEL: 500 ppm 15 min STEL: 1250 mg/m ³ 15 min TWA: 400 ppm 8 hr TWA: 999 mg/m ³ 8 hr	TWA: 200 ppm (8 Stunden). AGW - exposure factor 2 TWA: 500 mg/m ³ (8 Stunden). AGW - exposure factor 2 TWA: 200 ppm (8 Stunden). MAK TWA: 500 mg/m ³ (8 Stunden). MAK Höhepunkt: 400 ppm Höhepunkt: 1000 mg/m ³

SAFETY DATA SHEET

2-Propanol

Revision Date 06-Jun-2024

ACGIH - Biological Exposure Indices

Component	CAS No	ACGIH - Biological Exposure Indices
Isopropyl alcohol	67-63-0	40 mg/L Medium: urine Time: end of shift at end of workweek Determinant: Acetone

Exposure Controls

Engineering Measures

Ensure that eyewash stations and safety showers are close to the workstation location. Use explosion-proof electrical/ventilating/lighting equipment. Ensure adequate ventilation, especially in confined areas. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

Eye Protection

Goggles

Hand Protection

Protective gloves

Skin and body protection

Wear appropriate protective gloves and clothing to prevent skin exposure

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Personal protective equipment

Use only those certified by the Korea Occupational Safety and Health Administration.

Respiratory Protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators

Recommended Filter type:

Organic gases and vapours filter Type A Brown conforming to EN14387

To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly

When RPE is used a face piece Fit Test should be conducted

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice

Environmental exposure controls

No information available

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance (Physical State, Color, etc.) Colorless Liquid

Odor

Alcohol-like

Odor Threshold

No data available

pH

7

1% aq. sol

Melting Point/Range

-89.5 °C / -129.1 °F

Softening Point

No data available

Boiling Point/Range

81 - 83 °C / 177.8 - 181.4 °F

@ 760 mmHg

Flash Point

12 °C / 53.6 °F

Method - Abel Closed Cup (BS 2000 Part 170, IP 170, AS/NZS 2106)

SAFETY DATA SHEET

2-Propanol

Revision Date 06-Jun-2024

Evaporation Rate 1.7 ASTM D 3539 (Butyl acetate = 1.0)
Flammability (solid,gas) Not applicable Liquid
Explosion Limits **Lower** 2 Vol%
Upper 12 Vol%

Vapor Pressure 43 mmHg @ 20 °C
Vapor Density 2.1 @ 20 °C / 68 °F (Air = 1.0)
Specific Gravity / Density 0.785 ASTM D-4052
Bulk Density Not applicable Liquid
Water Solubility Miscible
Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

Component	CAS No	log Pow
Isopropyl alcohol	67-63-0	0.05

Autoignition Temperature 425 °C / 797 °F ASTM E-659
Decomposition Temperature No data available
Viscosity 2.27 mPa.s at 20 °C
Explosive Properties Not explosive explosive air/vapour mixtures possible Vapors may form explosive mixtures with air
Oxidizing Properties No information available

Molecular Formula C3 H8 O
Molecular Weight 60.1
VOC Content(%) 100% (Organic Carbon (by mass) = 59.9 %) (EC/1999/13)
Refractive index 1.377 at 20 °C / 68 °F (ASTM D-1218)
Surface tension 22.7 mN/m at 20 °C / 68 °F
Coefficient of expansion 0.0009 / °C
Dielectric constant 18.6 at 20 °C / 68 °F
Heat of vapourisation 665 J/g
Specific heat capacity 3 kJ/kg °C at 20 °C / 68 °F
Thermal conductivity 0.137 W/m °C at 20 °C / 68 °F

SECTION 10: STABILITY AND REACTIVITY

Reactivity None known, based on information available

Chemical Stability Stable under normal conditions.

Possibility of Hazardous Reactions

Hazardous Polymerization Hazardous polymerization does not occur.
Hazardous Reactions None under normal processing.

Conditions to Avoid Heat, flames and sparks. Keep away from open flames, hot surfaces and sources of ignition.

Incompatible Materials Strong oxidizing agents. Acids. Halogens. Acid anhydrides.

SAFETY DATA SHEET

2-Propanol

Revision Date 06-Jun-2024

Hazardous Decomposition Products

Carbon monoxide (CO). Carbon dioxide (CO₂). peroxides.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Product Information

Information on expected route of exposure

Inhalation May be harmful if inhaled. May cause drowsiness and dizziness. May cause irritation of respiratory tract.

Ingestion May cause central nervous system effects. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Eyes Irritating to eyes.

Skin Irritating to skin. May be harmful in contact with skin.

Information on Health Hazards

(a) acute toxicity;

Oral Based on available data, the classification criteria are not met

Dermal Based on available data, the classification criteria are not met

Inhalation Based on available data, the classification criteria are not met

Component	CAS No	LD50 Oral	LD50 Dermal	LC50 Inhalation
Isopropyl alcohol	67-63-0	5045 mg/kg (Rat) 3600 mg/kg (Mouse)	12800 mg/kg (Rat)	72.6 mg/L (Rat) 4 h

(b) skin corrosion/irritation; No data available

(c) serious eye damage/irritation; Category 2

(d) respiratory or skin sensitization;

Respiratory No data available

Skin No data available

Component	CAS No	Test method	Test species	Study result
Isopropyl alcohol	67-63-0	No data available	No data available	No data available

(e) germ cell mutagenicity; No data available

Component	CAS No	Test method	Test species	Study result
Isopropyl alcohol	67-63-0	No data available	No data available	No data available

(f) carcinogenicity; No data available

Component	CAS No	Test method	Test species / Duration	Study result
Isopropyl alcohol	67-63-0	No data available	No data available	No data available

There are no known carcinogenic chemicals in this product

Component	CAS No	IARC	NTP	ACGIH	OSHA	UK
Isopropyl alcohol	67-63-0	Not listed	Not listed	Not listed	Not listed	Not listed

SAFETY DATA SHEET

2-Propanol

Revision Date 06-Jun-2024

(g) reproductive toxicity; No data available

Component	CAS No	Test method	Test species / Duration	Study result
Isopropyl alcohol	67-63-0	No data available	No data available	No data available

(h) STOT-single exposure; Category 3
Results / Target organs Central nervous system (CNS).

(i) STOT-repeated exposure; No data available
Target Organs None known.

(j) aspiration hazard; No data available

Other Adverse Effects

May cause central nervous system depression. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.

Component	CAS No	EU - Endocrine Disrupters Candidate List	EU - Endocrine Disruptors - Evaluated Substances	Japan - Endocrine Disruptor Information
Isopropyl alcohol	67-63-0	Not applicable	Not applicable	Not applicable

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity effects . Do not empty into drains.

Component	CAS No	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
Isopropyl alcohol	67-63-0	LC50: = 9640 mg/L, 96h flow-through (Pimephales promelas) LC50: > 1400000 µg/L, 96h (Lepomis macrochirus) LC50: = 11130 mg/L, 96h static (Pimephales promelas) LC50: = 10000000 µg/L, 96h (Daphnia)	13299 mg/L EC50 = 48 h 9714 mg/L EC50 = 24 h	EC50: > 1000 mg/L, 72h (Desmodesmus subspicatus) EC50: > 1000 mg/L, 96h (Desmodesmus subspicatus)	= 35390 mg/L EC50 Photobacterium phosphoreum 5 min

Persistence and degradability Expected to be biodegradable
Persistence Persistence is unlikely, based on information available.

Bioaccumulative potential Bioaccumulation is unlikely

Component	log Pow	Bioconcentration factor (BCF)
Isopropyl alcohol	0.05	No data available

Mobility in soil The product contains volatile organic compounds (VOC) which will evaporate easily from all surfaces. Will likely be mobile in the environment due to its volatility. Disperses rapidly in air.

Surface tension 22.7 mN/m at 20 °C / 68 °F

Ozone Depletion Potential

SAFETY DATA SHEET

2-Propanol

Revision Date 06-Jun-2024

Component	CAS No	Ozone Depletion Potential
Isopropyl alcohol	67-63-0	Not listed

Other adverse effects No information available

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from Residues/Unused Products	Waste is classified as hazardous. Dispose in accordance with the Wastes Control Act (폐기물관리법).
Contaminated Packaging	Dispose of this container to hazardous or special waste collection point. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and empty container away from heat and sources of ignition.
Other Information	Waste codes should be assigned by the user based on the application for which the product was used. Do not flush to sewer. Can be landfilled or incinerated, when in compliance with local regulations.

SECTION 14: TRANSPORT INFORMATION

Road and Rail Transport

UN-No	UN1219
Proper Shipping Name	Isopropanol (Isopropyl alcohol)
Hazard Class	3
Packing Group	II

IATA

UN-No	UN1219
Proper Shipping Name	Isopropanol
Hazard Class	3
Packing Group	II

IMDG/IMO

UN-No	UN1219
Proper Shipping Name	Isopropanol (Isopropyl alcohol)
Hazard Class	3
Packing Group	II
Marine Pollutant	No hazards identified

Special Precautions for User No special precautions required

SECTION 15: REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Legend: X - Listed '-' - Not Listed

International Inventories

Component	CAS No	KECL	TSCA	EINECS	IECSC	DSL	NDSL	PICCS	ENCS	ISHL	AICS
Isopropyl alcohol	67-63-0	KE-29363	X	200-661-7	X	X	-	X	X	X	X

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities	Seveso III Directive (2012/18/EC) - Qualifying Quantities	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Isopropyl alcohol	67-63-0				

SAFETY DATA SHEET

2-Propanol

Revision Date 06-Jun-2024

		for Major Accident Notification	for Safety Report Requirements		
Isopropyl alcohol	67-63-0	Not applicable	Not applicable	Not applicable	Annex I - Y42

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential
Isopropyl alcohol	67-63-0	Listed	Not applicable	Not applicable

Korean National Regulations

Component	CAS No	Act on Registration and Evaluation of Chemical Substances (K-REACH)	Authorised Chemicals	Existing Substances Subject to Registration
Isopropyl alcohol	67-63-0	Annex 1 - KE-29363	Not applicable	Not applicable

Component	CAS No	Chemical Control Act - Toxic Chemicals	Chemical Control Act - Prohibited Chemicals	Chemical Control Act - Use Restricted Chemicals
Isopropyl alcohol	67-63-0	Not applicable	Not applicable	Not applicable

Component	CAS No	Chemical Control Act - Accident Precaution Chemicals (% in mixtures)	Chemical Control Act - Accident Precaution Chemicals - Quantity limits Storage (% in mixtures)	Chemical Control Act - Accident Precaution Chemicals - Quantity limits Manufacture/Use (% in mixtures)
Isopropyl alcohol	67-63-0	Not applicable	Not applicable	Not applicable

Component	CAS No	Waste Control Law	Ministry of Environment - CMR risk	Ministry of Environment - Critically Controlled Substance
Isopropyl alcohol	67-63-0	Not applicable	Not applicable	Not applicable

Component	CAS No	ISHA - Harmful Agents Subject to Work Environment Monitoring	ISHA - Prohibited substances	ISHA - Substances requiring permission
Isopropyl alcohol	67-63-0	Listed	Not applicable	Not applicable

Component	CAS No	ISHA - Substances subject to control	ISHA - Harmful Agents Requiring Health Examination	ISHA - Permissible Exposure Limits
Isopropyl alcohol	67-63-0	Listed	Listed	Not applicable

Component	CAS No	ISHA - Subject to Process Safety Reports (minimum quantity)	ISHA - Threshold Limit Values (TLVs) Chemicals	ISHA - Special management materials
Isopropyl alcohol	67-63-0	5000 kg	STEL: 400 ppm TWA: 200 ppm	Not applicable

National Fire Association - Dangerous Substances Minimum quantity requiring a permit

Component	CAS No	Class 1 - Oxidising solids	Class 2 - Flammable solid	Class 3 - Spontaneously Combustible Substances and Dangerous Substances When Wet	Class 4 - Flammable liquids	Class 5 - Self-reactive substances	Class 6 - Oxidising liquids
Isopropyl alcohol	67-63-0	Not applicable	Not applicable	Not applicable	3. Alcohol 400 L	Not applicable	Not applicable

Control Parameters

SAFETY DATA SHEET

2-Propanol

Revision Date 06-Jun-2024

Component	CAS No	Korea	ACGIH - Biological Exposure Indices
Isopropyl alcohol	67-63-0	STEL: 400 ppm TWA: 200 ppm	40 mg/L Medium: urine Time: end of shift at end of workweek Determinant: Acetone

US Management Information

OSHA - Occupational Safety and Health Administration
Not applicable

Component	CAS No	Specifically Regulated Chemicals	Highly Hazardous Chemicals
Isopropyl alcohol	67-63-0	Not applicable	Not applicable

CERCLA Not applicable

Component	CAS No	CERCLA Extremely Hazardous Substances RQs	Hazardous Substances RQs	SARA 313 - Threshold Values %
Isopropyl alcohol	67-63-0	Not applicable	Not applicable	1.0 %

GHS Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

Danger.

H225 - Highly flammable liquid and vapor. H319 - Causes serious eye irritation. H336 - May cause drowsiness or dizziness.

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P240 - Ground and bond container and receiving equipment. P261 - Avoid breathing dust/fume/gas/mist/vapors/spray. P280 - Wear protective gloves/protective clothing/eye protection/face protection. P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

SECTION 16: OTHER INFORMATION

Legend

CAS - Chemical Abstracts Service

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List

ENCS - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

RPE - Respiratory Protective Equipment

LC50 - Lethal Concentration 50%

POW - Partition coefficient Octanol:Water

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50%

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

OECD - Organisation for Economic Co-operation and Development

BCF - Bioconcentration factor

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

MARPOL - International Convention for the Prevention of Pollution from Ships

ATE - Acute Toxicity Estimate

VOC - (Volatile Organic Compound)

Key literature references and sources for data

<https://echa.europa.eu/information-on-chemicals>

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

SAFETY DATA SHEET

2-Propanol

Revision Date 06-Jun-2024

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Fire prevention and fighting, identifying hazards and risks, static electricity, explosive atmospheres posed by vapours and dusts.

Creation Date	01-Sep-2009
Revision Date	06-Jun-2024
Revision Number	5
Revision Summary	SDS sections updated.

MOEL's Public Notice No. 2023-9 (Standards for Classification and Labeling of Chemical Substances and Safety Data Sheets)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet