

Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

**SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**
**Product Identifier**

**Perihal Produk:** KROMIUM(VI) OKSIDA  
**Product Description:** Chromium(VI) oxide  
**Cat No. :** 405230000; 405230025; 405235000  
**Synonyms** Chromium trioxide; Chromic acid; Chromic anhydride  
**CAS No** 1333-82-0  
**Molecular Formula** Cr O3

**Relevant identified uses of the substance or mixture and uses advised against**

**Recommended Use** Laboratory chemicals.  
**Uses advised against**

**Company**

Thermo Fisher Scientific Fisher Scientific (M) Sdn Bhd  
 Hap Seng Business Park, Lot 01-03, 01-04 Aras 1 Unity Square,  
 No 12, Persiaran Perusahaan, Seksyen 23, 40300 Shah Alam,  
 Selangor Darul Ehsan, Malaysia.  
 Main line: +60 3-5525 7888

**E-mail address**

Enquiry.my@thermofisher.com

**Emergency Telephone Number**

Tel: +03-5525 7888  
 CHEMTREC Malaysia 1-800-815-308 (Malay)  
 CHEMTREC Malaysia (Kuala Lumpur) +(60)-327884561 (Malay)

**SECTION 2: HAZARDS IDENTIFICATION**
**Classification of the substance or mixture**

Oxidizing solids	Category 1 (H271)
Acute oral toxicity	Category 3 (H301)
Acute dermal toxicity	Category 2 (H310)
Acute Inhalation Toxicity - Dusts and Mists	Category 2 (H330)
Skin Corrosion/Irritation	Category 1 A (H314)
Serious Eye Damage/Eye Irritation	Category 1 (H318)
Respiratory Sensitization	Category 1 (H334)
Skin Sensitization	Category 1 (H317)
Germ Cell Mutagenicity	Category 1B (H340)
Carcinogenicity	Category 1A (H350)
Reproductive Toxicity	Category 2 (H361f)
Specific target organ toxicity - (single exposure)	Category 3 (H335)
Specific target organ toxicity - (repeated exposure)	Category 1 (H372)
Acute aquatic toxicity	Category 1 (H400)
Chronic aquatic toxicity	Category 1 (H410)

**Label Elements**

# SAFETY DATA SHEET

Chromium(VI) oxide

Revision Date 22-Mar-2025



**Signal Word**

**Danger**

## Hazard Statements

H271 - May cause fire or explosion; strong oxidizer  
H301 - Toxic if swallowed  
H310 + H330 - Fatal in contact with skin or if inhaled  
H314 - Causes severe skin burns and eye damage  
H317 - May cause an allergic skin reaction  
H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled  
H335 - May cause respiratory irritation  
H340 - May cause genetic defects  
H350 - May cause cancer  
H361f - Suspected of damaging fertility  
H372 - Causes damage to organs through prolonged or repeated exposure  
H410 - Very toxic to aquatic life with long lasting effects

## Precautionary Statements

### Prevention

P201 - Obtain special instructions before use  
P202 - Do not handle until all safety precautions have been read and understood  
P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking  
P220 - Keep away from clothing and other combustible materials  
P221 - Take any precaution to avoid mixing with combustibles  
P260 - Do not breathe dust/fume/gas/mist/vapors/spray  
P262 - Do not get in eyes, on skin, or on clothing  
P264 - Wash face, hands and any exposed skin thoroughly after handling  
P270 - Do not eat, drink or smoke when using this product  
P271 - Use only outdoors or in a well-ventilated area  
P272 - Contaminated work clothing should not be allowed out of the workplace  
P280 - Wear protective gloves  
P283 - Wear fire resistant or flame retardant clothing  
P284 - In case of inadequate ventilation wear respiratory protection

### Response

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing  
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
P306 + P360 - IF ON CLOTHING: Rinse immediately contaminated clothing and skin with plenty of water before removing clothes  
P310 - Immediately call a POISON CENTER or doctor  
P330 - Rinse mouth  
P331 - Do NOT induce vomiting  
P353 - Rinse skin with water or shower  
P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish  
P371 + P380 + P375 - In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion  
P362 + P364 - Take off contaminated clothing and wash it before reuse  
P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

### Storage

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed  
P405 - Store locked up

### Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

# SAFETY DATA SHEET

Chromium(VI) oxide

Revision Date 22-Mar-2025

## Other Hazards

Toxicity to Soil Dwelling Organisms

Toxic to terrestrial vertebrates

This product does not contain any known or suspected endocrine disruptors

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS No	Weight %
Chromium trioxide (CrO <sub>3</sub> )	1333-82-0	>95

## SECTION 4: FIRST AID MEASURES

### Description of first aid measures

#### General Advice

Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.

#### Eye Contact

In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

#### Skin Contact

Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention is required.

#### Ingestion

Do NOT induce vomiting. Call a physician or poison control center immediately.

#### Inhalation

Remove to fresh air. If not breathing, give artificial respiration. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Immediate medical attention is required.

#### Self-Protection of the First Aider

Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

### Most important symptoms and effects, both acute and delayed

Causes burns by all exposure routes. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause allergic skin reaction. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated.

### Indication of any immediate medical attention and special treatment needed

#### Notes to Physician

Treat symptomatically.

## SECTION 5: FIREFIGHTING MEASURES

### Extinguishing media

#### Suitable Extinguishing Media

Substance is nonflammable; use agent most appropriate to extinguish surrounding fire. CO<sub>2</sub>, dry chemical, dry sand,

# SAFETY DATA SHEET

Chromium(VI) oxide

Revision Date 22-Mar-2025

alcohol-resistant foam.

## **Extinguishing media which must not be used for safety reasons**

No information available.

## **Special hazards arising from the substance or mixture**

The product causes burns of eyes, skin and mucous membranes. Oxidizer: Contact with combustible/organic material may cause fire. May ignite combustibles (wood paper, oil, clothing, etc.). Do not allow run-off from fire-fighting to enter drains or water courses.

## **Hazardous Combustion Products**

Toxic fumes.

## **Advice for fire-fighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

### **Personal Precautions, Protective Equipment and Emergency Procedures**

Use personal protective equipment as required. Evacuate personnel to safe areas. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid dust formation.

### **Environmental precautions**

Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained.

### **Methods and Material for Containment and Cleaning Up**

Sweep up and shovel into suitable containers for disposal. Avoid dust formation. Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Sweep up and shovel into suitable containers for disposal.

### **Reference to Other Sections**

Refer to protective measures listed in Sections 8 and 13.

## **SECTION 7: HANDLING AND STORAGE**

### **Precautions for Safe Handling**

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not ingest. If swallowed then seek immediate medical assistance. Do not breathe (dust, vapor, mist, gas). Avoid dust formation. Keep away from clothing and other combustible materials.

### **Conditions for Safe Storage, Including any Incompatibilities**

Keep in a dry, cool and well-ventilated place. Keep container tightly closed. Do not store near combustible materials. Corrosives area. Store under an inert atmosphere. Protect from moisture.

### **Specific End Uses**

Use in laboratories.

## **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

### **Control Parameters**

ACR40523

# SAFETY DATA SHEET

Chromium(VI) oxide

Revision Date 22-Mar-2025

Component	Malaysia	ACGIH TLV	OSHA PEL
Chromium trioxide (CrO <sub>3</sub> )		TWA: 0.0002 mg/m <sup>3</sup> STEL: 0.0005 mg/m <sup>3</sup> Skin	(Vacated) Ceiling: 0.1 mg/m <sup>3</sup> Ceiling: 0.1 mg/m <sup>3</sup>

Component	European Union	The United Kingdom	Germany
Chromium trioxide (CrO <sub>3</sub> )		STEL: 0.03 mg/m <sup>3</sup> 15 min STEL: 0.065 mg/m <sup>3</sup> 15 min TWA: 0.01 mg/m <sup>3</sup> 8 hr TWA: 0.025 mg/m <sup>3</sup> 8 hr Carc. as Cr Resp. Sens.	Haut

## Exposure Controls

### Engineering Measures

Use only under a chemical fume hood. Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

### Personal protective equipment

#### Eye Protection

Goggles

#### Hand Protection

Protective gloves

#### Skin and body protection

Long sleeved clothing

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves.

(Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatibility, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

#### Respiratory Protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators

#### Recommended Filter type:

Particulates filter conforming to EN 143

To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly

When RPE is used a face piece Fit Test should be conducted

### Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice

### Environmental exposure controls

Prevent product from entering drains Do not allow material to contaminate ground water system Local authorities should be advised if significant spillages cannot be contained

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

#### Appearance

Reddish violet

#### Physical State

Solid

#### Odor

Odorless

#### Odor Threshold

No data available

#### pH

1

50g/l aq.sol

# SAFETY DATA SHEET

Chromium(VI) oxide

Revision Date 22-Mar-2025

Melting Point/Range	196 °C / 384.8 °F	
Softening Point	No data available	
Boiling Point/Range	No information available	
Flash Point	No information available	Method - No information available

Evaporation Rate	Not applicable	Solid
Flammability (solid,gas)	No information available	
Explosion Limits	No data available	

Vapor Pressure	No information available	
Vapor Density	Not applicable	Solid
Specific Gravity / Density	No data available	
Bulk Density	No data available	
Water Solubility	1660 g/L (20°C)	
Solubility in other solvents	No information available	

## Partition Coefficient (n-octanol/water)

Autoignition Temperature	No data available	
Decomposition Temperature	198 °C	
Viscosity	Not applicable	Solid
Explosive Properties	No information available	
Oxidizing Properties	Oxidizer	

Molecular Formula	Cr O3
Molecular Weight	99.99

## SECTION 10: STABILITY AND REACTIVITY

### Reactivity

Yes.

### Chemical Stability

Oxidizer: Contact with combustible/organic material may cause fire. Hygroscopic.

### Possibility of Hazardous Reactions

Hazardous Polymerization	Hazardous polymerization does not occur.
Hazardous Reactions	None under normal processing.

### Conditions to Avoid

Excess heat. Incompatible products. Exposure to moist air or water. Combustible material.

### Incompatible Materials

Bases. Alcohols. Amines. Ammonia. Hydrocarbons. Ketones. Acetone. Acid anhydrides. Metals. Reducing Agent. Finely powdered metals. Strong reducing agents. Combustible material.

# SAFETY DATA SHEET

Chromium(VI) oxide

Revision Date 22-Mar-2025

## Hazardous Decomposition Products

Toxic fumes.

## SECTION 11: TOXICOLOGICAL INFORMATION

### Information on Toxicological Effects

#### Product Information

##### (a) acute toxicity;

Oral Category 3  
Dermal Category 2  
Inhalation Category 2

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Chromium trioxide (CrO3)	LD50 = 80 mg/kg ( Rat )	LD50 = 57 mg/kg ( Rabbit )	LC50 = 217 mg/m <sup>3</sup> ( Rat ) 4 h

(b) skin corrosion/irritation; Category 1 A

(c) serious eye damage/irritation; Category 1

##### (d) respiratory or skin sensitization;

Respiratory Category 1  
Skin Category 1

May cause sensitization by skin contact

(e) germ cell mutagenicity; Category 1B

Mutagenic; Ames test:: positive

(f) carcinogenicity; Category 1A

The table below indicates whether each agency has listed any ingredient as a carcinogen

Component	EU	UK	Germany	IARC
Chromium trioxide (CrO3)	Carc Cat. 1A			Group 1

##### (g) reproductive toxicity;

Reproductive Effects  
Teratogenicity

Category 2  
Possible risk of impaired fertility.  
Teratogenic effects have occurred in experimental animals.

##### (h) STOT-single exposure;

Results / Target organs

Category 3  
Respiratory system.

##### (i) STOT-repeated exposure;

Target Organs

Category 1  
Eyes, Skin, Respiratory system, Gastrointestinal tract (GI), Reproductive System.

##### (j) aspiration hazard;

Not applicable  
Solid

# SAFETY DATA SHEET

Chromium(VI) oxide

Revision Date 22-Mar-2025

**Symptoms / effects, both acute and delayed** Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated.

**Endocrine Disrupting Properties** Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.

## SECTION 12: ECOLOGICAL INFORMATION

**Ecotoxicity effects** Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The product contains following substances which are hazardous for the environment.

Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
Chromium trioxide (CrO <sub>3</sub> )	LC50: = 40 mg/L, 96h static (Colisa fasciatus)			

### Persistence and degradability

**Persistence**

Soluble in water, Persistence is unlikely, based on information available.

**Degradability**

Not relevant for inorganic substances.

**Degradation in sewage treatment plant**

Contains substances known to be hazardous to the environment or not degradable in waste water treatment plants.

### Bioaccumulative potential

Bioaccumulation is unlikely

### Mobility in soil

The product is water soluble, and may spread in water systems. Will likely be mobile in the environment due to its water solubility. Highly mobile in soils.

### Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors

### Other adverse effects

No information available

## SECTION 13: DISPOSAL CONSIDERATIONS

### Waste treatment methods

**Waste from Residues/Unused Products**

Should not be released into the environment Waste is classified as hazardous Dispose of in accordance with the European Directives on waste and hazardous waste Dispose of in accordance with local regulations

### Contaminated Packaging

Dispose of this container to hazardous or special waste collection point.

### Other Information

Do not flush to sewer Waste codes should be assigned by the user based on the application for which the product was used Do not empty into drains Large amounts will affect pH and harm aquatic organisms Solutions with low pH-value must be neutralized before discharge Do not let this chemical enter the environment

## SECTION 14: TRANSPORT INFORMATION



# SAFETY DATA SHEET

Chromium(VI) oxide

Revision Date 22-Mar-2025

## IMDG/IMO

UN-No UN1463  
Hazard Class 5.1  
Subsidiary Hazard Class 6.1, 8  
Packing Group II  
Proper Shipping Name CHROMIUM TRIOXIDE, ANHYDROUS

## Road and Rail Transport

UN-No UN1463  
Hazard Class 5.1  
Subsidiary Hazard Class 6.1, 8  
Packing Group II  
Proper Shipping Name CHROMIUM TRIOXIDE, ANHYDROUS

## IATA

UN-No UN1463  
Hazard Class 5.1  
Subsidiary Hazard Class 6.1, 8  
Packing Group II  
Proper Shipping Name CHROMIUM TRIOXIDE, ANHYDROUS

Special Precautions for User No special precautions required

## SECTION 15: REGULATORY INFORMATION

### Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories X = listed

Component	EINECS	TSCA	DSL	PICCS	ENCS	ISHL	IECSC	AICS	KECL
Chromium trioxide (CrO <sub>3</sub> )	215-607-8	X	X	X	X	X	X	X	KE-06020

Component	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Chromium trioxide (CrO <sub>3</sub> )				Annex I - Y21

### National Regulations

Persistent Organic Pollutant This product does not contain any known or suspected substance  
Ozone Depletion Potential This product does not contain any known or suspected substance

## SECTION 16: OTHER INFORMATION

### Legend

CAS - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b)  
Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical  
Substances/EU List of Notified Chemical Substances

DSL/NDL - Canadian Domestic Substances List/Non-Domestic  
Substances List

PICCS - Philippines Inventory of Chemicals and Chemical Substances

ENCS - Japanese Existing and New Chemical Substances

# SAFETY DATA SHEET

Chromium(VI) oxide

Revision Date 22-Mar-2025

**IECSC** - Chinese Inventory of Existing Chemical Substances  
**KECL** - Korean Existing and Evaluated Chemical Substances

**AICS** - Australian Inventory of Chemical Substances  
**NZIoC** - New Zealand Inventory of Chemicals

**WEL** - Workplace Exposure Limit  
**ACGIH** - American Conference of Governmental Industrial Hygienists  
**RPE** - Respiratory Protective Equipment  
**LC50** - Lethal Concentration 50%  
**POW** - Partition coefficient Octanol:Water

**TWA** - Time Weighted Average  
**IARC** - International Agency for Research on Cancer  
**LD50** - Lethal Dose 50%  
**EC50** - Effective Concentration 50%

**ADR** - European Agreement Concerning the International Carriage of Dangerous Goods by Road  
**IMO/IMDG** - International Maritime Organization/International Maritime Dangerous Goods Code  
**OECD** - Organisation for Economic Co-operation and Development  
**BCF** - Bioconcentration factor

**ICAO/IATA** - International Civil Aviation Organization/International Air Transport Association  
**MARPOL** - International Convention for the Prevention of Pollution from Ships  
**ATE** - Acute Toxicity Estimate  
**VOC** - (Volatile Organic Compound)

## Key literature references and sources for data

<https://echa.europa.eu/information-on-chemicals>  
Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

**Revision Date** 22-Mar-2025  
**Revision Summary** Not applicable.

**In accordance with local and national regulations: Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013**

## Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**