

**Australian statement of hazardous nature :** Classified as hazardous according to criteria of Safe Work Australia

## Section 1 - Identification

**Product Name** Mercury, vacuum quadruple distilled, 99.999 % (metals basis)

**CAS No** 7439-97-6

**Synonyms** Quicksilver

**Product Code** **97208**

**Address** ThermoFisher Scientific Australia Pty Ltd  
5 Caribbean Drive, Scoresby  
VICTORIA 3179, Australia

**Emergency Tel.** **CHEMTREC®**  
**03 9757 4559 or +613 9757 4559**

**Telephone / Fax Numbers** Tel: 1300 735 292  
Fax: 1800 067 639

**E-mail address** ANZinfo@thermofisher.com

**Recommended Use** Laboratory chemicals.

**Uses advised against** This product contains one or more substance(s) on the Illicit Drug Precursors/Reagents list. Verify requirements related to using, handling and storing these substances. This product does not contain any substance(s) subject to Prohibition, Authorization or Restriction. This product does not contain any substance(s) listed on the voluntary National Code of Practice for Chemicals of Security Concern.

## Section 2 - Hazard(s) Identification

### Classification under Safe Work Australia

Classified as hazardous according to criteria of Safe Work Australia

**Physical hazards**  
No hazards identified

**Health hazards**

|  |             |
|--|-------------|
| Acute Inhalation Toxicity - Vapors                   | Category 2  |
| Reproductive Toxicity                                | Category 1B |
| Specific target organ toxicity - (repeated exposure) | Category 1  |

**Environmental hazards**

|                          |            |
|--------------------------|------------|
| Acute aquatic toxicity   | Category 1 |
| Chronic aquatic toxicity | Category 1 |

### Label Elements



Skull and Crossbones



Health Hazard



Environment

**Signal Word**

**Danger**

**Hazard Statements**

H330 - Fatal if inhaled

H360 - May damage fertility or the unborn child

H372 - Causes damage to organs through prolonged or repeated exposure

H410 - Very toxic to aquatic life with long lasting effects

**Precautionary Statements**

P201 - Obtain special instructions before use

P202 - Do not handle until all safety precautions have been read and understood

P260 - Do not breathe dust/fume/gas/mist/vapors/spray

P270 - Do not eat, drink or smoke when using this product

P264 - Wash face, hands and any exposed skin thoroughly after handling

P271 - Use only outdoors or in a well-ventilated area

P284 - Wear respiratory protection

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P310 - Immediately call a POISON CENTER or doctor

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

P405 - Store locked up

P501 - Dispose of contents/ container to an approved waste disposal plant

**Other information**

Toxicity to Soil Dwelling Organisms

Toxic to terrestrial vertebrates

## Section 3 - Composition and Information on Ingredients

| Component | CAS No    | Weight % |
|-----------|-----------|----------|
| Mercury   | 7439-97-6 | 100      |

## Section 4 - First Aid Measures

**Inhalation**

Remove to fresh air. If not breathing, give artificial respiration. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Immediate medical attention is required.

**Ingestion**

Do NOT induce vomiting. Call a physician or poison control center immediately.

**Skin Contact**

Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention is required.

**Eye Contact**

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required.

|  |  |
|--|--|
| <b>General Advice</b>                      | Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.  |
| <b>Self-Protection of the First Aider</b>  | Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.   |
| <b>First Aid Facilities</b>                | Eyewash, safety shower and washroom.   |
| <b>Most important symptoms and effects</b> | Neurological disorders. May cause central nervous system depression: May cause adverse kidney effects: May cause adverse liver effects: Symptoms may be delayed: Chronic exposure damages the brain and the central nervous system |
| <b>Notes to Physician</b>                  | Treat symptomatically.   |

## Section 5 - Fire Fighting Measures

### **Suitable Extinguishing Media**

Water spray, carbon dioxide (CO<sub>2</sub>), dry chemical, alcohol-resistant foam.

### **Extinguishing media which must not be used for safety reasons**

No information available.

### **Hazardous Decomposition Products**

Mercury oxide, Toxic fumes.

### **Specific Hazards Arising from the Chemical**

Very toxic. Non-combustible, substance itself does not burn but may decompose upon heating to produce corrosive and/or toxic fumes. Keep product and empty container away from heat and sources of ignition. Do not allow run-off from fire-fighting to enter drains or water courses.

### **Special protective equipment and precautions for fire fighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

## Section 6 - Accidental Release Measures

### **Emergency procedures**

Ensure adequate ventilation. Use personal protective equipment as required. Keep people away from and upwind of spill/leak. Evacuate personnel to safe areas.

### **Environmental Precautions**

Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained. Should not be released into the environment.

### **Methods for Containment and Clean Up**

#### **Clean-up methods - small spillage**

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

#### **Clean-up methods - large spillage**

Typically only supplied in small quantities as packaged goods.

If extremely toxic or used in larger quantities ensure a spillage action plan is in place. Evacuate area. Control the source and/or contain the spill if safe and able to do so. Use temporary diking, sand bags, dry sand, earth or proprietary booms/absorbent pads if available. Obtain advice on containment, neutralisation and clean-up from local emergency responders.

### **Reference to Other Sections**

Refer to protective measures listed in Sections 8 and 13.

## Section 7 - Handling and Storage

### Precautions for Safe Handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance.

### Conditions for Safe Storage, Including any Incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Do not store in metal containers.

AS/NZS 2243.10:2004, Safety in laboratories - Storage of chemicals

## Section 8 - Exposure Controls and Personal Protection

### Exposure limits

**AUS** - Exposure Standards for Atmospheric Contaminants in the Occupational Environment - Guidance Note on the Interpretation of Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:3008(1995)]

Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:1003(1995)]

updated in August, 2005. Safe Work Australia **ACGIH** - Threshold Limit Values - Ceiling (TLV-C) guidelines by the American Conference of Governmental Industrial Hygienists (ACGIH) for controlling worker exposure to airborne chemical concentrations in the workplace. **UK** - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020. **DE** - MAK and BAT values of Hazardous Chemical Compounds in the Work Area. Published by German Research Foundation on July 1, 2011

| Component | Australia                                      | New Zealand WEL                      | ACGIH TLV                            | The United Kingdom               | Germany  |
|-----------|--|--------------------------------------|--------------------------------------|----------------------------------|--|
| Mercury   | TWA: 0.003 ppm<br>TWA: 0.025 mg/m <sup>3</sup> | TWA: 0.025 mg/m <sup>3</sup><br>Skin | TWA: 0.025 mg/m <sup>3</sup><br>Skin | TWA: 0.02 mg/m <sup>3</sup> 8 hr | TWA: 0.02 mg/m <sup>3</sup> (8<br>Stunden). AGW -<br>exposure factor 8<br>TWA: 0.02 mg/m <sup>3</sup> (8<br>Stunden). MAK<br>Höhepunkt: 0.16 mg/m <sup>3</sup><br>Haut |

### Biological limit values

**UK** - Biological Monitoring Guidance Values provided by the UK's Health and Safety Executive (HSE) Control of Substances Hazardous to Health Regulations (COSHH) 2002 (as amended) and EH40/2005; **NZ** - Substances assigned Biological Exposure Indices in the New Zealand Workplace Exposure Standards and Biological Exposure Indices (6th edition). New Zealand Department of Labor

| Component | Australia | New Zealand   | European Union | United Kingdom                                  | Germany   |
|-----------|-----------|---|----------------|---|---|
| Mercury   |           | 20 µg/g creatinine<br>(urine) prior to shift<br>(Mercury) |                | Mercury: 20 µmol/mol<br>creatinine urine random | Mercury: 25 µg/g<br>Creatinine urine (no<br>restriction ) |

### Exposure Controls

#### Engineering Measures

Use only under a chemical fume hood. Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

### Personal protective equipment

#### Eye Protection

Goggles (Australian/New Zealand Standard AS/NZS 1337 - Eye protectors for Industrial applications)

#### Hand Protection

Protective gloves

| Glove material | Breakthrough time | Glove thickness | AUS/NZ Standard | Glove comments        |
|----------------|-------------------|-----------------|-----------------|-----------------------|
| Nitrile rubber | > 480 minutes     | 0.54mm          | AS/NZS 2161     | (minimum requirement) |
| Natural rubber | > 480 minutes     | 0.48mm          |                 |                       |

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves.  
(Refer to manufacturer/supplier for information)  
Ensure gloves are suitable for the task: Chemical compatibility, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.  
Remove gloves with care avoiding skin contamination.

|  |   |
|--|---|
| <b>Skin and body protection</b>        | Long sleeved clothing   |
| <b>Respiratory Protection</b>          | Use an AS/NZS 1716 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained in line with AS/NZS 1715 on the use and maintenance of respiratory protective devices |
| <b>Recommended Filter type:</b>        | Particulates filter conforming to EN 143 or Inorganic gases and vapours filter Type B Grey conforming to EN14387 (or AUS/NZ equivalent)   |
| <b>Recommended half mask:-</b>         | Particle filtering: EN149:2001 (or AUS/NZ equivalent)<br>When RPE is used a face piece Fit Test should be conducted   |
| <b>Hygiene Measures</b>                | Handle in accordance with good industrial hygiene and safety practice.  |
| <b>Environmental exposure controls</b> | Prevent product from entering drains. Do not allow material to contaminate ground water system. Local authorities should be advised if significant spillages cannot be contained.   |

## Section 9 - Physical and Chemical Properties

### Information on basic physical and chemical properties

|  |                          |  |
|--|--------------------------|--|
| <b>Appearance</b>                              | Silver                   |  |
| <b>Physical State</b>                          | Liquid                   |  |
| <b>Odor</b>                                    | Odorless                 |  |
| <b>Odor Threshold</b>                          | No data available        |  |
| <b>pH</b>                                      | Not applicable           |  |
| <b>Melting Point/Range</b>                     | -38.9 °C / -38 °F        |  |
| <b>Softening Point</b>                         | No data available        |  |
| <b>Boiling Point/Range</b>                     | 356.5 °C / 673.7 °F      |  |
| <b>Flash Point</b>                             | No information available | <b>Method -</b> No information available |
| <b>Evaporation Rate</b>                        | No data available        |  |
| <b>Flammability (solid,gas)</b>                | Not applicable           | Liquid                                   |
| <b>Explosion Limits</b>                        | No data available        |  |
| <b>Vapor Pressure</b>                          | 0.01 hPa @ 20 °C         |  |
| <b>Vapor Density</b>                           | 7.0                      | (Air = 1.0)                              |
| <b>Specific Gravity / Density</b>              | 13.540                   |  |
| <b>Bulk Density</b>                            | Not applicable           | Liquid                                   |
| <b>Water Solubility</b>                        | Insoluble                |  |
| <b>Solubility in other solvents</b>            | No information available |  |
| <b>Partition Coefficient (n-octanol/water)</b> |                          |  |
| <b>Autoignition Temperature</b>                | No data available        |  |
| <b>Decomposition Temperature</b>               | No data available        |  |
| <b>Viscosity</b>                               | 1.554 cP at 20 °C        |  |
| <b>Explosive Properties</b>                    | No information available |  |
| <b>Oxidizing Properties</b>                    | No information available |  |
| <b>Other information</b>                       |                          |  |
| <b>Molecular Formula</b>                       | Hg                       |  |
| <b>Molecular Weight</b>                        | 200.59                   |  |

## Section 10 - Stability and Reactivity

|                                  |   |
|----------------------------------|---|
| Reactivity                       | None known, based on information available          |
| Stability                        | Stable under normal conditions.                     |
| Conditions to Avoid              | Incompatible products, Excess heat.                 |
| Incompatible Materials           | Strong oxidizing agents, Ammonia, Metals, Halogens. |
| Hazardous Decomposition Products | Mercury oxide. Toxic fumes.                         |
| Hazardous Polymerization         | Hazardous polymerization does not occur.            |

## Section 11 - Toxicological Information

### Information on Toxicological Effects

#### Product Information

|                     |                   |
|---------------------|-------------------|
| (a) acute toxicity; |                   |
| Oral                | No data available |
| Dermal              | No data available |
| Inhalation          | Category 2        |

| Component | LD50 Oral | LD50 Dermal | LC50 Inhalation                         |
|-----------|-----------|-------------|---|
| Mercury   |           |             | LC50 < 27 mg/m <sup>3</sup> ( Rat ) 2 h |

|                                |                   |
|--------------------------------|-------------------|
| (b) skin corrosion/irritation; | No data available |
|--------------------------------|-------------------|

|                                    |                   |
|------------------------------------|-------------------|
| (c) serious eye damage/irritation; | No data available |
|------------------------------------|-------------------|

|  |                   |
|--|-------------------|
| (d) respiratory or skin sensitization; |                   |
| Respiratory                            | No data available |
| Skin                                   | No data available |

|                             |                   |
|-----------------------------|-------------------|
| (e) germ cell mutagenicity; | No data available |
|-----------------------------|-------------------|

|                      |   |
|----------------------|---|
| (f) carcinogenicity; | No data available   |
|                      | The table below indicates whether each agency has listed any ingredient as a carcinogen |

|                            |                                    |
|----------------------------|------------------------------------|
| (g) reproductive toxicity; | Category 1B                        |
| Developmental Effects      | May cause harm to the unborn child |

|                           |                   |
|---------------------------|-------------------|
| (h) STOT-single exposure; | No data available |
|---------------------------|-------------------|

|                             |  |
|-----------------------------|--|
| (i) STOT-repeated exposure; | Category 1                                   |
| Target Organs               | Kidney, Liver, Central nervous system (CNS). |

|                        |                   |
|------------------------|-------------------|
| (j) aspiration hazard; | No data available |
|------------------------|-------------------|

|  |  |
|--|--|
| Symptoms / effects, both acute and delayed | May cause central nervous system depression: May cause adverse kidney effects: May cause adverse liver effects: Symptoms may be delayed: Chronic exposure damages the brain and the central nervous system |
|--|--|

## Section 12 - Ecological Information

### Ecotoxicity effects

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The product contains following substances which are hazardous for the environment. Do not allow material to contaminate ground water system.

| Component | Freshwater Fish  | Water Flea | Freshwater Algae | Microtox |
|-----------|--|------------|------------------|----------|
| Mercury   | 0.9 mg/L LC50 96h<br>0.18 mg/L LC50 96h<br>0.16 mg/L LC50 96h<br>0.5 mg/L LC50 96h |            |                  |          |

### Persistence and Degradability

Product contains heavy metals. Discharge into the environment must be avoided. Special pre-treatment is necessary

### Persistence

Insoluble in water, May persist.

### Degradability

Not relevant for inorganic substances.

### Degradation in sewage treatment plant

Contains substances known to be hazardous to the environment or not degradable in waste water treatment plants.

### Bioaccumulative Potential

Product has a high potential to bioconcentrate

### Mobility

Spillage unlikely to penetrate soil. Is not likely mobile in the environment due its low water solubility

### Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors

### Persistent Organic Pollutant

This product does not contain any known or suspected substance

### Ozone Depletion Potential

This product does not contain any known or suspected substance

## Section 13 - Disposal Considerations

### Waste from Residues/Unused Products

Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes, including emptied containers, are controlled wastes and should be disposed of in accordance with all federal, E.P.A., state and local regulations. Assure conformity with all applicable regulations.

### Contaminated Packaging

Dispose of this container to hazardous or special waste collection point.

### Other Information

Chemical wastes should be disposed through a licensed commercial waste collection service. Do not flush to sewer. Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains. Do not let this chemical enter the environment.

## Section 14 - Transport Information

### IMDG/IMO

|                         |         |
|-------------------------|---------|
| UN-No                   | UN2809  |
| Proper Shipping Name    | Mercury |
| Hazard Class            | 8       |
| Subsidiary Hazard Class | 6.1     |
| Packing Group           | III     |

### ADG

|                         |         |
|-------------------------|---------|
| UN-No                   | UN2809  |
| Proper Shipping Name    | Mercury |
| Hazard Class            | 8       |
| Subsidiary Hazard Class | 6.1     |
| Packing Group           | III     |

| Component                    | Hazchem Code |
|------------------------------|--------------|
| Mercury<br>7439-97-6 ( 100 ) | 2X           |

**IATA**

**UN-No** UN2809  
**Proper Shipping Name** Mercury  
**Hazard Class** 8  
**Subsidiary Hazard Class** 6.1  
**Packing Group** III

**Environmental hazards** Dangerous for the environment  
Product is a marine pollutant according to the criteria set by IMDG/IMO

**Special Precautions** No special precautions required

**Additional information** None known

## Section 15 - Regulatory Information

### Safety, health and environmental regulations/legislation specific for the substance or mixture

#### National Regulations **Australia**

See section 8 for national exposure control parameters.

| Component                    | Health Surveillance   |
|------------------------------|---|
| Mercury<br>7439-97-6 ( 100 ) | Listed<br>Demographic, medical and occupational history<br>Physical examination with emphasis on dermatological,<br>gastrointestinal, neurological and renal systems<br>Urinary inorganic Mercury |

#### **Standard for the Uniform Scheduling of Medicines and Poisons**

Classified as a scheduled poison according to the Standard for Uniform Scheduling of Medicines and Poisons.

| Component           | Standard for the Uniform Scheduling of Medicines and Poisons  |
|---------------------|---|
| Mercury - 7439-97-6 | Schedule 2 listed<br>Schedule 4 listed - for cosmetic or therapeutic use except when separately specified in these<br>Schedules, or in a sealed device which prevents access to the mercury<br>S7 Scheduled |

#### **Australian Industrial Chemicals Introduction Scheme (AICIS)**

| Component           | Australian Industrial Chemicals Introduction Scheme (AICIS) | Additional information |
|---------------------|---|------------------------|
| Mercury - 7439-97-6 | Present   | -                      |

#### **Australian - Illicit Drug Precursors/Reagents Substance List**

This product contains one or more substance(s) on the Illicit Drug Precursors/Reagents list. Verify requirements related to using, handling and storing these substances.

#### **Chemicals of Security Concern**

This product does not contain any substance(s) listed on the voluntary National Code of Practice for Chemicals of Security Concern

| Component           | Australian - Illicit Drug Precursors/Reagents Substance List | Chemicals of Security Concern |
|---------------------|--|-------------------------------|
| Mercury - 7439-97-6 | Category 2   |                               |

#### **Legend**



Category 2 - Chemicals and apparatus that require an End User Declaration when sold to non-account customers

**National pollutant inventory** Subject to reporting requirements

| Component           | National pollutant inventory   |
|---------------------|--|
| Mercury - 7439-97-6 | 5 kg/yr. Threshold category 1b<br>20 MW. Threshold category 2b<br>60000 MWH. Threshold category 2b<br>2000 tonne/yr. Threshold category 2b |

## Prohibition or notification/licensing requirements

Shown below are details of specific prohibition/notifications or licensing requirements when they apply.

This product does not contain any substance(s) subject to Prohibition, Authorization or Restriction.

## International Inventories

| Component | AICS | NZIoC | EINECS    | ELINCS | TSCA | DSL | NDSL | PICCS | ENCS | ISHL | IECSC | KECL     |
|-----------|------|-------|-----------|--------|------|-----|------|-------|------|------|-------|----------|
| Mercury   | X    | X     | 231-106-7 | -      | X    | X   | -    | X     | X    |      | X     | KE-23117 |

**Legend:** X - Listed. '-' - Not Listed. S - Indicates a substance that is identified in a proposed or final Significant New Use Rule. **KECL** - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

## International Regulations

**Ozone Depletion Potential** This product does not contain any known or suspected substance

**Persistent Organic Pollutant** This product does not contain any known or suspected substance

**Rotterdam Convention (PIC)** Chemicals Subject to Prior Informed Consent (PIC)

| Component           | Rotterdam Convention (PIC) |
|---------------------|----------------------------|
| Mercury - 7439-97-6 | X                          |

## Basel convention on the control of transboundary movements of hazardous wastes and their disposal

Take note that wastes may be subject to export, import, or transit controls pursuant to the Basel convention and/or local regulations implementing the Basel convention.

| Component           | Basel Convention (Hazardous Waste) | Australian Hazardous Waste Act - Categories of Wastes to Be Controlled |
|---------------------|------------------------------------|--|
| Mercury - 7439-97-6 | Annex I - Y29                      | Y29  |

| Component | CAS No    | OECD HPV | Restriction of Hazardous Substances (RoHS) | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements |
|-----------|-----------|----------|--|---|--|
| Mercury   | 7439-97-6 | Listed   | 0.1% (Max. Conc.)                          | Not applicable  | Not applicable   |

## Authorisation/Restrictions according to EU REACH

| Component | REACH (1907/2006) - Annex XIV - Substances Subject to Authorization | REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances | REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC) |
|-----------|---|---|---|
| Mercury   | -   | Use restricted. See item 18[a]. (see link for restriction details)            | -   |

|  |  |  |  |
|--|--|--|--|
|  |  | Use restricted. See item 30.<br>(see link for restriction details)<br>Use restricted. See item 75.<br>(see link for restriction details) |  |
|--|--|--|--|

<https://echa.europa.eu/substances-restricted-under-reach>

## Section 16 - Other Information

### Legend

|  |  |
|--|--|
| <b>AICS</b> - Australian Inventory of Chemical Substances  | <b>NZIoC</b> - New Zealand Inventory of Chemicals  |
| <b>TSCA</b> - United States Toxic Substances Control Act Section 8(b) Inventory                      | <b>EINECS/ELINCS</b> - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances |
| <b>DSL/NDL</b> - Canadian Domestic Substances List/Non-Domestic Substances List                      | <b>ENCS</b> - Japanese Existing and New Chemical Substances  |
| <b>IECSC</b> - Chinese Inventory of Existing Chemical Substances                                     | <b>KECL</b> - Korean Existing and Evaluated Chemical Substances  |
| <b>PICCS</b> - Philippines Inventory of Chemicals and Chemical Substances                            | <b>CAS</b> - Chemical Abstracts Service  |
| <b>TWA</b> - Time Weighted Average   | <b>ACGIH</b> - American Conference of Governmental Industrial Hygienists   |
| <b>IARC</b> - International Agency for Research on Cancer  | Predicted No Effect Concentration (PNEC)   |
| <b>ICAO/IATA</b> - International Civil Aviation Organization/International Air Transport Association | <b>IMO/IMDG</b> - International Maritime Organization/International Maritime Dangerous Goods Code                            |
| <b>MARPOL</b> - International Convention for the Prevention of Pollution from Ships                  | <b>ADG</b> Australian Code for the Transport of Dangerous Goods by Road and Rail   |
| <b>NZS 5433:2012</b> - Transport of Dangerous Goods on Land  | <b>OECD</b> - Organisation for Economic Co-operation and Development   |
| <b>LD50</b> - Lethal Dose 50%  | <b>LC50</b> - Lethal Concentration 50%   |
| <b>EC50</b> - Effective Concentration 50%  | <b>ATE</b> - Acute Toxicity Estimate   |
| <b>WEL</b> - Workplace Exposure Limit  | <b>RPE</b> - Respiratory Protective Equipment  |
| <b>DNEL</b> - Derived No Effect Level  | <b>NOEC</b> - No Observed Effect Concentration   |
| <b>POW</b> - Partition coefficient Octanol:Water   | <b>BCF</b> - Bioconcentration factor   |
| <b>vPvB</b> - very Persistent, very Bioaccumulative  | <b>PBT</b> - Persistent, Bioaccumulative, Toxic  |
| <b>VOC</b> - (Volatile Organic Compound)   |  |

### **Key literature references and sources for data**

<https://echa.europa.eu/information-on-chemicals>  
Suppliers safety data sheet, Chemadviser - LOLI, Merck index, RTECS

### **Training Advice**

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.  
Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.  
First aid for chemical exposure, including the use of eye wash and safety showers.  
Chemical incident response training.

**Revision Date** 20-Nov-2022  
**Revision Summary** Initial Release.

**This Safety Data Sheet (SDS) is prepared in accordance to and complies with the requirements of Safe Work Australia - Work Health and Safety Regulations (WHS Regulations).**

### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

## End of Safety Data Sheet