

Creation Date 20-Nov-2019 Revision Date 10-Dec-2021 Revision Number 3

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product Code/Catalogue Number: FT001

Product Description: First Test with oxd

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals.
Uses advised against No Information available

1.3. Details of the supplier of the safety data sheet

Company Oxoid Ltd

Wade Road

Basingstoke, Hants, UK

RG24 8PW

Tel: +44 (0) 1256 841144

**EU entity/business name** Oxoid Deutschland GmbH

Postfach 10 07 53

D-46483 Wesel GERMANY

Tel: + 49 (0) 281 1520 Fax: 49 (0) 281 1521

E-mail address mbd-sds@thermofisher.com

1.4. Emergency telephone number

Chemtrec EU: 001-703-527-3887 Chemtrec US: (800) 424-9300

For customers in Switzerland:

Tox Info Suisse Emergency Number: 145 (24hr)

Tox Info Suisse: +41-44 251 51 51 (Emergency number from abroad)

Chemtrec (24h) Toll-Free: 0800 564 402 Chemtrec Local: +41-43 508 20 11 (Zurich)

## **SECTION 2: HAZARDS IDENTIFICATION**

#### 2.1. Classification of the substance or mixture

## CLP Classification - Regulation (EC) No 1272/2008

#### **Physical hazards**

Based on available data, the classification criteria are not met

First Test with oxd Revision Date 10-Dec-2021

#### **Health hazards**

Skin Corrosion/IrritationCategory 2 (H315)Serious Eye Damage/Eye IrritationCategory 1 (H318)Skin SensitizationCategory 1 (H317)Germ Cell MutagenicityCategory 2 (H341)CarcinogenicityCategory 1B (H350)

#### **Environmental hazards**

Based on available data, the classification criteria are not met

Full text of Hazard Statements: see section 16

#### 2.2. Label elements



#### Signal Word

#### **Danger**

#### **Hazard Statements**

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H341 - Suspected of causing genetic defects

H350 - May cause cancer

Combustible liquid

#### **Precautionary Statements**

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P332 + P313 - If skin irritation occurs: Get medical advice/attention

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor/physician

P280 - Wear protective gloves/protective clothing/eye protection/face protection

## Additional EU labelling

Restricted to professional users

#### 2.3. Other hazards

## **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

## 3.2. Mixtures

Component	CAS No	EC No	Weight %	CLP Classification - Regulation (EC) No
				1272/2008

#### First Test with oxd Revision Date 10-Dec-2021

Formaldehyde	50-00-0	200-001-8	5-10	Acute Tox. 3 (H301)
				Acute Tox. 3 (H311)
				Acute Tox. 3 (H331)
				Skin Corr. 1B (H314)
				Eye Dam. 1 (H318)
				Skin Sens. 1 (H317)
				Carc. 1B (H350)
				Muta. 2 (H341)
				STOT SE 3 (H335)

Component	Specific concentration limits (SCL's)	M-Factor	Component notes
Formaldehyde	Skin Corr. 1B :: C>=25% Eye Irrit. 2 :: 5%<=C<25% Skin Irrit. 2 :: 5%<=C<25% Skin Sens. 1 :: C>=0.2% STOT SE 3 :: C>=5%	-	-

Full text of Hazard Statements: see section 16

## **SECTION 4: FIRST AID MEASURES**

#### 4.1. Description of first aid measures

**General Advice** If symptoms persist, call a physician.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

**Skin Contact**Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists,

call a physician.

**Ingestion** Clean mouth with water and drink afterwards plenty of water.

**Inhalation** Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if

symptoms occur.

Self-Protection of the First Aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination.

#### 4.2. Most important symptoms and effects, both acute and delayed

Difficulty in breathing. Causes eye burns. May cause allergic skin reaction. Causes severe eye damage. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting: Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing

## 4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

## **SECTION 5: FIREFIGHTING MEASURES**

#### 5.1. Extinguishing media

#### **Suitable Extinguishing Media**

Water mist may be used to cool closed containers.

First Test with oxd Revision Date 10-Dec-2021

## Extinguishing media which must not be used for safety reasons

No information available.

#### 5.2. Special hazards arising from the substance or mixture

Combustible material. Containers may explode when heated.

#### **Hazardous Combustion Products**

None under normal use conditions.

#### 5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective equipment as required. Remove all sources of ignition. Take precautionary measures against static discharges.

#### 6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

#### 6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Remove all sources of ignition.

#### 6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

## **SECTION 7: HANDLING AND STORAGE**

## 7.1. Precautions for safe handling

Wear personal protective equipment/face protection. Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation. Keep away from open flames, hot surfaces and sources of ignition.

#### **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

#### 7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame.

Technical Rules for Hazardous Substances (TRGS) 510 Storage Class (LGK) (Germany)

Storage Class/LGK 6.1C

#### 7.3. Specific end use(s)

Use in laboratories

First Test with oxd Revision Date 10-Dec-2021

## **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### 8.1. Control parameters

## **Exposure limits**

List source(s): **UK** - EH40/2005 Work Exposure Limits, Third edition. Published 2018. **IRE** - 2010 Code of Practice for the Safety, Health and Welfare at Work (Chemical Agents) Regulations 2001. Published by the Health and Safety Authority. **CH** - The Government of Switzerland has set a directive on limit values for working materials (Grenzwerte am arbeitplatz) which is based on the Swiss Federal Regulation "Verordnung über die Verhütung von Unfällen und Berufskrankheiten". This directive is administered, periodically revised and enforced by SUVA (Swiss National Accident Insurance Fund). **EU** - Commission Directive (EU) 2019/1831 of 24 October 2019 establishing a fifth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC and amending Commission Directive 2000/39/EC

Component	European Union	The United Kingdom	France	Belgium	Spain
Formaldehyde	TWA: 0.37 mg/m <sup>3</sup> (8h)	STEL: 2 ppm 15 min	TWA / VME: 0.5 ppm (8		STEL / VLA-EC: 0.6
	TWA: 0.3 ppm (8h)	STEL: 2.5 mg/m <sup>3</sup> 15 min	heures).		ppm (15 minutos).
	Skin	TWA: 2 ppm 8 hr	STEL / VLCT: 1 ppm.		STEL / VLA-EC: 0.74
	STEL: 0.74 mg/m <sup>3</sup> (8h)	TWA: 2.5 mg/m <sup>3</sup> 8 hr			mg/m³ (15 minutos).
	STEL: 0.6 ppm (8h)	Carc.			TWA / VLA-ED: 0.3 ppm
					(8 horas)
					TWA / VLA-ED: 0.37
					mg/m³ (8 horas)

Component	Italy	Germany	Portugal	The Netherlands	Finland
Formaldehyde	TWA: 0.37 mg/m <sup>3</sup> 8 ore.	TWA: 0.3 ppm (8	STEL: 0.6 ppm 15	STEL: 0.5 mg/m <sup>3</sup> 15	TWA: 0.3 ppm 8
	Media Ponderata nel	Stunden). AGW -	minutos	minuten	tunteina
	Tempo	exposure factor 2	STEL: 0.74 mg/m <sup>3</sup> 15	TWA: 0.15 mg/m <sup>3</sup> 8	TWA: 0.37 mg/m <sup>3</sup> 8
	TWA: 0.3 ppm 8 ore.	TWA: 0.37 mg/m <sup>3</sup> (8	minutos	uren	tunteina
	Media Ponderata nel	Stunden). AGW -	Ceiling: 0.3 ppm		STEL: 0.6 ppm 15
	Tempo	exposure factor 2	TWA: 0.3 ppm 8 horas		minuutteina
	TWA: 0.62 mg/m <sup>3</sup> 8 ore.	TWA: 0.3 ppm (8	TWA: 0.37 mg/m <sup>3</sup> 8		STEL: 0.74 mg/m <sup>3</sup> 15
	Media Ponderata nel	Stunden). MAK no	horas		minuutteina
	Tempo for the health	irritation should occur	TWA: 0.62 mg/m <sup>3</sup> 8		
	care, funeral and	during mixed exposure	horas		
	embalming sectors until	TWA: 0.37 mg/m <sup>3</sup> (8	TWA: 0.5 ppm 8 horas		
	July 11, 2024	Stunden). MAK no			
	TWA: 0.5 ppm 8 ore.	irritation should occur			
	Media Ponderata nel	during mixed exposure			
	Tempo for the health	Höhepunkt: 0.6 ppm			
	care, funeral and	Höhepunkt: 0.74 mg/m <sup>3</sup>			
	embalming sectors until				
	July 11, 2024				
	STEL: 0.74 mg/m <sup>3</sup> 15				
	minuti. Breve termine				
	STEL: 0.6 mg/m <sup>3</sup> 15				
	minuti. Breve termine				
	Pelle				

Component	Austria	Denmark	Switzerland	Poland	Norway
Formaldehyde	MAK-KZGW: 0.6 ppm	Ceiling: 0.3 ppm	STEL: 0.6 ppm 15	STEL: 0.74 mg/m <sup>3</sup> 15	TWA: 0.5 ppm 8 timer
1	15 Minuten	Ceiling: 0.4 mg/m <sup>3</sup>	Minuten	minutach	TWA: 0.6 mg/m <sup>3</sup> 8 timer
	MAK-KZGW: 0.74		STEL: 0.74 mg/m <sup>3</sup> 15	TWA: 0.37 mg/m <sup>3</sup> 8	Ceiling: 1 ppm
	mg/m <sup>3</sup> 15 Minuten		Minuten	godzinach	Ceiling: 1.2 mg/m <sup>3</sup>
	MAK-TMW: 0.3 ppm 8		TWA: 0.3 ppm 8	_	
	Stunden		Stunden		
	MAK-TMW: 0.37 mg/m <sup>3</sup>		TWA: 0.37 mg/m <sup>3</sup> 8		
	8 Stunden		Stunden		

Component	Bulgaria	Croatia	Ireland	Cyprus	Czech Republic
Formaldehyde	TWA: 1.0 mg/m <sup>3</sup>	TWA-GVI: 0.3 ppm 8	TWA: 0.3 ppm 8 hr.		TWA: 0.5 mg/m <sup>3</sup> 8
	STEL: 2.0 mg/m <sup>3</sup>	satima.	TWA: 0.5 ppm 8 hr. for		hodinách.
	_	TWA-GVI: 0.37 mg/m <sup>3</sup> 8	the healthcare, funeral		Potential for cutaneous
		satima.	and embalming sectors		absorption
		TWA-GVI: 0.5 ppm 8	until July 11, 2024		Ceiling: 1 mg/m <sup>3</sup>
		satima. for health,	TWA: 0.37 mg/m <sup>3</sup> 8 hr.		
		funeral and embalming	TWA: 0.62 mg/m <sup>3</sup> 8 hr.		ļ

\_\_\_\_\_

## First Test with oxd

sector applies until July	for the healthcare,	
11, 2024	funeral and embalming	
TWA-GVI: 0.62 mg/m <sup>3</sup> 8	sectors until July 11,	
satima. for health,	2024	
funeral and embalming	STEL: 0.6 ppm 15 min	
sector applies until July	STEL: 0.738 mg/m <sup>3</sup> 15	
11, 2024	min	
STEL-KGVI: 0.6 ppm 15	STEL: 0.62 mg/m <sup>3</sup> 15	
minutama.	min	
STEL-KGVI: 0.74 mg/m <sup>3</sup>		
15 minutama.		

Component	Estonia	Gibraltar	Greece	Hungary	Iceland
Formaldehyde	TWA: 0.5 ppm 8		STEL: 0.6 ppm	STEL: 0.6 mg/m <sup>3</sup> 15	STEL: 0.6 ppm
	tundides.		STEL: 0.74 mg/m <sup>3</sup>	percekben. CK	STEL: 0.74 mg/m <sup>3</sup>
	TWA: 0.6 mg/m <sup>3</sup> 8		TWA: 0.3 ppm	TWA: 0.6 mg/m <sup>3</sup> 8	TWA: 0.3 ppm 8
	tundides.		TWA: 0.37 mg/m <sup>3</sup>	órában. AK	klukkustundum.
	STEL: 1 ppm 15			lehetséges borön	TWA: 0.37 mg/m <sup>3</sup> 8
	minutites.			keresztüli felszívódás	klukkustundum.
	STEL: 1.2 mg/m <sup>3</sup> 15				Skin notation
	minutites.				

Component	Latvia	Lithuania	Luxembourg	Malta	Romania
Formaldehyde	TWA: 0.5 mg/m <sup>3</sup>	TWA: 0.3 ppm IPRD TWA: 0.37 mg/m³ IPRD			TWA: 1 ppm 8 ore TWA: 1.2 mg/m <sup>3</sup> 8 ore
		TWA: 0.62 mg/m³ IPRD for healthcare, funeral,			STEL: 2 ppm 15 minute STEL: 3 mg/m³ 15
		and embalming industries			minute
		TWA: 0.5 ppm IPRD for healthcare, funeral, and			
		embalming industries STEL: 0.74 mg/m³			
		STEL: 0.6 ppm			

Component	Russia	Slovak Republic	Slovenia	Sweden	Turkey
Formaldehyde	Skin notation	Ceiling: 0.74 mg/m <sup>3</sup>	TWA: 0.62 mg/m <sup>3</sup> 8	Binding STEL: 0.6 ppm	
	MAC: 0.5 mg/m <sup>3</sup>	TWA: 0.3 ppm	urah applies for health	15 minuter	
		TWA: 0.37 mg/m <sup>3</sup>	care, funeral and	Binding STEL: 0.74	
			embalming activities	mg/m <sup>3</sup> 15 minuter	
			until July 11, 2024	TLV: 0.3 ppm 8 timmar.	
			TWA: 0.5 ppm 8 urah	NGV	
			applies for health care,	TLV: 0.37 mg/m <sup>3</sup> 8	
			funeral and embalming	timmar. NGV	
			activities until July 11,	Hud	
			2024		
			TWA: 0.37 mg/m <sup>3</sup> 8		
			urah		
			TWA: 0.3 ppm 8 urah		
			Koža		
			STEL: 0.6 ppm 15		
			minutah		
			STEL: 0.74 mg/m <sup>3</sup> 15		
			minutah		

## **Biological limit values**

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

## **Monitoring methods**

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.

MDHS70 General methods for sampling airborne gases and vapours

MDHS 88 Volatile organic compounds in air. Laboratory method using diffusive samplers, solvent desorption and gas

Revision Date 10-Dec-2021

First Test with oxd Revision Date 10-Dec-2021

chromatography

MDHS 96 Volatile organic compounds in air - Laboratory method using pumped solid sorbent tubes, solvent desorption and gas chromatography

## Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

See table for values

Component	Acute effects local (Dermal)	Acute effects systemic (Dermal)	Chronic effects local (Dermal)	Chronic effects systemic (Dermal)
Formaldehyde 50-00-0 ( 5-10 )			DNEL = 37µg/cm2	DNEL = 240mg/kg bw/day

Component	Acute effects local (Inhalation)	Acute effects systemic (Inhalation)	Chronic effects local (Inhalation)	Chronic effects systemic (Inhalation)
Formaldehyde 50-00-0 ( 5-10 )	$DNEL = 0.75 mg/m^3$		DNEL = 0.375mg/m <sup>3</sup>	DNEL = 9mg/m <sup>3</sup>

## **Predicted No Effect Concentration (PNEC)**

See values below.

Γ	Component	Fresh water	Fresh water   Water Intermittent		Water Intermittent Microorganisms in	
			sediment		sewage treatment	
Γ	Formaldehyde	PNEC = 0.44mg/L	PNEC = 2.3mg/kg	PNEC = 4.44mg/L	PNEC = 0.19mg/L	PNEC = 0.2mg/kg
L	50-00-0 ( 5-10 )		sediment dw	-		soil dw

Component	Marine water	Marine water sediment	Marine water Intermittent	Food chain	Air
Formaldehyde	PNEC = 0.44mg/L	PNEC = 2.3mg/kg			
50-00-0 ( 5-10 )		sediment dw			

#### 8.2. Exposure controls

#### **Engineering Measures**

Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

#### Personal protective equipment

**Eye Protection** Goggles (European standard - EN 166)

**Hand Protection** Protective gloves

ſ	Glove material	Breakthrough time	Glove thickness	EU standard	Glove comments
	Disposable gloves	See manufacturers	-	EN 374	(minimum requirement)
		recommendations			

Skin and body protection Long sleeved clothing.

Inspect gloves before use, observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. gloves with care avoiding skin contamination.

**Respiratory Protection** When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators.

To protect the wearer, respiratory protective equipment must be the correct fit and be used

First Test with oxd Revision Date 10-Dec-2021

and maintained properly

Large scale/emergency use In case of insufficient ventilation, wear suitable respiratory equipment

Small scale/Laboratory use Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure

limits are exceeded or if irritation or other symptoms are experienced.

When RPE is used a face piece Fit Test should be conducted

**Environmental exposure controls** Prevent product from entering drains. Do not allow material to contaminate ground water

system.

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

#### 9.1. Information on basic physical and chemical properties

Physical State Liquid

**Appearance** 

Odor
Odor No information available
No data available
Occ / 158 °F

Flammability (liquid) Combustible liquid On basis of test data

Flammability (solid,gas) Not applicable Liquid

Explosion Limits No data available

Flash Point 65 °C / 149 °F Method - No information available

Autoignition TemperatureNo data availableDecomposition TemperatureNo data available

**pH** 7

Viscosity
Water Solubility
Solubility in other solvents
No data available
No information available
No information available

Partition Coefficient (n-octanol/water)

**Component log Pow** Formaldehyde -0.35

Vapor Pressure No data available
Density / Specific Gravity No data available

Bulk DensityNot applicableLiquidVapor DensityNo data available(Air = 1.0)

Particle characteristics Not applicable (liquid)

9.2. Other information

**Explosive Properties** explosive air/vapour mixtures possible

## **SECTION 10: STABILITY AND REACTIVITY**

10.1. Reactivity

None known, based on information available

10.2. Chemical stability

Stable under normal conditions.

## 10.3. Possibility of hazardous reactions

First Test with oxd Revision Date 10-Dec-2021

Hazardous Polymerization
Hazardous Reactions

No information available. None under normal processing.

10.4. Conditions to avoid

Keep away from open flames, hot surfaces and sources of ignition.

10.5. Incompatible materials

None known.

#### 10.6. Hazardous decomposition products

None under normal use conditions.

## **SECTION 11: TOXICOLOGICAL INFORMATION**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### **Product Information**

(a) acute toxicity;

OralBased on available data, the classification criteria are not metDermalBased on available data, the classification criteria are not metInhalationBased on available data, the classification criteria are not met

## Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation		
Formaldehyde	Formaldehyde 500 mg/kg (Rat)		0.578 mg/L (Rat) 4 h		

(b) skin corrosion/irritation; Category 2

(c) serious eye damage/irritation; Category 1

(d) respiratory or skin sensitization;

**Respiratory**Skin
No data available Category 1

Component	Test method	Test species	Study result
Formaldehyde	Skin sensitization	Man	Sensitizer
50-00-0 ( 5-10 )	Test method Patch Test	guinea pig	Sensitization
	Respiratory sensitization		
	in vitro		

No information available

(e) germ cell mutagenicity; Category 2

(f) carcinogenicity; Category 1B

The table below indicates whether each agency has listed any ingredient as a carcinogen

Component	EU	UK	Germany	IARC
Formaldehyde	Carc Cat. 1B	Cat 3		Group 1

(g) reproductive toxicity; No data available

First Test with oxd Revision Date 10-Dec-2021

(h) STOT-single exposure; No data available

(i) STOT-repeated exposure; No data available

**Target Organs** No information available.

(j) aspiration hazard; No data available

delayed

Symptoms / effects, both acute and Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing.

#### 11.2. Information on other hazards

Assess endocrine disrupting properties for human health. This product does not contain any **Endocrine Disrupting Properties** 

known or suspected endocrine disruptors.

## **SECTION 12: ECOLOGICAL INFORMATION**

12.1. Toxicity

**Ecotoxicity effects** The product contains following substances which are hazardous for the environment.

Contains a substance which is:. Toxic to aquatic organisms.

Component	Freshwater Fish	Water Flea	Freshwater Algae
Formaldehyde	Leuciscus idus: LC50 = 15 mg/L	EC50 = 20 mg/L 96h	
	96h	EC50 = 2  mg/L  48h	

**12.2. Persistence and degradability** No information available

**Persistence** 

Persistence is unlikely, based on information available. Degradation in sewage Contains substances known to be hazardous to the environment or not degradable in waste

water treatment plants. treatment plant

Bioaccumulation is unlikely 12.3. Bioaccumulative potential

Component	log Pow	Bioconcentration factor (BCF)
Formaldehyde	-0.35	No data available

The product contains volatile organic compounds (VOC) which will evaporate easily from all 12.4. Mobility in soil

surfaces Will likely be mobile in the environment due to its volatility. Disperses rapidly in

air

12.5. Results of PBT and vPvB

assessment

No data available for assessment.

12.6. Endocrine disrupting

properties

**Endocrine Disruptor Information** This product does not contain any known or suspected endocrine disruptors

## 12.7. Other adverse effects

First Test with oxd Revision Date 10-Dec-2021

Persistent Organic Pollutant Ozone Depletion Potential This product does not contain any known or suspected substance This product does not contain any known or suspected substance

## **SECTION 13: DISPOSAL CONSIDERATIONS**

13.1. Waste treatment methods

Waste from Residues/Unused

**Products** 

Waste is classified as hazardous. Dispose of in accordance with the European Directives

on waste and hazardous waste. Dispose of in accordance with local regulations.

Contaminated Packaging Dispose of this container to hazardous or special waste collection point.

European Waste Catalogue (EWC) According to the European Waste Catalog, Waste Codes are not product specific, but

application specific.

Other Information Do not flush to sewer. Waste codes should be assigned by the user based on the

application for which the product was used. Do not empty into drains.

Switzerland - Waste Ordinance Disposal should be in accordance with applicable regional, national and local laws and

regulations. Ordinance on the Avoidance and the Disposal of Waste (Waste Ordinance,

ADWO) SR 814.600

https://www.fedlex.admin.ch/eli/cc/2015/891/en

## **SECTION 14: TRANSPORT INFORMATION**

IMDG/IMO Not regulated

14.1. UN number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

ADR Not regulated

14.1. UN number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

<u>IATA</u> Not regulated

14.1. UN number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

14.5. Environmental hazards No hazards identified

14.6. Special precautions for user No special precautions required

14.7. Maritime transport in bulk according to IMO instruments

Not applicable, packaged goods

## **SECTION 15: REGULATORY INFORMATION**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

First Test with oxd Revision Date 10-Dec-2021

**International Inventories** 

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

Component	CAS No	EINECS	ELINCS	NLP	IECSC	TCSI	KECL	ENCS	ISHL
Formaldehyde	50-00-0	200-001-8	ı	-	X	X	KE-17074	X	X

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	DSL	NDSL	AICS	NZIoC	PICCS
Formaldehyde	50-00-0	Х	ACTIVE	X	-	Х	Х	Х

Legend: X - Listed '-' - Not Listed

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

#### Authorisation/Restrictions according to EU REACH

Component	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Formaldehyde	-	Use restricted. See item 72. (see link for restriction details) Use restricted. See item 28. (see link for restriction details) Use restricted. See item 75. (see link for restriction details)	-

https://echa.europa.eu/substances-restricted-under-reach

Component	CAS No	Seveso III Directive (2012/18/EC) - Seveso III Directive (2012/18/EC)	
·		Qualifying Quantities for Major	Qualifying Quantities for Safety
		Accident Notification	Report Requirements
Formaldehyde	50-00-0	5 tonne	50 tonne

## Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Take note of Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values

Take note of Dir 76/769/EEC relating to restrictions on the marketing and use of certain dangerous substances and preparations

## **National Regulations**

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

	Component	Germany - Water Classification (VwVwS)	Germany - TA-Luft Class
Ì	Formaldehyde	WGK 3	Class I: 20 mg/m³ (Massenkonzentration)

Component	France - INRS (Tables of occupational diseases)
Formaldehyde	Tableaux des maladies professionnelles (TMP) - RG 43

## **Swiss Regulations**

Article 4 para. 4 of the Ordinance on the protection of young people in the workplace (SR 822.115) and Article 1 lit. f of the EAER regulation on hazardous work and young people (SR 822.115.2).

Take note on Article 13 Maternity Ordinance (SR 822.111.52) with regards expectant and nursing mothers.

Component	Switzerland - Ordinance on the	Switzerland - Ordinance on	Switzerland - Ordinance of the
·	Reduction of Risk from	Incentive Taxes on Volatile	Rotterdam Convention on the
	handling of hazardous	Organic Compounds (OVOC)	Prior Informed Consent
	substances preparation (SR	,	Procedure

First Test with oxd Revision Date 10-Dec-2021

	814.81)		
Formaldehyde		Group I	
50-00-0 ( 5-10 )		-	

#### 15.2. Chemical safety assessment

Chemical Safety Assessment/Reports (CSA/CSR) are not required for mixtures

## **SECTION 16: OTHER INFORMATION**

#### Full text of H-Statements referred to under sections 2 and 3

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H341 - Suspected of causing genetic defects

H350 - May cause cancer

H301 - Toxic if swallowed

H311 - Toxic in contact with skin

H314 - Causes severe skin burns and eye damage

H331 - Toxic if inhaled

H335 - May cause respiratory irritation

#### Legend

**CAS** - Chemical Abstracts Service TSCA - United States Toxic Substances Control Act Section 8(b)

Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances **ENCS** - Japanese Existing and New Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

AICS - Australian Inventory of Chemical Substances **KECL** - Korean Existing and Evaluated Chemical Substances NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

TWA - Time Weighted Average **ACGIH** - American Conference of Governmental Industrial Hygienists IARC - International Agency for Research on Cancer

**DNEL** - Derived No Effect Level Predicted No Effect Concentration (PNEC)

RPE - Respiratory Protective Equipment LD50 - Lethal Dose 50%

LC50 - Lethal Concentration 50%

NOEC - No Observed Effect Concentration POW - Partition coefficient Octanol:Water

PBT - Persistent, Bioaccumulative, Toxic vPvB - very Persistent, very Bioaccumulative

ADR - European Agreement Concerning the International Carriage of

Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime

Dangerous Goods Code

OECD - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

MARPOL - International Convention for the Prevention of Pollution from

Ships

ATE - Acute Toxicity Estimate

EC50 - Effective Concentration 50%

VOC - (volatile organic compound)

#### Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

## Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

**Physical hazards** On basis of test data **Health Hazards** Calculation method **Environmental hazards** Calculation method

#### **Training Advice**

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

**Creation Date** 20-Nov-2019 **Revision Date** 10-Dec-2021

First Test with oxd Revision Date 10-Dec-2021

**Revision Summary** 

Not applicable.

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006. COMMISSION REGULATION (EU) 2020/878 amending Annex II to Regulation (EC) No. 1907/2006

For Switzerland - Compiled in accordance with the technical provisions referred to in Annex 2, Number 3, ChemO (SR 813.11 - Ordinance on Protection against Dangerous Substances and Preparations).

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**