

SAFETY DATA SHEET (SDS)

This safety data sheet complies with the requirements of:

COMMISSION REGULATION (EU) 2020/878 amending Annex II to Regulation (EC) No 1907/2006, Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Revision Date 29-Jul-2024 WAI2 - EGHS - EUROPEAN Revision Number 4

SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product Identifier

Product Name Silica Reagent 1

Product No 8030REX-1
Unique Formula Identifier (UFI) Not applicable

Kit Reference(s) 8030cX Silica Analyzer Reagent Kit

REACH registration number Not applicable

Pure substance/mixture Mixture

Contains Sulfuric acid

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Use as laboratory reagent

Uses advised against No Information available

1.3. Details of the supplier of the safety data sheet

Manufacturer, Importer, Supplier Thermo Fisher Scientific©

Water and Lab Products

22 Alpha Road

Chelmsford, MA 01824, USA

1-978-232-6000

E-mail address wlp.techsupport@thermofisher.com

Made in USA

1.4. Emergency telephone number 24 Hour Emergency Phone Number

CHEMTREC®

Within USA and Canada: 1-800-424-9300 Outside USA and Canada: 1-703-527-3887

(collect calls accepted)

 Product No
 8030REX-1
 Document No. 229988-001
 EN

Silica Reagent 1 **Product Name** Revision Date 29-Jul-2024

SECTION 2. HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Classification - Mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin Corrosion/Irritation	Category 1 Sub-category A - (H314)
Serious eye damage/eye irritation	Category 1 - (H318)

2.2. Label elements

Contains Sulfuric acid



Signal Word Danger

Hazard Statements

H314 - Causes severe skin burns and eye damage

H318 - Causes serious eye damage

Precautionary Statements

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P264 - Wash face, hands and any exposed skin thoroughly after handling

P260 - Do not breathe dust/fume/gas/mist/vapors/spray

P303 + P361 + P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsina

P310 - Immediately call a POISON CENTER or doctor/physician

P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting

P363 - Wash contaminated clothing before reuse

P501 - Dispose of contents/ container to an approved waste disposal plant

2.3. Other hazards

General Hazards

This product does not contain any known or suspected endocrine disruptors

Silica Reagent 1 **Product Name** Revision Date 29-Jul-2024

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Component	EC No	CAS No	Weight %	CLP Classification - Regulation (EC) No 1272/2008	REACH Reg. No
Water	EEC No. 231-791-2	7732-18-5	50 - 60%	Not classified	No information available
Sodium hydrogen sulfate, monohydrate	-	10034-88-5	20 - 30%		No information available
Sulfuric acid	EEC No. 231-639-5	7664-93-9	10 - 20%	Skin Corr. 1A (H314)	No information available
Molybdate (MoO42-), dihydrogen, (T-4)-	EEC No. 231-970-5	7782-91-4	0 - 10%	Not classified	No information available

Component	CAS No	Specific concentration limits (SCL's)	M-Factor	Component notes
Water	7732-18-5	-	ı	-
Sodium hydrogen sulfate, monohydrate	10034-88-5	-	-	-
Sulfuric acid	7664-93-9	Eye Irrit. 2 (H319) :: 5%<=C<15% Skin Corr. 1A (H314) :: C>=15% Skin Irrit. 2 (H315) :: 5%<=C<15%	-	-
Molybdate (MoO42-), dihydrogen, (T-4)-	7782-91-4	-	-	-

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

General Advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

Eve ContactRinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Immediate medical attention is required.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Remove and wash

contaminated clothing and gloves, including the inside, before re-use. Call a physician

immediately.

Inhalation If not breathing, give artificial respiration, Remove from exposure, lie down. Do not use

mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory

medical device. Call a physician immediately.

Ingestion Do NOT induce vomiting. Clean mouth with water. Never give anything by mouth to an

unconscious person. Call a physician immediately.

Self-Protection of the First Aider

Use personal protective equipment as required. See section 8 for more information. Do not

use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper

respiratory medical device.

4.2. Most important symptoms and effects, both acute and delayed

Most important symptoms and

effects

Causes burns by all exposure routes

4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

CO₂, dry chemical, dry sand, alcohol-resistant foam.

Unsuitable Extinguishing Media

No information available

5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes.

5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal Precautions Ensure adequate ventilation. Use personal protective equipment as required. Evacuate

personnel to safe areas. Keep people away from and upwind of spill/leak.

6.2. Environmental precautions

Environmental Precautions Should not be released into the environment. See Section 12 for additional Ecological

Information. Vapors may accumulate to form explosive concentrations.

6.3. Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Cleaning Up Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

Reference to Other Sections

Refer to protective measures listed in Sections 7 and 8

See Section 8 for information on appropriate personal protective equipment

See Section 12 for additional Ecological Information See Section 13 for additional waste treatment information

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Advice on safe handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance.

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions

Corrosives area. Keep containers tightly closed in a dry, cool and well-ventilated place.

7.3. Specific end use(s)

Specific Use(s)

Use as laboratory reagent

Risk Management Methods (RMM)

The information required is contained in this Safety Data Sheet.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits

List source(s): **EU** - Commission Directive (EU) 2019/1831 of 24 October 2019 establishing a fifth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC and amending Commission Directive 2000/39/EC **UK** - EH40/2005 Work Exposure Limits, Forth edition. Published 2020. **IRE** - 2010 Code of Practice for the Safety, Health and Welfare at Work (Chemical Agents) Regulations 2001. Published by the Health and Safety Authority. **CH** - The Government of Switzerland has set a directive on limit values for working materials (Grenzwerte am Arbeitsplatz) which is based on the Swiss Federal Regulation "Verordnung über die Verhütung von Unfällen und Berufskrankheiten". This directive is administered, periodically revised and enforced by SUVA (Swiss National Accident Insurance Fund).

Component	European Union	The United Kingdom	France	Belgium	Spain
Sulfuric acid	TWA: 0.05 mg/m ³ (8h)	STEL: 0.15 mg/m ³ 15	TWA / VME: 0.05 mg/m ³	TWA: 0.2 mg/m ³ 8 uren	TWA / VLA-ED: 0.05
		min	(8 heures). indicative	_	mg/m³ (8 horas)
		TWA: 0.05 mg/m ³ 8 hr	limit		
		_	STEL / VLCT: 3 mg/m ³ .		
			indicative limit: this		

		value is not set by regulation and comes from a circular published by the Ministry of Labor.	
Molybdate (MoO42-), dihydrogen, (T-4)-	STEL: 10 mg/m ³ 15 min TWA: 5 mg/m ³ 8 hr	TWA / VME: 5 mg/m³ (8 heures). STEL / VLCT: 10 mg/m³.	TWA / VLA-ED: 0.5 mg/m³ (8 horas)

Component	Italy	Germany	Portugal	The Netherlands	Finland
Sulfuric acid	TWA: 0.05 mg/m ³ 8 ore.	TWA: 0.1 mg/m ³ (8	TWA: 0.2 mg/m ³ 8 horas	TWA: 0.05 mg/m ³ 8	TWA: 0.05 mg/m ³ 8
	Time Weighted Average	Stunden). AGW -		uren	tunteina
	when choosing a	exposure factor 1			STEL: 0.1 mg/m ³ 15
	suitable method for	TWA: 0.1 mg/m ³ (8			minuutteina
	monitoring exposure	Stunden). MAK			
	should take into account	Höhepunkt: 0.1 mg/m ³			
	potential constraints and				
	interactions that may				
	occur in the presence of				
	other sulfur compounds,				
	respirable fraction				
Molybdate (MoO42-),			TWA: 0.5 mg/m ³ 8 horas		
dihydrogen, (T-4)-					

Component	Austria	Denmark	Switzerland	Poland	Norway
	MAK-KZGW: 0.2 mg/m ³ 15 Minuten MAK-TMW: 0.1 mg/m ³ 8 Stunden	timer	STEL: 0.2 mg/m³ 15 Minuten TWA: 0.1 mg/m³ 8 Stunden	TWA: 0.05 mg/m³ 8 godzinach	TWA: 0.1 mg/m³ 8 timer STEL: 0.3 mg/m³ 15 minutter. value calculated thoracic fraction, aerosol
Molybdate (MoO42-), dihydrogen, (T-4)-	MAK-KZGW: 10 mg/m ³ 15 Minuten MAK-TMW: 5 mg/m ³ 8 Stunden		TWA: 5 mg/m³ 8 Stunden		TWA: 5 mg/m³ 8 timer

Component	Bulgaria	Croatia	Ireland	Cyprus	Czech Republic
Sulfuric acid	TWA: 0.05 mg/m ³	TWA-GVI: 0.05 mg/m ³ 8	TWA: 0.05 ppm 8 hr.	TWA: 0.05 mg/m ³	TWA: 1 mg/m ³ 8
	1	satima. when selecting	STEL: 0.15 ppm 15 min		hodinách. SO3
		the appropriate			TWA: 0.05 mg/m ³ 8
		exposure monitoring			hodinách. concentrated
		method the potential			H2SO4 mist
		limitations and			Ceiling: 2 mg/m ³ SO3
		disturbances that may			
		occur in the presence of			
		other sulfur compounds			
		should be taken into			
		account fog, thoracic			
		fraction			

Component	Estonia	Gibraltar	Greece	Hungary	Iceland
Sulfuric acid	TWA: 0.05 mg/m ³ 8	TWA: 0.05 mg/m ³ 8 hr	TWA: 0.05 mg/m ³	TWA: 0.05 mg/m ³ 8	TWA: 1 mg/m ³ 8
	tundides. mist;when	when selecting an		órában. AK	klukkustundum.
	choosing an exposure	appropriate exposure			Ceiling: 2 mg/m ³
	monitoring method,	monitoring method,			
	possible limitations and	account should be taken			
	disturbances that may	of potential limitations			
	occur in the presence of	and interferences that			
	sulfur compounds must	may arise in the			
	be taken into account	presence of other			
	particles that reach the	sulphur compounds			
	upper respiratory tract	thoracic fraction			

Component	Latvia	Lithuania	Luxembourg	Malta	Romania
Sulfuric acid	TWA: 0.05 mg/m ³	TWA: 0.05 mg/m³ vapor IPRD STEL: 3 mg/m³	TWA: 0.05 mg/m³ 8 Stunden	TWA: 0.05 mg/m ³	TWA: 0.05 mg/m ³ 8 ore
	•				

Component	Russia	Slovak Republic	Slovenia	Sweden	Turkey
-----------	--------	-----------------	----------	--------	--------

 Product No 8030REX-1
 Document No. 229988-001
 EN

Sulfuric acid	Skin notation	TWA: 0.05 mg/m ³	TWA: 0.05 mg/m ³ 8	Indicative STEL: 0.2	TWA: 0.05 mg/m ³ 8 saat
	MAC: 1 mg/m ³	1	urah inhalable fraction,	mg/m ³ 15 minuter	
	_		fog	TLV: 0.1 mg/m ³ 8	
			STEL: 0.05 mg/m ³ 15	timmar. NGV	
			minutah inhalable		

fraction, fog

Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Monitoring methods

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.

Derived No Effect Level (DNEL)

No information available

Component	Acute effects local	Acute effects	Chronic effects local	Chronic effects
	(Inhalation)	systemic (Inhalation)	(Inhalation)	systemic (Inhalation)
Sulfuric acid	$DNEL = 0.1 mg/m^3$		$DNEL = 0.05 mg/m^3$	
7664-93-9 (10 - 20%)	_		_	
Molybdate (MoO42-),				DNEL = 11.17mg/m ³
dihydrogen, (T-4)-				-
7782-91-4 (0 - 10%)				

Predicted No Effect Concentration (PNEC)

No information available.

Γ	Component	Fresh water	Fresh water	Water Intermittent	Microorganisms in	Soil (Agriculture)
L			sediment		sewage treatment	
	Sulfuric acid	PNEC =	PNEC =		PNEC = 8.8mg/L	
	7664-93-9 (10 - 20%)	0.0025mg/L	0.002mg/kg			
L			sediment dw			
Γ	Molybdate (MoO42-),	PNEC = 12.7mg/L	PNEC =	PNEC = 12.7mg/L	PNEC = 21.7mg/L	PNEC = 39mg/kg
	dihydrogen, (T-4)-		22600mg/kg			soil dw
L	7782-91-4 (0 - 10%)		sediment dw			

Component	Marine water	Marine water	Marine water	Food chain	Air
		sediment	Intermittent		
Sulfuric acid	PNEC =	PNEC =			
7664-93-9 (10 - 20%)	0.00025mg/L	0.002mg/kg			
		sediment dw			
Molybdate (MoO42-),	PNEC = 1.91mg/L	PNEC = 1984mg/kg			
dihydrogen, (T-4)-		sediment dw			
7782-91-4 (0 - 10%)					

8.2. Exposure controls

Engineering Measures Ensure that eyewash stations and safety showers are close to the workstation location

Personal protective equipment

Product No 8030REX-1 Document No. 229988-001

ΕN

Eye/face Protection Wear chemical splash goggles and face shield. If splashes are likely to occur:. Goggles.

Skin and body protection Wear protective gloves/protective clothing.

Respiratory Protection No protective equipment is needed under normal use conditions. In case of inadequate

Remarks • Method

ventilation wear respiratory protection.

Environmental exposure controls No information available

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical State Liquid
Appearance Clear
Odor None

Odor Threshold No information available

pH -0.28 PH Range -0.78 - 0.22

<u>Property</u> <u>Values</u>

Melting point/freezing pointNo information availableBoiling Point/Range100 °C / 212 °FFlash Point (High in °C)No information availableEvaporation RateNo information availableFlammability (solid, gas)No information available

Flammability Limit in Air

Upper flammability limit:
Lower flammability limit:
Vapor pressure
Vapor Density
Specific Gravity
Water Solubility

No information available
No information available
No information available
No information available
Soluble in water

Solubility in other solvents

Partition coefficient

No information available
No information available

Autoignition Temperature -

Decomposition Temperature
Kinematic viscosity
Dynamic viscosity
Explosive Properties
No information available

9.2. Other information

Softening Point
Molecular Weight
VOC Content(%)
Density
No information available

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

No information available

10.2. Chemical stability

Stable under normal conditions

Explosion Data

Sensitivity to Mechanical Impact None

Sensitivity to Static Discharge None

10.3. Possibility of hazardous reactions

None under normal processing

10.4. Conditions to avoid

Extremes of temperature and direct sunlight

10.5. Incompatible materials

No information available

10.6. Hazardous decomposition products

Thermal decomposition can lead to release of irritating gases and vapors

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Product Information

Acute Toxicity

Unknown Acute Toxicity 35.8 % of the mixture consists of ingredient(s) of unknown toxicity.

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 10,253.00 mg/kg ATEmix (inhalation-dust/mist) 1.80 mg/L

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Water	LD50 > 90 mL/kg (Rat)		
	- ' '		
Sulfuric acid	LD50 = 2140 mg/kg (Rat)		LC50 = 0.375 mg/L (Rat) 4 h
Molybdate (MoO42-), dihydrogen,			LC50 > 5.05 mg/L (Rat) 4 h
(T-4)-			

Skin Corrosion/Irritation Causes severe burns

Serious eye damage/eye irritation Risk of serious damage to eyes

Sensitization No information available

Mutagenic Effects No information available

Carcinogenic effects No information available

Reproductive Effects No information available

(h) STOT-single exposure; No data available

(i) STOT-repeated exposure; No data available

Symptoms Product is a corrosive material. Use of gastric lavage or emesis is contraindicated.

Possible perforation of stomach or esophagus should be investigated. Ingestion causes

severe swelling, severe damage to the delicate tissue and danger of perforation.

Aspiration hazard No information available

11.2. Information on other hazards

Endocrine Disrupting Properties Assess endocrine disrupting properties for human health. This product does not contain any

known or suspected endocrine disruptors.

SECTION 12. ECOLOGICAL INFORMATION

12.1. Toxicity Ecotoxicity effects

35.8% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Component	Freshwater Algae	Freshwater Fish	Water Flea
Sulfuric acid	-	LC50: > 500 mg/L, 96h static (Brachydanio rerio)	-

12.2. Persistence and degradability No information available

12.3. Bioaccumulative potential No information available

12.4. Mobility in soil

No information available

12.5. Results of PBT and vPvB assessment

No information available

12.6. Endocrine disrupting properties

This product does not contain any known or suspected endocrine disruptors

12.7. Other adverse effects

Persistent Organic Pollutant
Ozone Depletion Potential

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

SECTION 13. DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues/Unused

Products

Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.

on waste and nazardous waste. Dispose of in accordance with local regulation

Contaminated Packaging Dispose of this container to hazardous or special waste collection point.

Other Information Waste codes should be assigned by the user based on the application for which the product

was used. Do not empty into drains. Do not flush to sewer. Large amounts will affect pH

and harm aquatic organisms.

SECTION 14: TRANSPORT INFORMATION

IMDG/IMO

14.1 UN-No UN2796

14.2 Proper Shipping Name SULPHURIC ACID

14.3 Hazard Class 8
14.4 Packing Group ||

Description UN2796, SULPHURIC ACID, 8, II

14.5 Marine Pollutant Not Applicable

14.6 Special Provisions None EmS No. F-A, S-B

14.7 Transport in bulk according to No information available

Annex II of MARPOL 73/78 and the IBC Code

ADR

14.1. UN number UN2796

14.2. UN proper shipping name SULPHURIC ACID

14.3. Transport hazard class(es) 8 **14.4. Packing group** II

<u>ICAO</u>

14.1 UN-No UN2796

14.2 Proper Shipping Name SULPHURIC ACID

14.3 Hazard Class 8
14.4 Packing Group ||

Description UN2796, SULPHURIC ACID, 8, II

14.5 Environmental hazard Not Applicable

14.6 Special Provisions None

<u>IATA</u>

14.1 UN-No UN2796

14.2 Proper Shipping Name SULPHURIC ACID

14.3 Hazard Class
14.4 Packing Group

Description UN2796, SULPHURIC ACID, 8, II

14.5 Environmental hazard Not Applicable

14.6 Special Provisions None ERG Code 8L

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS), U.S.A. (TSCA).

Component	CAS No	EINECS	ELINCS	NLP	IECSC	TCSI	KECL	ENCS	ISHL
Water	7732-18-5	231-791-2	-	-	X	X	KE-35400	Χ	-
Sodium hydrogen sulfate, monohydrate	10034-88-5	-	-	-	Х	Х	-	-	-
Sulfuric acid	7664-93-9	231-639-5	-	-	X	X	KE-32570	X	X
Molybdate (MoO42-), dihydrogen, (T-4)-	7782-91-4	231-970-5	-	-	X	X	KE-25464	X	X

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	DSL	NDSL	AICS	NZIoC	PICCS
Water	7732-18-5	Х	ACTIVE	Х	-	Х	Х	Х
Sodium hydrogen sulfate, monohydrate	10034-88-5	-	-	-	-	Х	Х	Х
Sulfuric acid	7664-93-9	Х	ACTIVE	Х	-	Х	Х	Х
Molybdate (MoO42-), dihydrogen, (T-4)-	7782-91-4	X	ACTIVE	Х	-	X	Х	Х

Legend: X - Listed '-' - Not Listed **KECL** - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

 Product No
 8030REX-1
 Document No. 229988-001
 EN

European Union

Authorisation/Restrictions according to EU REACH

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Water	7732-18-5	-	-	-
Sodium hydrogen sulfate, monohydrate	10034-88-5	-	-	-
Sulfuric acid	7664-93-9	-	Use restricted. See entry 75. (see link for restriction details)	-
Molybdate (MoO42-), dihydrogen, (T-4)-	7782-91-4	-	-	-

https://echa.europa.eu/substances-restricted-under-reach

Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

Take note of Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

National Regulations

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

WGK Classification

Water endangering class = 1 (self classification)

Component	Germany - Water Classification (AwSV)
Sulfuric acid	WGK1
7664-93-9 (10 - 20%)	

Swiss Regulations

Article 4 para. 4 of the Ordinance on the protection of young people in the workplace (SR 822.115) and Article 1 lit. f of the EAER regulation on hazardous work and young people (SR 822.115.2).

Take note on Article 13 Maternity Ordinance (SR 822.111.52) with regards expectant and nursing mothers.

Component	Switzerland - Ordinance on the Reduction of Risk from handling of hazardous substances preparation (SR	Switzerland - Ordinance on Incentive Taxes on Volatile Organic Compounds (OVOC)	Switzerland - Ordinance of the Rotterdam Convention on the Prior Informed Consent Procedure
	814.81)		
Sulfuric acid	Prohibited and Restricted		
7664-93-9 (10 - 20%)	Substances		

15.2. Chemical safety assessment

A Chemical safety assessment according to regulation (EC) No. 1907/2006 is not required

Silica Reagent 1 Revision Date 29-Jul-2024 **Product Name**

SECTION 16: OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

H314 - Causes severe skin burns and eye damage

H318 - Causes serious eve damage

Key or legend to abbreviations and acronyms used in the safety data sheet

CAS - Chemical Abstracts Service TSCA - United States Toxic Substances Control Act Section 8(b)

Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic

Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances IECSC - Chinese Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

Substances List

ENCS - Japanese Existing and New Chemical Substances AICS - Australian Inventory of Chemical Substances NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit TWA - Time Weighted Average

ACGIH TLV: American Conference of Governmental Industrial Hygienists IARC - International Agency for Research on Cancer

- Threshold Limit Value

DNEL - Derived No Effect Level

RPE - Respiratory Protective Equipment LC50 - Lethal Concentration 50% NOEC - No Observed Effect Concentration

PBT - Persistent, Bioaccumulative, Toxic

ADR - European Agreement Concerning the International Carriage of

Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime

Dangerous Goods Code

OECD - Organisation for Economic Co-operation and Development

BCF - Bioconcentration factor

TWA TWA (time-weighted average)

Ceiling Maximum limit value

Predicted No Effect Concentration (PNEC)

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50% POW - Partition coefficient Octanol:Water vPvB - very Persistent, very Bioaccumulative

ICAO/IATA - International Civil Aviation Organization/International Air

Transport Association

MARPOL - International Convention for the Prevention of Pollution from

ATE - Acute Toxicity Estimate VOC - (volatile organic compound)

STEL STEL (Short Term Exposure Limit)

Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Full text of H-Statements referred to under section 3

H314 - Causes severe skin burns and eye damage

H319 - Causes serious eye irritation

H335 - May cause respiratory irritation

Regulatory Affairs **Prepared By**

Prepared For Thermo Fisher Scientific Inc.

No information available **Issue Date**

Revision Date 29-Jul-2024

Reason for revision SDS sections updated.

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006. COMMISSION REGULATION (EU) 2020/878 amending Annex II to Regulation (EC) No 1907/2006

Page 13/14

Disclaimer

Product No 8030REX-1

Silica Reagent 1 **Product Name** Revision Date 29-Jul-2024

IMPORTANT: The information contained in this SDS is correct to the best of our knowledge as of the issue date (or subsequent revision date, if any), and is to be used only as a guide. This SDS does not constitute a guarantee (express or implied) of any kind and we make no warranties of any kind as to the accuracy or completeness of the information contained herein or the merchantability or fitness of the product or this information for a particular purpose. It is the responsibility of each individual buyer/user to determine the suitability of this information and the product for its intended purposes. Product sales are subject to Thermo Fisher Scientifics standard terms and conditions of sale. This information relates only to the designated product as shipped and may not be valid if the product is used in combination with any other materials or is not used in accordance with our instructions, or is altered in any way. It is the responsibility of the buyer/user to ensure that its activities comply with all applicable government requirements. Since conditions of use of the product are not under direct control of Thermo Fisher Scientific, it is the duty of the buyer/user to determine the necessary conditions for the safe use of the product. Thermo Fisher Scientific will not be liable for any injuries or damages resulting from handling, use, misuse or contact with the product.

End of Safety Data Sheet

Product No 8030REX-1 **Document No.** 229988-001 EN Page 14/14