

SAFETY DATA SHEET

Creation Date 06-Jul-2010 Revision Date 24-Dec-2021 Revision Number 9

1. Identification

Product Name Hafnium atomic absorption standard solution

Cat No.: AC196010000; AC196011000; AC196015000

Synonyms Hydrofluoric acid solution; Fluohydric acid; Fluoric acid

Recommended Use Laboratory chemicals.

Uses advised against Food, drug, pesticide or biocidal product use.

Details of the supplier of the safety data sheet

Company

Fisher Scientific Company
One Reagent Lane
Fair Lawn, NJ 07410
Tel: (201) 796-7100

Acros Organics
One Reagent Lane
Fair Lawn, NJ 07410
Fair Lawn, NJ 07410

Emergency Telephone Number

For information **US** call: 001-800-ACROS-01 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Corrosive to metals

Acute oral toxicity

Category 2

Acute dermal toxicity

Category 1

Acute Inhalation Toxicity - Vapors

Skin Corrosion/Irritation

Serious Eye Damage/Eye Irritation

Specific target organ toxicity (single exposure)

Target Organs - Respiratory system.

Label Elements

Signal Word Danger

Hazard Statements

May be corrosive to metals Causes severe skin burns and eye damage May cause respiratory irritation Fatal if swallowed, in contact with skin or if inhaled



Precautionary Statements

Prevention

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Do not get in eyes, on skin, or on clothing

Wear protective gloves/protective clothing/eye protection/face protection

Do not breathe dust/fume/gas/mist/vapors/spray Use only outdoors or in a well-ventilated area

Wear respiratory protection Keep only in original container

Response

Immediately call a POISON CENTER or doctor/physician

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Skin

Wash contaminated clothing before reuse

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Ingestion

Rinse mouth

Do NOT induce vomiting

Spills

Absorb spillage to prevent material damage

Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Store in corrosive resistant polypropylene container with a resistant inliner

Store in a dry place

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

None identified

3. Composition/Information on Ingredients

| Component | CAS No | Weight % | |
|-------------------|-----------|----------|--|
| Water | 7732-18-5 | 94.99 | |
| Hydrogen fluoride | 7664-39-3 | 5 | |
| Hafnium | 7440-58-6 | 0.01 | |

4. First-aid measures

General Advice

Immediate and specialised first aid and medical treatment is required. Speed is of the

essence. Flush with plenty of water immediately. Continue flushing during transport to

hospital or medical center.

Eye ContactRinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. In

the case of contact with eyes, rinse immediately with plenty of water and seek medical

advice.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Immediate medical

attention is required. Dermal burns may be treated with calcium gluconate gel or slurry in water or glycerine. This compound binds the active fluorides in an insoluble form and limits burn extension and pain. Soaking or immersion with iced 0.13% Benzalkonium chloride solution may be used for skin burns and should be continued until the pain is relieved. Do

not use in eyes.

Inhalation If not breathing, give artificial respiration. Do not use mouth-to-mouth method if victim

ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Remove to fresh air. Immediate medical attention is required. A nebulized solution of 2.5% Calcium

gluconate may be administered with Oxygen by inhalation.

Ingestion Do NOT induce vomiting. Call a physician or poison control center immediately.

Most important symptoms and

effects

Causes burns by all exposure routes. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue

and danger of perforation Treat symptomatically

No information available

Notes to Physician

5. Fire-fighting measures

Suitable Extinguishing Media Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.

Unsuitable Extinguishing Media No information available

Flash Point No information available Method - No information available

Autoignition Temperature

Explosion Limits

Upper No data available
Lower No data available
Sensitivity to Mechanical Impact No information available
Sensitivity to Static Discharge No information available

Specific Hazards Arising from the Chemical

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapors.

Hazardous Combustion Products

Gaseous hydrogen fluoride (HF).

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

NFPA

HealthFlammabilityInstabilityPhysical hazards401N/A

6. Accidental release measures

Personal Precautions

Use personal protective equipment as required. Ensure adequate ventilation. Evacuate

personnel to safe areas. Keep people away from and upwind of spill/leak.

Environmental Precautions

Should not be released into the environment.

Methods for Containment and Clean Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

T. Handling and storage

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance.

ingest. If swallowed their seek inimediate medical assistance.

Storage. Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area. Do not store in metal containers. Incompatible Materials. Metals. Cyanides. Sulfides. Bases.

Fluorine.

8. Exposure controls / personal protection

Exposure Guidelines

| Component | ACGIH TLV | OSHA PEL | NIOSH IDLH | Mexico OEL (TWA) |
|-------------------|----------------------------|--------------------------------------|------------------------------|----------------------------|
| Hydrogen fluoride | TWA: 0.5 ppm TWA: 2.5 | (Vacated) TWA: 3 ppm | IDLH: 30 ppm IDLH: 250 | TWA: 0.5 ppm TWA: 2.5 |
| | mg/m³ | (Vacated) TWA: 2.5 mg/m ³ | mg/m³ | mg/m³ |
| | Ceiling: 2 ppm | (Vacated) STEL: 6 ppm | TWA: 3 ppm | Ceiling: 2 ppm |
| | Skin | TWA: 3 ppm | TWA: 2.5 mg/m ³ | |
| | | | Ceiling: 6 ppm | |
| | | | Ceiling: 5 mg/m ³ | |
| Hafnium | TWA: 0.5 mg/m ³ | (Vacated) TWA: 0.5 mg/m ³ | IDLH: 50 mg/m ³ | TWA: 0.5 mg/m ³ |
| | _ | TWA: 0.5 mg/m ³ | TWA: 0.5 mg/m ³ | |

Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH IDLH: NIOSH - National Institute for Occupational Safety and Health

Engineering Measures Use only under a chemical fume hood. Ensure adequate ventilation, especially in confined

areas. Ensure that eyewash stations and safety showers are close to the workstation

location.

Personal Protective Equipment

Eye/face Protection Tight sealing safety goggles. Face protection shield.

Skin and body protection Wear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory Protection Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard

EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Physical StateLiquidAppearanceColorlessOdorpungent

Odor Threshold No information available

pH < 1.0

Melting Point/Range -35 °C / -31 °F

Boiling Point/Range105 °C / 221 °FFlash PointNo information availableEvaporation RateNo information available

Flammability (solid,gas) Not applicable

Flammability or explosive limits

UpperNo data availableLowerNo data availableVapor PressureNo information available

Vapor Density2.21Specific Gravity1.15-1.20Solubilitymiscible

Partition coefficient; n-octanol/waterNo data availableAutoignition TemperatureNo information availableDecomposition TemperatureNo information availableViscosityNo information available

10. Stability and reactivity

Reactive Hazard None known, based on information available

Stability Stable under normal conditions.

Conditions to Avoid Incompatible products. Excess heat.

Incompatible Materials Metals, Cyanides, Sulfides, Bases, Fluorine

Hazardous Decomposition Products Gaseous hydrogen fluoride (HF)

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous Reactions Corrosive to metals. Contact with metals may evolve flammable hydrogen gas.

11. Toxicological information

Acute Toxicity

Product Information

Oral LD50Category 2. ATE = 5 - 50 mg/kg.Dermal LD50Category 1. ATE < 50 mg/kg.Vapor LC50Category 2. ATE = 0.5 - 2 mg/l.

Component Information

| Component | LD50 Oral | LD50 Dermal | LC50 Inhalation | | |
|-------------------|------------|-------------|----------------------------|--|--|
| Water | - | - | - | | |
| Hydrogen fluoride | Not listed | Not listed | LC50 = 0.79 mg/L (Rat) 1 h | | |

Toxicologically Synergistic No information available

Products

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation Causes severe burns by all exposure routes

Sensitization No information available

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Component | CAS No | IARC | NTP | ACGIH | OSHA | Mexico |
|-------------------|-----------|------------|------------|------------|------------|------------|
| Water | 7732-18-5 | Not listed |
| Hydrogen fluoride | 7664-39-3 | Not listed |
| Hafnium | 7440-58-6 | Not listed |

Mutagenic Effects No information available

Hafnium atomic absorption standard solution

Reproductive Effects No information available.

Developmental Effects No information available.

Teratogenicity No information available.

STOT - single exposure Respiratory system

STOT - repeated exposure None known

No information available **Aspiration hazard**

delayed

Symptoms / effects,both acute and Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes

severe swelling, severe damage to the delicate tissue and danger of perforation

Endocrine Disruptor Information No information available

Other Adverse Effects The toxicological properties have not been fully investigated.

12. Ecological information

Ecotoxicity

Do not empty into drains. .

Persistence and Degradability

Bioaccumulation/ Accumulation

| Component | Freshwater Algae | Freshwater Fish | Microtox | Water Flea |
|-------------------|------------------|----------------------|------------|----------------------|
| Hydrogen fluoride | Not listed | LC50 = 660 mg/L, 48h | Not listed | EC50 = 270 mg/L, 48h |
| | | (Leuciscus idus) | | (Daphnia species) |
| | | | | |

No information available. Will likely be mobile in the environment due to its water solubility. **Mobility**

| Component | log Pow |
|-------------------|---------|
| Hydrogen fluoride | -1 4 |

13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

Soluble in water Persistence is unlikely based on information available. Miscible with water

| | Component | RCRA - U Series Wastes | RCRA - P Series Wastes |
|---|-------------------------------|------------------------|------------------------|
| Ī | Hydrogen fluoride - 7664-39-3 | U134 | - |

14. Transport information

DOT

UN-No UN1790

Proper Shipping Name HYDROFLUORIC ACID

Hazard Class Subsidiary Hazard Class 6.1 **Packing Group**

TDG

UN-No UN1790

Proper Shipping Name HYDROFLUORIC ACID

Hazard Class 8 **Subsidiary Hazard Class** 6.1 **Packing Group**

IATA

UN-No UN1790

Hafnium atomic absorption standard solution

Proper Shipping Name HYDROFLUORIC ACID

Hazard Class 8
Subsidiary Hazard Class 6.1
Packing Group ||

IMDG/IMO

UN-No UN1790

Proper Shipping Name HYDROFLUORIC ACID Hazard Class 8
Subsidiary Hazard Class 6.1
Packing Group II

15. Regulatory information

United States of America Inventory

| Component | CAS No | TSCA | TSCA Inventory notification - Active-Inactive | TSCA - EPA Regulatory Flags |
|-------------------|-----------|------|--|--------------------------------|
| Water | 7732-18-5 | Χ | ACTIVE | - |
| Hydrogen fluoride | 7664-39-3 | X | ACTIVE | - |
| Hafnium | 7440-58-6 | X | ACTIVE | - |

Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

TSCA 12(b) - Notices of Export Not applicable

International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

| Component | CAS No | DSL | NDSL | EINECS | PICCS | ENCS | ISHL | AICS | IECSC | KECL |
|-------------------|-----------|-----|------|-----------|-------|------|------|------|-------|----------|
| Water | 7732-18-5 | Х | - | 231-791-2 | Х | Х | | Х | Х | KE-35400 |
| Hydrogen fluoride | 7664-39-3 | Х | - | 231-634-8 | Х | Χ | Χ | Х | Χ | KE-20198 |
| Hafnium | 7440-58-6 | Х | - | 231-166-4 | Х | Χ | | - | - | KE-18170 |

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

U.S. Federal Regulations

SARA 313

| Component | CAS No | Weight % | SARA 313 - Threshold Values % |
|-------------------|-----------|----------|----------------------------------|
| Hydrogen fluoride | 7664-39-3 | 5 | 1.0 |

SARA 311/312 Hazard Categories See section 2 for more information

CWA (Clean Water Act)

| OTTA (Olcail Hatel Act) | | | | |
|-------------------------|-------------------------------|--------------------------------|------------------------|---------------------------|
| Component | CWA - Hazardous Substances | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants |
| Hydrogen fluoride | X | 100 lb | - | - |

Clean Air Act

| Component | HAPS Data | Class 1 Ozone Depletors | Class 2 Ozone Depletors |
|-------------------|-----------|-------------------------|-------------------------|
| Hydrogen fluoride | X | | - |

OSHA - Occupational Safety and

Health Administration

Not applicable

| Component | Specifically Regulated Chemicals | Highly Hazardous Chemicals | |
|-------------------|----------------------------------|----------------------------|--|
| Hydrogen fluoride | - | TQ: 1000 lb | |

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

| Component | Hazardous Substances RQs | CERCLA EHS RQs | |
|-------------------|--------------------------|----------------|--|
| Hvdrogen fluoride | 100 lb | 100 lb | |

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

| Component | Massachusetts | New Jersey | Pennsylvania | Illinois | Rhode Island |
|-------------------|---------------|------------|--------------|----------|--------------|
| Water | - | - | X | - | - |
| Hydrogen fluoride | X | X | X | X | X |
| Hafnium | X | X | Х | - | X |

U.S. Department of Transportation

Reportable Quantity (RQ): Y
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

U.S. Department of Homeland

Security

This product contains the following DHS chemicals:

Legend - STQs = Screening Threshold Quantities, APA = A placarded amount

| Component | DHS Chemical Facility Anti-Terrorism Standard | | |
|-----------------------------------|---|--|--|
| Hydrogen fluoride | Release STQs - 1000lb (concentration >=50%) | | |
| Release STQs - 1000lb (anhydrous) | | | |
| | Theft STQs - 45lb (anhydrous) | | |

Other International Regulations

Mexico - Grade

No information available

Authorisation/Restrictions according to EU REACH

| Component | . , | REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances | · · · · · · · · · · · · · · · · · · · |
|-------------------|-----|---|---------------------------------------|
| Hydrogen fluoride | - | Use restricted. See item 75. (see link for restriction details) | - |

https://echa.europa.eu/substances-restricted-under-reach

Safety, health and environmental regulations/legislation specific for the substance or mixture

| Component | CAS No | OECD HPV | Persistent Organic Pollutant | Ozone Depletion Potential | Restriction of Hazardous Substances (RoHS) |
|-------------------|-----------|----------------|---------------------------------|------------------------------|--|
| Water | 7732-18-5 | Listed | Not applicable | Not applicable | Not applicable |
| Hydrogen fluoride | 7664-39-3 | Listed | Not applicable | Not applicable | Not applicable |
| Hafnium | 7440-58-6 | Not applicable | Not applicable | Not applicable | Not applicable |

| Component | CAS No | Seveso III Directive | Seveso III Directive | Rotterdam | Basel Convention |
|-----------|-----------|-----------------------|-----------------------|------------------|-------------------|
| - | | (2012/18/EC) - | (2012/18/EC) - | Convention (PIC) | (Hazardous Waste) |
| | | Qualifying Quantities | Qualifying Quantities | | |
| | | for Major Accident | for Safety Report | | |
| | | Notification | Requirements | | |
| Water | 7732-18-5 | Not applicable | Not applicable | Not applicable | Not applicable |

| Hydrogen fluoride | 7664-39-3 | Not applicable | Not applicable | Not applicable | Annex I - Y34 |
|-------------------|-----------|----------------|----------------|-----------------|----------------|
| nydrogen ndonde | 7004-39-3 | Not applicable | Not applicable | inot applicable | Alliex I - 134 |
| Hafnium | 7440-58-6 | Not applicable | Not applicable | Not applicable | Not applicable |

16. Other information

Prepared By Regulatory Affairs

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com

 Creation Date
 06-Jul-2010

 Revision Date
 24-Dec-2021

 Print Date
 24-Dec-2021

Revision Summary

This document has been updated to comply with the US OSHA HazCom 2012 Standard

replacing the current legislation under 29 CFR 1910.1200 to align with the Globally

Harmonized System of Classification and Labeling of Chemicals (GHS).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS