

according to Regulation (EC) No. 1907/2006

Revision Date 17-Mar-2024 Revision Number 3

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product Description: BIS-TRIS, 0.2M buffer solution, pH 6.5

Cat No. : J60127

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals.
Uses advised against No Information available

1.3. Details of the supplier of the safety data sheet

Company

Thermo Fisher (Kandel) GmbH

Erlenbachweg 2, 76870 Kandel, Germany

Tel: +49 (0) 721 84007 280 Fax: +49 (0) 721 84007 300

Swiss distributor - Fisher Scientific AG Neuhofstrasse 11, CH 4153 Reinach

Tel: +41 (0) 56 618 41 11

https://www.fishersci.ch/ch/en/customer-help-

support/forms/email-us.html

E-mail address begel.sdsdesk@thermofisher.com

1.4. Emergency telephone number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

customers in Switzerland:

Tox Info Suisse Emergency Number: 145 (24hr)

Tox Info Suisse: +41-44 251 51 51 (Emergency number from abroad)

Chemtrec (24h) Toll-Free: 0800 564 402 Chemtrec Local: +41-43 508 20 11 (Zurich)

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

CLP Classification - Regulation (EC) No 1272/2008

Physical hazards

ALFAAJ60127

Revision Date 17-Mar-2024

BIS-TRIS, 0.2M buffer solution, pH 6.5

Based on available data, the classification criteria are not met

Health hazards

Based on available data, the classification criteria are not met

Environmental hazards

Based on available data, the classification criteria are not met

Full text of Hazard Statements: see section 16

2.2. Label elements

None required

EUH210 - Safety data sheet available on request

2.3. Other hazards

This product does not contain any known or suspected endocrine disruptors

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

| Component | CAS No | EC No | Weight % | CLP Classification - Regulation (EC) No 1272/2008 |
|---|-----------|-------------------|----------|--|
| Water | 7732-18-5 | 231-791-2 | 94.82 | - |
| 1,3-Propanediol, 2-[bis(2-hydroxyethyl)amino]-2-(hydroxymet hyl)- | 6976-37-0 | EEC No. 230-237-7 | 4.18 | Eye Dam. 1 (H318) |
| Hydrochloric acid | 7647-01-0 | 231-595-7 | 1 | Met. Corr. 1 (H290) Skin Corr. 1B (H314) Eye Dam. 1 (H318) STOT SE 3 (H335) |

| Component | Specific concentration limits (SCL's) | M-Factor | Component notes |
|-------------------|---|----------|-----------------|
| Hydrochloric acid | Skin Corr. 1B :: C>=25% Skin Irrit. 2 :: 10%<=C<25% Eye Irrit. 2 :: 10%<=C<25% STOT SE 3 :: C>=10% | _ | <u>-</u> |

Full text of Hazard Statements: see section 16

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

General Advice

If symptoms persist, call a physician.

Revision Date 17-Mar-2024

BIS-TRIS, 0.2M buffer solution, pH 6.5

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists,

call a physician.

Ingestion Clean mouth with water and drink afterwards plenty of water.

Inhalation Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if

symptoms occur.

Self-Protection of the First Aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination.

4.2. Most important symptoms and effects, both acute and delayed

None reasonably foreseeable.

4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Not combustible.

Extinguishing media which must not be used for safety reasons

No information available.

5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors.

Hazardous Combustion Products

Nitrogen oxides (NOx), Hydrogen chloride.

5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective equipment as required.

6.2. Environmental precautions

Should not be released into the environment. See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Wear personal protective equipment/face protection. Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

7.2. Conditions for safe storage, including any incompatibilities

Keep refrigerated.

Technical Rules for Hazardous Substances (TRGS) 510 Storage Class (LGK) (Germany)

Storage Class/LGK 12

Storage class - SC 10/12

Switzerland - Storage of hazardous substances

https://www.kvu.ch/de/themen/stoffe-und-produkte https://www.kvu.ch/fr/themes/substances-et-produits https://www.kvu.ch/it/temi/sostanze-e-prodotti

7.3. Specific end use(s)

Use in laboratories

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits

List source(s): **EU** - Commission Directive (EU) 2019/1831 of 24 October 2019 establishing a fifth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC and amending Commission Directive 2000/39/EC **UK** - EH40/2005 Work Exposure Limits, Forth edition. Published 2020. **IRE** - 2010 Code of Practice for the Safety, Health and Welfare at Work (Chemical Agents) Regulations 2001. Published by the Health and Safety Authority. **CH** - The Government of Switzerland has set a directive on limit values for working materials (Grenzwerte am Arbeitsplatz) which is based on the Swiss Federal Regulation "Verordnung über die Verhütung von Unfällen und Berufskrankheiten". This directive is administered, periodically revised and enforced by SUVA (Swiss National Accident Insurance Fund).

| Component | European Union | The United Kingdom | France | Belgium | Spain |
|-------------------|-----------------------------------|----------------------------------|---------------------------------------|---------------------------------|-----------------------|
| Hydrochloric acid | TWA: 5 ppm 8 hr | STEL: 5 ppm 15 min | STEL / VLCT: 5 ppm. | TWA: 5 ppm 8 uren | STEL / VLA-EC: 10 ppm |
| | TWA: 8 mg/m ³ 8 hr | STEL: 8 mg/m ³ 15 min | restrictive limit | TWA: 8 mg/m ³ 8 uren | (15 minutos). |
| | STEL: 10 ppm 15 min | TWA: 1 ppm 8 hr | STEL / VLCT: 7.6 | STEL: 10 ppm 15 | STEL / VLA-EC: 15 |
| | STEL: 15 mg/m ³ 15 min | TWA: 2 mg/m ³ 8 hr | mg/m ³ . restrictive limit | minuten | mg/m³ (15 minutos). |
| | | _ | | STEL: 15 mg/m ³ 15 | TWA / VLA-ED: 5 ppm |
| | | | | minuten | (8 horas) |
| | | | | | TWA / VLA-ED: 7.6 |
| | | | | | mg/m³ (8 horas) |

| Component | Italy | Germany | Portugal | The Netherlands | Finland |
|-------------------|--|-----------------------------------|--|---|--|
| Hydrochloric acid | TWA: 5 ppm 8 ore. Time Weighted Average TWA: 8 mg/m³ 8 ore. Time Weighted Average STEL: 10 ppm 15 minuti. Short-term STEL: 15 mg/m³ 15 minuti. Short-term | Stunden). AGW - exposure factor 2 | STEL: 10 ppm 15 minutos STEL: 15 mg/m³ 15 minutos Ceiling: 2 ppm TWA: 5 ppm 8 horas TWA: 8 mg/m³ 8 horas | STEL: 15 mg/m ³ 15 minuten TWA: 8 mg/m ³ 8 uren | STEL: 5 ppm 15 minuutteina STEL: 7.6 mg/m³ 15 minuutteina |

| Component | Austria | Denmark | Switzerland | Poland | Norway |
|-------------------|--------------------------------|----------|------------------------------|-------------------------------|------------------------------|
| Hydrochloric acid | MAK-KZGW: 10 ppm 15 | | STEL: 4 ppm 15 | STEL: 10 mg/m ³ 15 | Ceiling: 5 ppm |
| | Minuten | minutter | Minuten | minutach | Ceiling: 7 mg/m ³ |
| | MAK-KZGW: 15 mg/m ³ | <u> </u> | STEL: 6 mg/m ³ 15 | TWA: 5 mg/m ³ 8 | |
| | 15 Minuten | minutter | Minuten | godzinach | |
| | MAK-TMW: 5 ppm 8 | | TWA: 2 ppm 8 Stunden | | |
| | Stunden | | TWA: 3 mg/m ³ 8 | | |
| | MAK-TMW: 8 mg/m ³ 8 | | Stunden | | |
| | Stunden | | | | |

| Component | Bulgaria | Croatia | Ireland | Cyprus | Czech Republic |
|-------------------|------------------------------|---------------------------------|-----------------------------------|----------------------------|-------------------------------|
| Hydrochloric acid | TWA: 5 ppm | TWA-GVI: 5 ppm 8 | TWA: 8 mg/m ³ 8 hr. F | STEL: 10 ppm | TWA: 8 mg/m ³ 8 |
| | TWA: 8.0 mg/m ³ | satima. | TWA: 5 ppm 8 hr. | STEL: 15 mg/m ³ | hodinách. |
| | STEL: 10 ppm | TWA-GVI: 8 mg/m ³ 8 | STEL: 10 ppm 15 min | TWA: 5 ppm | Ceiling: 15 mg/m ³ |
| | STEL: 15.0 mg/m ³ | satima. | STEL: 15 mg/m ³ 15 min | TWA: 8 mg/m ³ | |
| | | STEL-KGVI: 10 ppm 15 | | | |
| | | minutama. | | | |
| | | STEL-KGVI: 15 mg/m ³ | | | |
| | | 15 minutama. | | | |

| Component | Estonia | Gibraltar | Greece | Hungary | Iceland |
|-------------------|---|--|--|--|------------------------------|
| Hydrochloric acid | TWA: 5 ppm 8 tundides. TWA: 8 mg/m³ 8 tundides. STEL: 10 ppm 15 minutites. STEL: 15 mg/m³ 15 minutites. | TWA: 5 ppm 8 hr TWA: 8 mg/m³ 8 hr STEL: 10 ppm 15 min STEL: 15 mg/m³ 15 min | STEL: 5 ppm STEL: 7 mg/m³ TWA: 5 ppm TWA: 7 mg/m³ | STEL: 16 mg/m³ 15 percekben. CK TWA: 8 mg/m³ 8 órában. AK | STEL: 5 ppm STEL: 8 mg/m³ |

| Component | Latvia | Lithuania | Luxembourg | Malta | Romania |
|-------------------|----------------------------|----------------------------|-------------------------------|-------------------------------|--------------------------------|
| Hydrochloric acid | STEL: 10 ppm | TWA: 5 ppm IPRD | TWA: 5 ppm 8 Stunden | TWA: 5 ppm | TWA: 5 ppm 8 ore |
| | STEL: 15 mg/m ³ | TWA: 8 mg/m³ IPRD | TWA: 8 mg/m ³ 8 | TWA: 8 mg/m ³ | TWA: 8 mg/m ³ 8 ore |
| | TWA: 5 ppm | STEL: 10 ppm | Stunden | STEL: 10 ppm 15 minuti | STEL: 10 ppm 15 |
| | TWA: 8 mg/m ³ | STEL: 15 mg/m ³ | STEL: 10 ppm 15 | STEL: 15 mg/m ³ 15 | minute |
| | | | Minuten | minuti | STEL: 15 mg/m ³ 15 |
| | | | STEL: 15 mg/m ³ 15 | | minute |
| | | | Minuten | | |

| Component | Russia | Slovak Republic | Slovenia | Sweden | Turkey |
|-------------------|--------------------------|-------------------------------|---------------------------------|------------------------------------|---------------------------------|
| Hydrochloric acid | MAC: 5 mg/m ³ | Ceiling: 15 mg/m ³ | TWA: 5 ppm 8 urah | Binding STEL: 4 ppm 15 | TWA: 5 ppm 8 saat |
| | | TWA: 5 ppm | anhydrous | minuter | TWA: 8 mg/m ³ 8 saat |
| | | TWA: 8.0 mg/m ³ | TWA: 8 mg/m ³ 8 urah | Binding STEL: 6 mg/m ³ | STEL: 10 ppm 15 |
| | | | anhydrous | 15 minuter | dakika |
| | | | STEL: 10 ppm 15 | TLV: 2 ppm 8 timmar. | STEL: 15 mg/m ³ 15 |
| | | | minutah anhydrous | NGV | dakika |
| | | | STEL: 15 mg/m ³ 15 | TLV: 3 mg/m ³ 8 timmar. | |
| | | | minutah anhydrous | NGV | |

Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Monitoring methods

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.

Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

See table for values

| Component | Acute effects local (Dermal) | Acute effects systemic (Dermal) | Chronic effects local (Dermal) | Chronic effects systemic (Dermal) |
|------------------|------------------------------|---------------------------------|--------------------------------|-----------------------------------|
| 1,3-Propanediol, | | DNEL = 1.4mg/kg | | DNEL = 1.4mg/kg |

Revision Date 17-Mar-2024

BIS-TRIS, 0.2M buffer solution, pH 6.5

| 2-[bis(2-hydroxyethyl)amino]-2-(| bw/day | bw/day |
|----------------------------------|--------|--------|
| hydroxymethyl)- | | |
| 6976-37-0 (4.18) | | |

| Component | Acute effects local (Inhalation) | Acute effects systemic (Inhalation) | Chronic effects local (Inhalation) | Chronic effects systemic (Inhalation) |
|----------------------------------|----------------------------------|-------------------------------------|------------------------------------|---------------------------------------|
| 1,3-Propanediol, | | DNEL = 4.93mg/m ³ | | $DNEL = 4.93 mg/m^3$ |
| 2-[bis(2-hydroxyethyl)amino]-2-(| | | | |
| hydroxymethyl)- | | | | |
| 6976-37-0 (4.18) | | | | |
| Hydrochloric acid | DNEL = 15mg/m ³ | | DNEL = 8mg/m ³ | |
| 7647-01-0 (1) | _ | | _ | |

Predicted No Effect Concentration (PNEC)

No information available.

8.2. Exposure controls

Engineering Measures

Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

Eye Protection Goggles (European standard - EN 166)

Hand Protection Protective gloves

| Glove material | | Glove thickness | EU standard | Glove comments |
|----------------|-------------------|-----------------|-------------|-----------------------|
| Natural rubber | See manufacturers | - | EN 374 | (minimum requirement) |
| Nitrile rubber | recommendations | | | |
| Neoprene | | | | |
| PVC | | | | |

Skin and body protection Long sleeved clothing.

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. gloves with care avoiding skin contamination.

Respiratory Protection When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators.

To protect the wearer, respiratory protective equipment must be the correct fit and be used

and maintained properly

Large scale/emergency use Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits

are exceeded or if irritation or other symptoms are experienced

Recommended Filter type: Multi-purpose/ABEK conforming to EN14387 Particulates filter

conforming to EN 143

Small scale/Laboratory use Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure

limits are exceeded or if irritation or other symptoms are experienced.

Recommended half mask:- Particle filtering: EN149:2001 When RPE is used a face piece Fit Test should be conducted

Environmental exposure controls No information available.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

BIS-TRIS, 0.2M buffer solution, pH 6.5

9.1. Information on basic physical and chemical properties

Physical State Liquid

Appearance

Odor Odorless

Odor Threshold
Melting Point/Range
Softening Point
Boiling Point/Range
Flammability (liquid)
No data available
No data available
No information available
No data available

Flammability (solid,gas) Not applicable Liquid

Explosion Limits No data available

Flash Point No information available Method - No information available

Autoignition Temperature No data available Decomposition Temperature No data available

pH 6-8

Viscosity No data available

Water Solubility Miscible

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)
Component log Pow
1,3-Propanediol, -2.26
2-[bis(2-hydroxyethyl)aminol-2-(hydrox

ymethyl)-

Vapor Pressure <=1100 hPa @ 50 °C

Density / Specific Gravity No data available

Bulk DensityNot applicableLiquidVapor DensityNo data available(Air = 1.0)

Particle characteristics Not applicable (liquid)

9.2. Other information

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

None known, based on information available

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous PolymerizationHazardous ReactionsNo information available.None under normal processing.

10.4. Conditions to avoid

Incompatible products. Excess heat.

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

Nitrogen oxides (NOx). Hydrogen chloride.

SECTION 11: TOXICOLOGICAL INFORMATION

BIS-TRIS, 0.2M buffer solution, pH 6.5

Revision Date 17-Mar-2024

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Product Information

(a) acute toxicity;

Oral No data available
Dermal No data available
Inhalation No data available

Toxicology data for the components

| Component | LD50 Oral | LD50 Dermal | LC50 Inhalation | | |
|-------------------|-----------------------|-----------------------|--------------------|--|--|
| Water | - | - | - | | |
| Hydrochloric acid | 238 - 277 mg/kg (Rat) | > 5010 mg/kg (Rabbit) | 1.68 mg/L (Rat)1 h | | |

(b) skin corrosion/irritation; No data available

(c) serious eye damage/irritation; No data available

(d) respiratory or skin sensitization;

Respiratory No data available Skin No data available

(e) germ cell mutagenicity; No data available

(f) carcinogenicity; No data available

There are no known carcinogenic chemicals in this product

(g) reproductive toxicity; No data available

(h) STOT-single exposure; No data available

(i) STOT-repeated exposure; No data available

Target Organs No information available.

(j) aspiration hazard; No data available

Symptoms / effects,both acute and No information available. delayed

11.2. Information on other hazards

Endocrine Disrupting Properties Assess endocrine disrupting properties for human health. This product does not contain any

known or suspected endocrine disruptors.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity Ecotoxicity effects

| Component | Freshwater Fish | Water Flea | Freshwater Algae | |
|-------------------|-----------------------------|-------------------------|------------------|--|
| Hydrochloric acid | 282 mg/L LC50 96 h Gambusia | 56mg/L EC50 72h Daphnia | - | |

BIS-TRIS, 0.2M buffer solution, pH 6.5

affinis

Revision Date 17-Mar-2024

| mg/ | /L LC50 48 h Leucscus idus | | |
|-----|----------------------------|--|--|
| | | | |

| Component | Microtox | M-Factor | |
|-------------------|----------|----------|--|
| Hydrochloric acid | - | | |

12.2. Persistence and degradability

Persistence Miscible with water, Persistence is unlikely, based on information available.

12.3. Bioaccumulative potential Bioaccumulation is unlikely

| Component | log Pow | Bioconcentration factor (BCF) |
|--|---------|-------------------------------|
| 1,3-Propanediol, | -2.26 | No data available |
| 2-[bis(2-hydroxyethyl)amino]-2-(hydroxymet | | |
| hyl)- | | |

12.4. Mobility in soil The product is water soluble, and may spread in water systems Will likely be mobile in the

environment due to its water solubility. Highly mobile in soils

12.5. Results of PBT and vPvB

assessment

No data available for assessment.

12.6. Endocrine disrupting

properties

Endocrine Disruptor Information This product does not contain any known or suspected endocrine disruptors

12.7. Other adverse effects

Persistent Organic Pollutant Ozone Depletion Potential This product does not contain any known or suspected substance This product does not contain any known or suspected substance

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues/Unused

Products

Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.

Contaminated Packaging Dispose of this container to hazardous or special waste collection point.

European Waste Catalogue (EWC) According to the European Waste Catalog, Waste Codes are not product specific, but

application specific.

Other Information Waste codes should be assigned by the user based on the application for which the product

was used. Do not empty into drains.

Switzerland - Waste Ordinance Disposal should be in accordance with applicable regional, national and local laws and

regulations. Ordinance on the Avoidance and the Disposal of Waste (Waste Ordinance,

ADWO) SR 814.600

https://www.fedlex.admin.ch/eli/cc/2015/891/en

SECTION 14: TRANSPORT INFORMATION

IMDG/IMO Not regulated

14.1. UN number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

ADR Not regulated

14.1. UN number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

<u>IATA</u> Not regulated

14.1. UN number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

14.5. Environmental hazards No hazards identified

14.6. Special precautions for user No special precautions required.

14.7. Maritime transport in bulk according to IMO instruments

Not applicable, packaged goods

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

| Component | CAS No | EINECS | ELINCS | NLP | IECSC | TCSI | KECL | ENCS | ISHL |
|------------------------------------|-----------|-----------|--------|-----|-------|------|----------|------|------|
| Water | 7732-18-5 | 231-791-2 | ı | - | Х | X | KE-35400 | X | - |
| 1,3-Propanediol, | 6976-37-0 | 230-237-7 | - | - | Х | X | KE-20636 | - | Х |
| 2-[bis(2-hydroxyethyl)amino]-2-(hy | | | | | | | | | |
| droxymethyl)- | | | | | | | | | |
| Hydrochloric acid | 7647-01-0 | 231-595-7 | - | - | Х | Х | KE-20189 | Х | Х |

| Component | CAS No | TSCA | TSCA Inventory notification - Active-Inactive | DSL | NDSL | AICS | NZIoC | PICCS |
|------------------------------------|-----------|------|---|-----|------|------|-------|-------|
| Water | 7732-18-5 | X | ACTIVE | X | Ī | X | X | X |
| 1,3-Propanediol, | 6976-37-0 | Х | ACTIVE | - | X | Х | Х | - |
| 2-[bis(2-hydroxyethyl)amino]-2-(hy | | | | | | | | |
| droxymethyl)- | | | | | | | | |
| Hydrochloric acid | 7647-01-0 | Х | ACTIVE | Х | Ī | X | X | X |

Legend: X - Listed '-' - Not Listed KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

Authorisation/Restrictions according to EU REACH

| Component | CAS No | REACH (1907/2006) - Annex XIV - Substances Subject to Authorization | | REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC) |
|---|-----------|---|--|---|
| Water | 7732-18-5 | - | - | - |
| 1,3-Propanediol, 2-[bis(2-hydroxyethyl)amino]-2-(hydr oxymethyl)- | 6976-37-0 | - | - | - |
| Hydrochloric acid | 7647-01-0 | - | Use restricted. See item 75. (see link for restriction details) | - |

BIS-TRIS, 0.2M buffer solution, pH 6.5

•

Revision Date 17-Mar-2024

REACH links

https://echa.europa.eu/substances-restricted-under-reach

Seveso III Directive (2012/18/EC)

| Component | CAS No | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements | |
|---|-----------|---|--|--|
| Water | 7732-18-5 | Not applicable | Not applicable | |
| 1,3-Propanediol, 2-[bis(2-hydroxyethyl)amino] -2-(hydroxymethyl)- | 6976-37-0 | Not applicable | Not applicable | |
| Hydrochloric acid | 7647-01-0 | 25 tonne | 250 tonne | |

Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

Take note of Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values

National Regulations

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

WGK Classification

Water endangering class = non-hazardous to waters (self classification)

| Component | Germany - Water Classification (AwSV) | Germany - TA-Luft Class | | |
|------------------------|---------------------------------------|-------------------------|--|--|
| Hydrochloric acid WGK1 | | | | |

Swiss Regulations

Article 4 para. 4 of the Ordinance on the protection of young people in the workplace (SR 822.115) and Article 1 lit. f of the EAER regulation on hazardous work and young people (SR 822.115.2).

Take note on Article 13 Maternity Ordinance (SR 822.111.52) with regards expectant and nursing mothers.

| Component | Switzerland - Ordinance on the Reduction of Risk from handling of hazardous substances preparation (SR 814.81) | Switzerland - Ordinance on Incentive Taxes on Volatile Organic Compounds (OVOC) | Switzerland - Ordinance of the Rotterdam Convention on the Prior Informed Consent Procedure | |
|------------------------------------|--|---|--|--|
| Hydrochloric acid 7647-01-0 (1) | Prohibited and Restricted Substances | | | |

15.2. Chemical safety assessment

Chemical Safety Assessment/Reports (CSA/CSR) are not required for mixtures

SECTION 16: OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

Legend

BIS-TRIS, 0.2M buffer solution, pH 6.5

TSCA - United States Toxic Substances Control Act Section 8(b)

Substances List

CAS - Chemical Abstracts Service Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

DNEL - Derived No Effect Level

RPE - Respiratory Protective Equipment

LC50 - Lethal Concentration 50%

NOEC - No Observed Effect Concentration PBT - Persistent, Bioaccumulative, Toxic

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime

Dangerous Goods Code

OECD - Organisation for Economic Co-operation and Development

BCF - Bioconcentration factor

Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

ENCS - Japanese Existing and New Chemical Substances

Predicted No Effect Concentration (PNEC)

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50% POW - Partition coefficient Octanol:Water vPvB - very Persistent, very Bioaccumulative

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

Revision Date 17-Mar-2024

MARPOL - International Convention for the Prevention of Pollution from

Ships

ATE - Acute Toxicity Estimate VOC - (volatile organic compound)

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Physical hazards On basis of test data **Health Hazards** Calculation method **Environmental hazards** Calculation method

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Prepared By Health, Safety and Environmental Department

Revision Date 17-Mar-2024

New emergency telephone response service provider. **Revision Summary**

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006. COMMISSION REGULATION (EU) 2020/878 amending Annex II to Regulation (EC) No 1907/2006

For Switzerland - Compiled in accordance with the technical provisions referred to in Annex 2, Number 3, ChemO (SR 813.11 - Ordinance on Protection against Dangerous Substances and Preparations).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet