

# **SAFETY DATA SHEET**

Creation Date 24-November-2010 Revision Date 06-January-2023 Revision Number 6

1. Identification

Product Name Bromine (Certified ACS)

Cat No. : B385-50; B385-250

**CAS-No** 7726-95-6

Synonyms Bromine molecule.; Diatomic bromine; Dibromine

Recommended Use Laboratory chemicals.

Uses advised against Food, drug, pesticide or biocidal product use.

Details of the supplier of the safety data sheet

Company

Importer/Distributor Manufacturer

Fisher Scientific 112 Colonnade Road, Ottawa, ON K2E 7L6,

Canada

Tel: 1-800-234-7437

Fisher Scientific Company One Reagent Lane

Fair Lawn, NJ 07410 Tel: (201) 796-7100

**Emergency Telephone Number** 

CHEMTREC®, Inside the USA: 800-424-9300 CHEMTREC®, Outside the USA: 001-703-527-3887

## 2. Hazard(s) identification

Classification

WHMIS 2015 Classification Classified as hazardous under the Hazardous Products Regulations (SOR/2015-17)

Acute Inhalation ToxicityCategory 1Skin Corrosion/IrritationCategory 1 ASerious Eye Damage/Eye IrritationCategory 1

**Label Elements** 

**Signal Word** 

Danger

**Hazard Statements** 

Fatal if inhaled

Causes severe skin burns and eye damage



## **Precautionary Statements**

#### Prevention

Do not breathe dust/fumes/gas/mist/vapours/spray

Wash face, hands and any exposed skin thoroughly after handling

Use only outdoors or in a well-ventilated area

Wear protective gloves/protective clothing/eve protection/face protection

Wear respiratory protection

#### Response

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower

IF INHALED: Remove person to fresh air and keep comfortable for breathing

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER/doctor

Wash contaminated clothing before reuse

#### Storage

Store in a well-ventilated place. Keep container tightly closed

Store locked up

### **Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Other Hazards

Very toxic to aquatic organisms

## 3. Composition/Information on Ingredients

Component	CAS-No	Weight %
Bromine	7726-95-6	>95

### 4. First-aid measures

General Advice Immediate medical attention is required. Show this safety data sheet to the doctor in

attendance.

**Eye Contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Seek

immediate medical attention/advice.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. Seek immediate medical

attention/advice.

**Inhalation** Remove to fresh air. Do not use mouth-to-mouth method if victim ingested or inhaled the

substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a physician or poison control center

immediately. If not breathing, give artificial respiration.

**Ingestion** Do NOT induce vomiting. Call a physician or poison control center immediately.

lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue

and danger of perforation

**Notes to Physician** Treat symptomatically

## Fire-fighting measures

**Suitable Extinguishing Media** Substance is nonflammable; use agent most appropriate to extinguish surrounding fire.

**Unsuitable Extinguishing Media** No information available

**Flash Point** Not applicable

No information available Method -

**Autoignition Temperature** 

**Explosion Limits** 

No information available

Upper No data available No data available Lower Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

### Specific Hazards Arising from the Chemical

Very toxic by inhalation. May be fatal if inhaled. Corrosive material. May intensify fire; oxidizer. Do not allow run-off from fire-fighting to enter drains or water courses.

#### **Hazardous Combustion Products**

Hydrogen halides. Thermal decomposition can lead to release of irritating gases and vapors.

### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

#### NFPA

Hand

Health	Flammability	Instability	Physical hazards
3	0	0	OX

### 6. Accidental release measures

Wear self-contained breathing apparatus and protective suit. Evacuate personnel to safe **Personal Precautions** 

areas. Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Do

not get in eyes, on skin, or on clothing.

**Environmental Precautions** Do not flush into surface water or sanitary sewer system. Do not allow material to

contaminate ground water system. Prevent product from entering drains. Local authorities

should be advised if significant spillages cannot be contained.

Methods for Containment and Clean Wear self-contained breathing apparatus and protective suit. Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Up

	7. Handling and storage
ndling	Use only under a chemical fume hood. Wear personal protective equipment/face protection.
	Do not breathe mist/yapors/spray. Do not get in eyes, on skip, or on clothing. Do not ingest

If swallowed then seek immediate medical assistance.

Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area.

Storage. Incompatible Materials. Organic materials. Strong oxidizing agents. Ammonia. Fluorine.

Metals. Reducing Agent.

## 8. Exposure controls / personal protection

## **Exposure Guidelines**

Component	Alberta	British Columbia	Ontario TWAEV	Quebec	ACGIH TLV	OSHA PEL	NIOSH
Bromine	TWA: 0.1 ppm	TWA: 0.1 ppm	TWA: 0.1 ppm	TWA: 0.1 ppm	TWA: 0.1 ppm	(Vacated) TWA:	IDLH: 3 ppm

TWA: 0.7 mg/m	3 STEL: 0.2 ppm	STEL: 0.2 ppm	TWA: 0.66	STEL: 0.2 ppm	0.1 ppm	TWA: 0.1 ppm
STEL: 0.2 ppm			mg/m³		(Vacated) TWA:	TWA: 0.7 mg/m <sup>3</sup>
STEL: 1.3			STEL: 0.2 ppm		0.7 mg/m <sup>3</sup>	STEL: 0.3 ppm
mg/m³			STEL: 1.3		(Vacated) STEL:	STEL: 2 mg/m <sup>3</sup>
			mg/m³		0.3 ppm	
					(Vacated) STEL:	
					2 mg/m³	
					TWA: 0.1 ppm	
					TWA: 0.7 mg/m <sup>3</sup>	

#### Legend

ACGIH - American Conference of Governmental Industrial Hygienists NIOSH: NIOSH - National Institute for Occupational Safety and Health

#### **Engineering Measures**

Use only under a chemical fume hood. Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control

hazardous materials at source

#### Personal protective equipment

**Eye Protection** Goggles **Hand Protection** Protective gloves

Glove material	Breakthrough time	Glove thickness	Glove comments
Butyl rubber	See manufacturers	-	Splash protection only
Natural rubber	recommendations		
Nitrile rubber			
Neoprene			
PVC			

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. gloves with care avoiding skin contamination.

### **Respiratory Protection**

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly Recommended Filter type: Particulates filter conforming to EN 143 Acid gases filter Type E Yellow Inorganic gases and vapours filter Type B Grey

When RPE is used a face piece Fit Test should be conducted

#### **Environmental exposure controls**

Prevent product from entering drains. Do not allow material to contaminate ground water system. Local authorities should be advised if significant spillages cannot be contained.

### **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice.

## 9. Physical and chemical properties

Physical State Liquid
Appearance Red brown
Odor Strong

Odor Threshold No information available

### **Bromine (Certified ACS)**

Hq No information available -7.2 °C / 19 °F Melting Point/Range 58.7 °C / 137.7 °F **Boiling Point/Range Flash Point** Not applicable

**Evaporation Rate** No information available

Flammability (solid,gas) Not applicable

Flammability or explosive limits

Upper No data available Lower No data available **Vapor Pressure** 230 mbar @ 20 °C **Vapor Density** 5.51 (Air = 1.0)**Specific Gravity** 3.111

Solubility

No information available Partition coefficient; n-octanol/water No data available **Autoignition Temperature** No information available **Decomposition Temperature** No information available

**Viscosity** 0.314 cs at 25 °C **Molecular Formula** Br2

159.82 **Molecular Weight** 

## 10. Stability and reactivity

None known, based on information available **Reactive Hazard** 

Stable under normal conditions. May intensify fire; oxidizer. Stability

**Conditions to Avoid** Incompatible products. Excess heat.

Organic materials, Strong oxidizing agents, Ammonia, Fluorine, Metals, Reducing Agent **Incompatible Materials** 

Hazardous Decomposition Products Hydrogen halides, Thermal decomposition can lead to release of irritating gases and vapors

**Hazardous Polymerization** Hazardous polymerization does not occur.

**Hazardous Reactions** None under normal processing.

## 11. Toxicological information

**Acute Toxicity** 

**Product Information** 

**Component Information** 

Component LD50 Oral		LD50 Dermal	LC50 Inhalation		
Ī	Bromine	LD50 = 2600 mg/kg (Rat)	Not listed	LC50 = 2.7 mg/L (Rat, 4hrs)	

**Toxicologically Synergistic** 

**Products** 

No information available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation Causes severe burns by all exposure routes

Sensitization No information available

The table below indicates whether each agency has listed any ingredient as a carcinogen. Carcinogenicity

Component CAS-No		IARC NTP		ACGIH	OSHA	Mexico	
Bromine	7726-95-6	Not listed					

No information available **Mutagenic Effects** 

**Reproductive Effects** No information available.

### **Bromine (Certified ACS)**

**Developmental Effects** No information available.

No information available. **Teratogenicity** 

STOT - single exposure None known STOT - repeated exposure None known

**Aspiration hazard** No information available

delayed

Symptoms / effects,both acute and Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes

severe swelling, severe damage to the delicate tissue and danger of perforation

**Endocrine Disruptor Information** No information available

Other Adverse Effects The toxicological properties have not been fully investigated.

## 12. Ecological information

#### **Ecotoxicity**

Very toxic to aquatic organisms. The product contains following substances which are hazardous for the environment.

Persistence and Degradability Persistence is unlikely based on information available.

**Bioaccumulation/ Accumulation** No information available.

**Mobility** Will likely be mobile in the environment due to its volatility.

Component	log Pow	
Bromine	1.03	

### 13. Disposal considerations

**Waste Disposal Methods** 

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

### 14. Transport information

DOT

UN-No UN1744 **Proper Shipping Name BROMINE Hazard Class** 8 **Subsidiary Hazard Class** 6.1 **Packing Group** 

TDG

UN1744 **UN-No Proper Shipping Name BROMINE Hazard Class** 

**Subsidiary Hazard Class** 6.1 **Packing Group** 

**IATA** 

FORBIDDEN FOR IATA TRANSPORT

**UN-No** 

BROMINE FORBIDDEN FOR IATA TRANSPORT **Proper Shipping Name** 

**Hazard Class Subsidiary Hazard Class** 6.1 **Packing Group** 

IMDG/IMO **UN-No** UN1744 **Proper Shipping Name BROMINE** 

**Hazard Class Subsidiary Hazard Class** 6.1

\_\_\_\_\_

### Packing Group

# 15. Regulatory information

#### International Inventories

Component	CAS-No	DSL	NDSL	TSCA	TSCA Inventory notification - Active-Inactive	EINECS	ELINCS	NLP
Bromine	7726-95-6	X	ı	X	ACTIVE	231-778-1	-	-

	Component	CAS-No	IECSC	KECL	ENCS	ISHL	TCSI	AICS	NZIoC	PICCS
Ī	Bromine	7726-95-6	Х	KE-03605	Χ	-	X	X	Х	Х

#### Legend:

X - Listed '-' - Not Listed

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**ENCS** - Japanese Existing and New Chemical Substances

**AICS** - Australian Inventory of Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

### Canada

SDS in compliance with provisions of information as set out in Canadian Standard - Part 4, Schedule 1 and 2 of the Hazardous Products Regulations (HPR) and meets the requirements of the HPR (Paragraph 13(1)(a) of the Hazardous Products Act (HPA)).

Component	Canada - National Pollutant Release Inventory (NPRI)	Canadian Environmental Protection Agency (CEPA) - List of Toxic Substances	Canada's Chemicals Management Plan (CEPA)	
Bromine	Part 1, Group A Substance			

## Other International Regulations

Authorisation/Restrictions according to EU REACH

Component	. ,	REACH (1907/2006) - Annex XVII -	• • • • • • • • • • • • • • • • • • • •
	Substances Subject to	Restrictions on Certain Dangerous	1907/2006) article 59 - Candidate
	Authorization	Substances	List of Substances of Very High
			Concern (SVHC)
Bromine	-	Use restricted. See item 75.	-
		(see link for restriction details)	

https://echa.europa.eu/substances-restricted-under-reach

### Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS-No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Bromine	7726-95-6	Listed	Not applicable	Not applicable	Not applicable

Component	CAS-No	Seveso III Directive	Seveso III Directive	Rotterdam	<b>Basel Convention</b>
		(2012/18/EC) -	(2012/18/EC) -	Convention (PIC)	(Hazardous Waste)
		<b>Qualifying Quantities</b>	<b>Qualifying Quantities</b>		
		for Major Accident	for Safety Report		
		Notification	Requirements		
Bromine	7726-95-6	20 tonne	100 tonne	Not applicable	Not applicable

## 16. Other information

Prepared By Regulatory Affairs

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com

Creation Date24-November-2010Revision Date06-January-2023Print Date06-January-2023

**Revision Summary**This document has been updated to comply with the requirements of WHMIS 2015 to align

with the Globally Harmonised System (GHS) for the Classification and Labelling of

Chemicals.

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**