

Page 1/9 Creation Date 09-Jun-2009 Revision Date 24-Mar-2025 Version 3

Page 1/9

Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THECOMPANY/UNDERTAKING

Product Identifier

Perihalan Produk: <u>Hydrogen Peroxide 3%</u>
Product Description: <u>Hydrogen Peroxide 3%</u>

**Cat No.:** H312-4; H312-500; H312P-4; H312SAM-1; H312SAM-2; H312SAM-3; H324-500;

XX32455GAL; XXH31212OGAL; XXH31255GA; XXH312200LI; NC1552940; NC2191795

Synonyms Hydrogen dioxide; Hyperoxide (USP/Certified)

Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals.
Uses advised against No Information available

Company Thermo Fisher Scientific Fisher Scientific (M) Sdn Bhd

Hap Seng Business Park, Lot 01-03, 01-04 Aras 1 Unity Square, No 12, Persiaran Perusahaan, Seksyen 23, 40300 Shah Alam,

Selangor Darul Ehsan, Malaysia. Main line: +60 3-5525 7888

E-mail address Enquiry.my@thermofisher.com

Emergency Telephone Number Tel: +03-5525 7888

Classification of the substance or mixture

CHEMTREC Malaysia 1-800-815-308 (Malay)

CHEMTREC Malaysia (Kuala Lumpur) +(60)-327884561 (Malay)

# **SECTION 2: HAZARDS IDENTIFICATION**

- 1				
- 1	1			

Label Elements

**Hazard Statements** 

## Other Hazards

EUH210 - Safety data sheet available on request

This product does not contain any known or suspected endocrine disruptors

# **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

\_\_\_\_\_

Hydrogen Peroxide 3% Revision Date 24-Mar-2025

Component	CAS No	Weight %
Water	7732-18-5	96 - 97
Hydrogen peroxide	7722-84-1	3
Acetic acid	64-19-7	<1

# **SECTION 4: FIRST AID MEASURES**

Description of first aid measures

General Advice If symptoms persist, call a physician.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If

eye irritation persists: Get medical advice/attention.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Get medical attention

immediately if symptoms occur.

Ingestion Clean mouth with water and drink afterwards plenty of water. Get medical attention if

symptoms occur.

**Inhalation** Remove to fresh air. Get medical attention immediately if symptoms occur.

**Self-Protection of the First Aider** No special precautions required.

Most important symptoms and effects, both acute and delayed

None reasonably foreseeable.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

# **SECTION 5: FIREFIGHTING MEASURES**

### **Extinguishing media**

## Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### Extinguishing media which must not be used for safety reasons

No information available.

#### Special hazards arising from the substance or mixture

Non-combustible. Containers may explode when heated.

#### **Hazardous Combustion Products**

Oxygen.

# Advice for fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# **SECTION 6: ACCIDENTAL RELEASE MEASURES**

Hydrogen Peroxide 3% Revision Date 24-Mar-2025

#### Personal Precautions, Protective Equipment and Emergency Procedures

Ensure adequate ventilation. Avoid contact with skin and eyes.

### **Environmental precautions**

Should not be released into the environment.

#### Methods and Material for Containment and Cleaning Up

Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal.

#### **Reference to Other Sections**

Refer to protective measures listed in Sections 8 and 13.

# **SECTION 7: HANDLING AND STORAGE**

## Precautions for Safe Handling

Wear personal protective equipment/face protection. Ensure adequate ventilation. Avoid ingestion and inhalation. Avoid contact with skin, eyes or clothing.

## Conditions for Safe Storage, Including any Incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Keep cool and protect from sunlight. Contents may develop pressure upon prolonged storage. Containers should be vented periodically in order to overcome pressure buildup. Do not store in metal containers.

## Specific End Uses

Use in laboratories.

# **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

## **Control Parameters**

Component	Malaysia	ACGIH TLV	OSHA PEL
Hydrogen peroxide		TWA: 1 ppm	(Vacated) TWA: 1 ppm
			(Vacated) TWA: 1.4 mg/m <sup>3</sup>
			TWA: 1 ppm
			TWA: 1.4 mg/m <sup>3</sup>
Acetic acid		TWA: 10 ppm	(Vacated) TWA: 10 ppm
		STEL: 15 ppm	(Vacated) TWA: 25 mg/m <sup>3</sup>
			TWA: 10 ppm
			TWA: 25 mg/m <sup>3</sup>

Component	European Union	The United Kingdom	Germany
Hydrogen peroxide		STEL: 2 ppm 15 min	TWA: 0.5 ppm (8 Stunden). AGW -
		STEL: 2.8 mg/m <sup>3</sup> 15 min	TWA: 0.71 mg/m³ (8 Stunden).
		TWA: 1 ppm 8 hr	AGW - exposure factor 1
		TWA: 1.4 mg/m <sup>3</sup> 8 hr	TWA: 0.5 ppm (8 Stunden). MAK
			TWA: 0.71 mg/m3 (8 Stunden). MAK
			Höhepunkt: 0.5 ppm
			Höhepunkt: 0.71 mg/m <sup>3</sup>
Acetic acid	TWA: 25 mg/m <sup>3</sup> (8h)	STEL: 37 mg/m <sup>3</sup>	TWA: 10 ppm (8 Stunden). AGW -
	TWA: 10 ppm (8h)	STEL: 15 ppm	exposure factor 2
	STEL: 50 mg/m <sup>3</sup> (15min)	TWA: 10 ppm	TWA: 25 mg/m <sup>3</sup> (8 Stunden). AGW -
	STEL: 20 ppm (15min)	TWA: 25 mg/m <sup>3</sup>	exposure factor 2
			TWA: 10 ppm (8 Stunden). MAK
			TWA: 25 mg/m³ (8 Stunden). MAK
			Höhepunkt: 20 ppm
			Höhepunkt: 50 mg/m <sup>3</sup>

\_\_\_\_\_

Hydrogen Peroxide 3% Revision Date 24-Mar-2025

**Exposure Controls Engineering Measures** 

None under normal use conditions.

Personal protective equipment

Eye Protection Wear safety glasses with side shields (or goggles)

Hand Protection Protective gloves
Skin and body protection Long sleeved clothing

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Respiratory Protection No protective equipment is needed under normal use conditions

Recommended Filter type: Particle filter

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice

**Environmental exposure controls** Prevent product from entering drains Do not allow material to contaminate ground water

system

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

Information on basic physical and chemical properties

Appearance Clear Physical State Liquid Odor Slight

Odor Threshold

pH

No data available

No information available

Melting Point/Range 0 °C / 32 °F Softening Point No data available

Boiling Point/Range 100 °C / 212 °F @ 760mmHg

Flash Point No information available Method - No information available

**Evaporation Rate** No data available

Flammability (solid,gas) Not applicable Liquid

Explosion Limits No data available

Vapor Pressure 23.3 mmHg @ 30°C

Vapor Density > 1.00 (Air = 1.0) (Air = 1.0)

Specific Gravity / Density 1.00

Bulk Density Not applicable Liquid

Water Solubility Miscible

Hydrogen Peroxide 3% Revision Date 24-Mar-2025

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

Componentlog PowHydrogen peroxide-1.1Acetic acid-0.2

Autoignition TemperatureNo data availableDecomposition TemperatureNo data availableViscosityNo data available

ViscosityNo data availableExplosive PropertiesNo information availableOxidizing PropertiesNo information available

# **SECTION 10: STABILITY AND REACTIVITY**

Reactivity

None known, based on information available.

**Chemical Stability** 

Light sensitive. Decomposes on exposure to light.

Possibility of Hazardous Reactions

Hazardous Polymerization Hazardous Reactions

Hazardous polymerization does not occur.

**dous Reactions** None under normal processing.

Conditions to Avoid

Exposure to light. Heat. Incompatible products.

Incompatible Materials

Metals.

**Hazardous Decomposition Products** 

Oxygen.

# **SECTION 11: TOXICOLOGICAL INFORMATION**

# Information on Toxicological Effects

**Product Information** 

(a) acute toxicity;

Oral Based on available data, the classification criteria are not met
Dermal Based on available data, the classification criteria are not met
Inhalation Based on available data, the classification criteria are not met

Hydrogen Peroxide 3% Revision Date 24-Mar-2025

Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Water	ı	•	-
Hydrogen peroxide	376 mg/kg ( Rat ) (90%) 910 mg/kg ( Rat ) (20-60%) 1518 mg/kg ( Rat ) (8-20% sol)	>2000 mg/kg(Rabbit)	LC50 = 2000 mg/m <sup>3</sup> ( Rat ) 4 h
Acetic acid	3310 mg/kg (Rat)	-	> 40 mg/L (Rat) 4 h

(b) skin corrosion/irritation; Based on available data, the classification criteria are not met

(c) serious eye damage/irritation; Based on available data, the classification criteria are not met

(d) respiratory or skin sensitization;

**Respiratory**Skin

Based on available data, the classification criteria are not met
Based on available data, the classification criteria are not met

(e) germ cell mutagenicity; Based on available data, the classification criteria are not met

(f) carcinogenicity; Based on available data, the classification criteria are not met

There are no known carcinogenic chemicals in this product

(g) reproductive toxicity; Based on available data, the classification criteria are not met

(h) STOT-single exposure; Based on available data, the classification criteria are not met

(i) STOT-repeated exposure; Based on available data, the classification criteria are not met

Target Organs None known.

(j) aspiration hazard; Based on available data, the classification criteria are not met

Symptoms / effects,both acute and No information available. delayed

**Endocrine Disrupting Properties** Assess endocrine disrupting properties for human health. This product does not contain any

known or suspected endocrine disruptors.

## **SECTION 12: ECOLOGICAL INFORMATION**

**Ecotoxicity effects**Contains no substances known to be hazardous to the environment or that are not degradable in waste water treatment plants.

Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
Hydrogen peroxide	LC50: 16.4 mg/L/96h	EC50 7.7 mg/L/24h	EC50 2.5 mg/L/72h	
	(P.promelas)			
Acetic acid	Pimephales promelas:	EC50 = 95 mg/L/24h	-	Photobacterium
	LC50 = 88 mg/L/96h			phosphoreum: EC50 =
	Lepomis macrochirus:			8.8 mg/L/15 min
	LC50 = 75 mg/L/96h			Photobacterium
				phosphoreum: EC50 =
				8.8 mg/L/25 min

Hydrogen Peroxide 3% Revision Date 24-Mar-2025

		Photobacterium
		phosphoreum: EC50 =
		8.8 mg/L/5 min

Persistence and degradability

**Persistence** 

Persistence is unlikely, based on information available, Miscible with water.

**Degradability** Not relevant for inorganic substances.

Bioaccumulative potential Bioaccumulation is unlikely

Component	log Pow	Bioconcentration factor (BCF)
Hydrogen peroxide	-1.1	No data available
Acetic acid	-0.2	No data available

Mobility in soil The product is water soluble, and may spread in water systems. Will likely be mobile in the

environment due to its water solubility. Highly mobile in soils.

Endocrine Disruptor Information This product does not contain any known or suspected endocrine disruptors

Other adverse effects No information available

# **SECTION 13: DISPOSAL CONSIDERATIONS**

Waste treatment methods

Waste from Residues/Unused

**Products** 

Waste is classified as hazardous Dispose of in accordance with the European Directives on

waste and hazardous waste Dispose of in accordance with local regulations

**Contaminated Packaging** Dispose of this container to hazardous or special waste collection point.

Other Information Do not flush to sewer Waste codes should be assigned by the user based on the

application for which the product was used Do not empty into drains

# **SECTION 14: TRANSPORT INFORMATION**

IMDG/IMO Not regulated

Road and Rail Transport Not regulated

<u>IATA</u> Not regulated

Special Precautions for User No special precautions required

#### **SECTION 15: REGULATORY INFORMATION**

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories China X = listed Australia U.S.A. (TSCA) Canada (DSL/NDSL) Europe

(EINECS/ELINCS/NLP) Australia (AICS) Korea (KECL) China (IECSC) Japan (ENCS)

Philippines (PICCS) Japan (ISHL) Japan (ISHL)

**Hydrogen Peroxide 3%** Revision Date 24-Mar-2025

Component	EINECS	TSCA	DSL	PICCS	ENCS	ISHL	IECSC	AICS	KECL
Water	231-791-2	Х	Х	Х	Х		Х	Х	KE-35400
Hydrogen peroxide	231-765-0	Х	Х	Х	X	Х	Х	Х	KE-20204
Acetic acid	200-580-7	Х	Х	Х	X	Х	X	Χ	X

Component	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
	Accident Notification	Report Requirements		
Acetic acid				Annex I - Y34

**National Regulations** 

**Persistent Organic Pollutant Ozone Depletion Potential** 

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

# **SECTION 16: OTHER INFORMATION**

#### Legend

**CAS** - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b)

Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic

Substances/EU List of Notified Chemical Substances PICCS - Philippines Inventory of Chemicals and Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

Substances List

**ENCS** - Japanese Existing and New Chemical Substances **AICS** - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

**ACGIH** - American Conference of Governmental Industrial Hygienists

RPE - Respiratory Protective Equipment

LC50 - Lethal Concentration 50%

POW - Partition coefficient Octanol:Water

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50%

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

**OECD** - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

MARPOL - International Convention for the Prevention of Pollution from

Ships

ATE - Acute Toxicity Estimate VOC - (Volatile Organic Compound)

#### Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

**Revision Date** 24-Mar-2025

**Revision Summary** SDS sections updated.

In accordance with local and national regulations: Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the

Hydrogen Peroxide 3% Revision Date 24-Mar-2025

date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**