

# SAFETY DATA SHEET

#### Classified as hazardous in accordance with the criteria of EPA New Zealand

### **Section 1 - Identification**

Product Identifier

Product Name <u>1-Hexene</u>

CAS No 592-41-6

Synonyms Butyl ethylene

Molecular Formula C6 H12 Molecular Weight 84.15

Recommended Use Laboratory chemicals.
Uses advised against No Information available

Product Code 120750000; 120750010; 1207510000

Address Thermo Fisher Scientific New Zealand Ltd

244 Bush Road, Albany, Auckland, New Zealand

Emergency Tel. CHEMTREC®

09 980 6780 or +64 9 980 6780

Telephone / Fax Numbers Tel: 09 980 6700

Fax: 09 980 6788

E-mail address ANZinfo@thermofisher.com

# **Section 2 - Hazard(s) Identification**

Classification under Work Safe New Zealand

Classified as hazardous in accordance with the criteria of EPA New Zealand

HSNO Approval Number HSR001170

**GHS Classification** 

Physical hazards

Flammable liquids Category 2

Health hazards

Aspiration Toxicity Category 1
Specific target organ toxicity - (single exposure) Category 3

**Environmental hazards** 

Chronic aquatic toxicity Category 2

**Label Elements** 

ACR12075 Version 2 10-Mar-2023 Page 1/10



Signal Word

**Danger** 

#### **Hazard Statements**

H225 - Highly flammable liquid and vapor

H304 - May be fatal if swallowed and enters airways

H411 - Toxic to aquatic life with long lasting effects

#### **Precautionary Statements**

#### Prevention

P271 - Use only outdoors or in a well-ventilated area

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P233 - Keep container tightly closed

P240 - Ground and bond container and receiving equipment

P241 - Use explosion-proof electrical/ ventilating/ lighting equipment

P242 - Use non-sparking tools

P243 - Take action to prevent static discharges

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray

P273 - Avoid release to the environment

#### Response

P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P312 - Call a POISON CENTER or doctor if you feel unwell

P331 - Do NOT induce vomiting

P391 - Collect spillage

#### Storage

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

#### Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

#### Other hazards which do not result in classification

Repeated exposure may cause skin dryness or cracking

# **Section 3 - Composition and Information on Ingredients**

Component	CAS No	Weight %
1-Hexene	592-41-6	>95

### **Section 4 - First Aid Measures**

#### Description of first aid measures

New Zealand Emergency Tel. CHEMTREC®

09 980 6780 or +64 9 980 6780

**Inhalation** Remove to fresh air. Do not use mouth-to-mouth method if victim ingested or inhaled the

ACR12075 Version 2 10-Mar-2023 Page 2 / 10

### SAFETY DATA SHEET

substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Get medical attention. If not breathing,

give artificial respiration. Risk of serious damage to the lungs (by aspiration).

**Eye Contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Get medical attention if

symptoms occur.

**Ingestion** Aspiration hazard. Do NOT induce vomiting. Call a physician or poison control center

immediately. If vomiting occurs naturally, have victim lean forward.

Self-Protection of the First Aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination.

First Aid Facilities Eyewash, safety shower and washroom.

Most important symptoms and

effects

Difficulty in breathing. Inhalation of high vapor concentrations may cause symptoms like

headache, dizziness, tiredness, nausea and vomiting

Notes to Physician Treat symptomatically. Symptoms may be delayed.

### **Section 5 - Fire Fighting Measures**

#### **Suitable Extinguishing Media**

CO<sub>2</sub>, dry chemical, dry sand, alcohol-resistant foam. Water mist may be used to cool closed containers.

#### Extinguishing media which must not be used for safety reasons

Do not use a solid water stream as it may scatter and spread fire.

### **Specific Hazards Arising from the Chemical**

Flammable. Risk of ignition. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Containers may explode when heated. Thermal decomposition can lead to release of irritating gases and vapors. Keep product and empty container away from heat and sources of ignition.

#### **Hazardous Combustion Products**

Carbon monoxide (CO), Carbon dioxide (CO2).

#### Special protective equipment and precautions for fire fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

### **Section 6 - Accidental Release Measures**

#### Personal Precautions, Protective Equipment and Emergency Procedures

#### **Emergency procedures**

Use personal protective equipment as required. Remove all sources of ignition. Take precautionary measures against static discharges. Ensure adequate ventilation. Avoid contact with skin, eyes or clothing.

#### **Environmental Precautions**

Do not flush into surface water or sanitary sewer system.

#### Methods for Containment and Clean Up

Remove all sources of ignition. Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Use spark-proof tools and explosion-proof equipment.

#### Precautions to prevent secondary hazards

Clean contaminated objects and areas thoroughly observing environmental regulations

#### **Reference to Other Sections**

ACR12075 Version 2 10-Mar-2023 Page 3/10

Refer to protective measures listed in Sections 8 and 13.

### **Section 7 - Handling and Storage**

#### Precautions for Safe Handling

#### Advice on safe handling

Wear personal protective equipment/face protection. Ensure adequate ventilation. Use spark-proof tools and explosion-proof equipment. Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharges. Avoid contact with skin, eyes or clothing. Avoid ingestion and inhalation. Use only non-sparking tools. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded.

#### **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

#### Conditions for Safe Storage, Including any Incompatibilities

#### **Storage Conditions**

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame. Keep under nitrogen. Flammables area.

#### **Incompatible Materials**

Strong oxidizing agents. Acids. Peroxides.

AS/NZS 2243.10:2004, Safety in laboratories - Storage of chemicals AS 1940-2004 - The storage and handling of flammable and combustible liquids

### **Section 8 - Exposure Controls and Personal Protection**

#### **Control parameters**

#### **Exposure limits**

**ACGIH** - Threshold Limit Values - Ceiling (TLV-C) guidelines by the American Conference of Governmental Industrial Hygienists (ACGIH) for controlling worker exposure to airborne chemical concentrations in the workplace.

ĺ	Component	New Zealand WEL	Australia	ACGIH TLV	The United Kingdom
	1-Hexene			TWA: 50 ppm	

#### **Biological limit values**

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

#### Appropriate engineering controls

#### **Engineering Measures**

Ensure adequate ventilation, especially in confined areas. Use explosion-proof electrical/ventilating/lighting equipment. Ensure that eyewash stations and safety showers are close to the workstation location. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

#### Individual protection measures, such as personal protective equipment

Eye Protection Wear safety glasses with side shields (or goggles) (Australian/New Zealand Standard

AS/NZS 1337 - Eye protectors for Industrial applications)

Hand Protection Protective gloves

Glove material	Breakthrough time	Glove thickness	AUS/NZ Standard	Glove comments
Nitrile rubber, Viton (R).	> 480 minutes	0.38 mm	AS/NZS 2161	

ACR12075 Version 2 10-Mar-2023 Page 4/10

### SAFETY DATA SHEET

		> 480 minutes	0.35 mm	As tested under EN374-3 Determination of
				Resistance to Permeation by Chemicals
N	Neoprene gloves	< 45 minutes	0.45 mm	·

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Skin and body protection Wear appropriate protective gloves and clothing to prevent skin exposure

**Repiratory Protection**Use an AS/NZS 1716 approved respirator if exposure limits are exceeded or if irritation or

other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained in line with AS/NZS 1715 on the use

and maintenance of repiratory protective devices

Recommended Filter type: low boiling organic solvent Type AX Brown conforming to EN371 (or AUS/NZ equivalent)

Recommended half mask:- Valve filtering: EN405 or Half mask: EN140 plus filter, EN 141 (or AUS/NZ equivalent)

When RPE is used a face piece Fit Test should be conducted

**Hygiene Measures** Handle in accordance with good industrial hygiene and safety practice.

**Environmental exposure controls** Prevent product from entering drains. Do not allow material to contaminate ground water

system.

### **Section 9 - Physical and Chemical Properties**

#### Information on basic physical and chemical properties

Physical State Liquid

Appearance Colorless
Odor Characteristic
Odor Threshold No data available
pH No information available
Melting Point/Range -140 °C / -220 °F

Softening Point

No data available

Boiling Point/Range
62 - 65 °C / 143.6 - 149 °F

Flammability (liquid)

No data available
62 - 65 °C / 143.6 - 149 °F

@ 760 mmHg
On basis of test data

Flammability (solid,gas)

Not applicable

Liquid

Explosion Limits Lower 1.2 Vol%

**Upper** 6.9 Vol%

Flash Point -26 °C / -14.8 °F Method - CC (closed cup)

Autoignition Temperature

Decomposition Temperature

Viscosity

Water Solubility

265 °C / 509 °F

No data available

0.34 cSt at 40 °C

50 mg/L (20°C)

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

Componentlog Pow1-Hexene3.39

Vapor Pressure 186 mmHg @ 25 °C

Density / Specific Gravity 0.678

Bulk DensityNot applicableLiquidVapor Density3.0(Air = 1.0)

Particle characteristics Not applicable (liquid)

Other information

Molecular Formula C6 H12

ACR12075 Version 2 10-Mar-2023 Page 5 / 10

Molecular Weight 84.15

**Explosive Properties** Vapors may form explosive mixtures with air

# **Section 10 - Stability and Reactivity**

Reactivity None known, based on information available

**Stability** Stable under normal conditions.

Sensitivity to Mechanical Impact No information available

Sensitivity to Static Discharge No information available

**Hazardous Polymerization** Hazardous polymerization may occur.

**Hazardous Reactions**None under normal processing.

Conditions to Avoid Incompatible products, Excess heat, Keep away from open flames, hot surfaces and

sources of ignition.

**Incompatible Materials** Strong oxidizing agents, Acids, Peroxides.

Hazardous Decomposition Products Carbon monoxide (CO). Carbon dioxide (CO2).

# Section 11 - Toxicological Information

#### **Acute Effects**

#### Information on likely routes of exposure

#### **Product Information**

Inhalation INHALATION MAY CAUSE CENTRAL NERVOUS SYSTEM EFFECTS. May cause

irritation of respiratory tract. May be harmful if inhaled.

**Eyes** May cause irritation.

**Skin** May cause irritation. May be harmful in contact with skin. Repeated exposure may cause

skin dryness or cracking.

**Ingestion** Aspiration hazard. May be harmful if swallowed. Ingestion may cause gastrointestinal

irritation, nausea, vomiting and diarrhea. Harmful if swallowed. Potential for aspiration if

swallowed.

#### Numerical measures of toxicity

(a) acute toxicity;

OralBased on available data, the classification criteria are not metDermalBased on available data, the classification criteria are not metInhalationBased on available data, the classification criteria are not met

Component LD50 Oral		LD50 Dermal	LC50 Inhalation
1-Hexene LD50 > 5600 mg/kg ( Rat )		> 2000 mg/kg (Rabbit)	LC50 = 40.2 mg/L (Rat) 4 h

(b) skin corrosion/irritation; Based on available data, the classification criteria are not met

(c) serious eye damage/irritation; Based on available data, the classification criteria are not met

(d) respiratory or skin sensitization;

Respiratory Based on available data, the classification criteria are not met

ACR12075 Version 2 10-Mar-2023 Page 6 / 10

Skin Based on available data, the classification criteria are not met

(e) germ cell mutagenicity; Based on available data, the classification criteria are not met

Not mutagenic in AMES Test

(f) carcinogenicity; Based on available data, the classification criteria are not met

There are no known carcinogenic chemicals in this product

(g) reproductive toxicity; Based on available data, the classification criteria are not met

(h) STOT-single exposure; Based on available data, the classification criteria are not met

(i) STOT-repeated exposure; Based on available data, the classification criteria are not met

Test method OECD Test No. 407
Test species / Duration Rat / 28 days

Study result NOAEL = 101 mg/kg

Route of exposure Oral

Target Organs None known.

(j) aspiration hazard; Category 1

Other Adverse Effects The toxicological properties have not been fully investigated.

#### Symptoms / effects,both acute and delayed

Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.

### **Section 12 - Ecological Information**

#### **Ecotoxicity**

**Aquatic ecotoxicity** 

The product contains following substances which are hazardous for the environment. Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
1-Hexene	LC50 96 h 5.6 mg/L	EC50: = 230 mg/L, 48h	EC50: > 1000 mg/L, 96h	
	(Rainbow trout)	(Daphnia magna)	(Pseudokirchneriella	
		EC50: = 30 mg/L, 48h	subcapitata)	
		Static (Daphnia magna)		

Terrestrial ecotoxicity There is no data for this product

Persistence and Degradability Readily biodegradable

**Persistence** Persistence is unlikely, based on information available.

Component	Degradability
1-Hexene	67 - 98 % (28d)
592-41-6 ( >95 )	, ,

Degradation in sewage treatment plant

Contains substances known to be hazardous to the environment or not degradable in waste

water treatment plants.

Bioaccumulative Potential Bioaccumulation is unlikely

ACR12075 Version 2 10-Mar-2023 Page 7 / 10

	Component	log Pow	Bioconcentration factor (BCF)
[	1-Hexene	3.39	No data available

Mobility

The product contains volatile organic compounds (VOC) which will evaporate easily from all surfaces. Will likely be mobile in the environment due to its volatility. Disperses rapidly in air

Other adverse effects

Endocrine Disruptor Information Persistent Organic Pollutant Ozone Depletion Potential This product does not contain any known or suspected endocrine disruptors

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

## **Section 13 - Disposal Considerations**

#### Waste treatment methods

Waste from Residues/Unused

**Products** 

Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes, including emptied containers, are controlled wastes and should be disposed of in accordance with all federal, E.P.A., state and local regulations. Assure conformity with all applicable regulations.

**Contaminated Packaging** 

Dispose of this container to hazardous or special waste collection point. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and empty container away from heat and sources of ignition.

Other Information

Disposal agencies or waste contractors must comply with the New Zealand Hazardous Substances (Disposal) Regulations . Do not flush to sewer. Waste codes should be assigned by the user based on the application for which the product was used. Can be landfilled or incinerated, when in compliance with local regulations.

### **Section 14 - Transport Information**

Component	Hazchem Code
1-Hexene	3YE
592-41-6 ( >95 )	

#### NZS 5433:2020

UN-No UN2370 Proper Shipping Name 1-HEXENE

Hazard Class 3
Packing Group ||

<u>IATA</u>

UN-No UN2370 Proper Shipping Name 1-HEXENE

Hazard Class 3
Packing Group ||

IMDG/IMO

UN-No UN2370 Proper Shipping Name UN2370 1-HEXENE

Hazard Class 3
Packing Group

ACR12075 Version 2 10-Mar-2023 Page 8/10

Environmental hazards No hazards identified

Transport in bulk according to Annex II of MARPOL 73/78 and the

Not applicable, packaged goods

IBC Code

Special Precautions No special precautions required. Please refer to the applicable dangerous goods

regulations for additional information.

Additional information None known

### **Section 15 - Regulatory Information**

Safety, health and environmental regulations/legislation specific for the substance or mixture

HSNO Approval Number	HSR001170

#### **National Regulations**

There are no applicable tolerable exposure limits or environmental exposure limits according to the EPA Controls for Hazardous Substances

#### Certified handlers, tracking and controlled substance license requirements

Certified handlers are required for some substances. This includes substances requiring a controlled substance license, and most explosives, vertebrates toxic agents, and certain fumigants. Acutely toxic substances which are a Category 1 or 2, such as pesticides also require Certified handlers. Please check the Health and Safety at Work Act 2015 for further information. Tracking is required for some highly hazardous substances. These substances need to be under the control of an appropriately trained person or appropriately secured. Please check the Health and Safety at Work Act 2015 for further information.

#### Prohibition or notification/licensing requirements

Shown below are details of specific prohibition/notifications or licencing requirements when they apply.

#### **International Regulations**

Ozone Depletion Potential This product does not contain any known or suspected substance

Persistent Organic Pollutant This product does not contain any known or suspected substance

Rotterdam Convention (PIC) Not applicable

Authorisation/Restrictions according to EU REACH

Not applicable

#### **International Inventories**

New Zealand (NZIoC), Australia (AICS), Europe (EINECS/ELINCS/NLP), Korea (KECL), China (IECSC), Taiwan (TCSI), Japan (ISHL), Canada (DSL/NDSL), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

Component	CAS No	NZIoC	AICS	EINECS	ELINCS	NLP	KECL	IECSC	TCSI
1-Hexene	592-41-6	X	Χ	209-753-1	-	-	KE-19845	Х	X

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	DSL	NDSL	PICCS	ISHL	ENCS
1-Hexene	592-41-6	X	ACTIVE	Х	-	Х	Х	X

Legend: X - Listed '-' - Not Listed KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

ACR12075 Version 2 10-Mar-2023 Page 9/10

### **Section 16 - Other Information**

### This safety data sheet complies with the requirements of the EPA Hazardous Substances (Hazard Classification) Notice 2020 and WorkSafe New Zealand Regulations

NZIoC - New Zealand Inventory of Chemicals

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

IECSC - Chinese Inventory of Existing Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer NZS 5433:2020 - Transport of Dangerous Goods on Land

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

MARPOL - International Convention for the Prevention of Pollution from Ships

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50% WEL - Workplace Exposure Limit

**DNEL** - Derived No Effect Level POW - Partition coefficient Octanol:Water

vPvB - very Persistent, very Bioaccumulative

VOC - (Volatile Organic Compound)

**AICS** - Australian Inventory of Chemical Substances

EINECS/ELINCS - European Inventory of Existing Commercial Chemical

Substances/EU List of Notified Chemical Substances **ENCS** - Japanese Existing and New Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

CAS - Chemical Abstracts Service

**ACGIH** - American Conference of Governmental Industrial Hygienists

PNEC - Predicted No Effect Concentration

**OECD** - Organisation for Economic Co-operation and Development IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

ADG - Australian Code for the Transport of Dangerous Goods by Road and Rail

LC50 - Lethal Concentration 50%

ATE - Acute Toxicity Estimate

RPE - Respiratory Protective Equipment NOEC - No Observed Effect Concentration

**BCF** - Bioconcentration factor

PBT - Persistent, Bioaccumulative, Toxic

#### Key literature references and sources for data

HSNO classifications provided in the New Zealand Chemical Classification Information Database (CCID).

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

EPA Guide to classifying hazardous substances in New Zealand

EPA - Assigning a product to an existing HSNO approval guide

#### **Training Advice**

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Fire prevention and fighting, identifying hazards and risks, static electricity, explosive atmospheres posed by vapours and dusts.

**Revision Date** 10-Mar-2023 **Revision Summary** Not applicable

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

### **End of Safety Data Sheet**

ACR12075 Version 2 10-Mar-2023 Page 10 / 10