

Page 1 / 10 Creation Date 04-Oct-2010 Revision Date 23-Mar-2025 Version 2

Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THECOMPANY/UNDERTAKING

Product Identifier

Perihalan Produk: <u>Deblock, 3% TCA in Dichloromethane</u>
Product Description: <u>Deblock, 3% TCA in Dichloromethane</u>

Cat No.: TS/0408/27SS
Synonyms Deblock Base 4

Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals.
Uses advised against No Information available

Company Thermo Fisher Scientific (M) Sdn Bhd

Hap Seng Business Park, Lot 01-03, 01-04 Aras 1 Unity Square, No 12, Persiaran Perusahaan, Seksyen 23, 40300 Shah Alam,

Selangor Darul Ehsan, Malaysia. Main line: +60 3-5525 7888

Supplier

E-mail address Enquiry.my@thermofisher.com

Emergency Telephone Number Tel: +03-5525 7888

CHEMTREC Malaysia 1-800-815-308 (Malay)

CHEMTREC Malaysia (Kuala Lumpur) +(60)-327884561 (Malay)

SECTION 2: HAZARDS IDENTIFICATION

Classification of the substance or mixture

Skin Corrosion/Irritation	Category 2 (H315)
Serious Eye Damage/Eye Irritation	Category 1 (H318)
Carcinogenicity	Category 2 (H351)
Specific target organ toxicity - (single exposure)	Category 3 (H335) (H336)
Chronic aquatic toxicity	Category 2 (H411)

Label Elements

Contains Dichloromethane & Trichloroacetic acid



Signal Word Danger

Hazard Statements

H315 - Causes skin irritation

H318 - Causes serious eye damage

H335 - May cause respiratory irritation

H336 - May cause drowsiness or dizziness

H351 - Suspected of causing cancer

H411 - Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention

P201 - Obtain special instructions before use

P202 - Do not handle until all safety precautions have been read and understood

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray

P264 - Wash face, hands and any exposed skin thoroughly after handling

P271 - Use only outdoors or in a well-ventilated area

P280 - Wear protective gloves/protective clothing/eye protection/face protection

Response

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor

P362 + P364 - Take off contaminated clothing and wash it before reuse

Storage

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

Other Hazards

Toxic to terrestrial vertebrates

Contains a substance on the National Authorities Endocrine Disruptor Lists

Contains a known or suspected endocrine disruptor

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS No	Weight %
Methylene chloride	75-09-2	97
Trichloroacetic acid	76-03-9	3

SECTION 4: FIRST AID MEASURES

Description of first aid measures

General Advice If symptoms persist, call a physician.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists,

call a physician.

Ingestion Clean mouth with water and drink afterwards plenty of water.

Inhalation Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if

Deblock, 3% TCA in Dichloromethane

Revision Date 23-Mar-2025

symptoms occur.

Self-Protection of the First Aider

Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

Most important symptoms and effects, both acute and delayed

Difficulty in breathing. Causes severe eye damage. Causes eye burns. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.

Indication of any immediate medical attention and special treatment needed

Notes to Physician

A patient adversely affected by exposure to this product should not be given adrenaline (epinephrine) or similar heart stimulant since these would increase the risk of cardiac arrhythmias. Treat symptomatically. Symptoms may be delayed.

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media

Suitable Extinguishing Media

Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.

Extinguishing media which must not be used for safety reasons

No information available.

Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors.

Hazardous Combustion Products

Phosgene, Chlorine, Hydrocarbons, Hydrogen chloride gas.

Advice for fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Use personal protective equipment as required. Ensure adequate ventilation.

Environmental precautions

Do not flush into surface water or sanitary sewer system. See Section 12 for additional Ecological Information. Avoid release to the environment. Collect spillage.

Methods and Material for Containment and Cleaning Up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

Reference to Other Sections

Refer to protective measures listed in Sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

Precautions for Safe Handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Ensure adequate ventilation. Avoid ingestion and inhalation.

Conditions for Safe Storage, Including any Incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area.

Specific End Uses

Use in laboratories.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

ontrol i didiliotoro			
Component	Malaysia	ACGIH TLV	OSHA PEL
Methylene chloride		TWA: 50 ppm	(Vacated) TWA: 500 ppm
			(Vacated) STEL: 2000 ppm
			(Vacated) Ceiling: 1000 ppm
			TWA: 25 ppm
			STEL: 125 ppm
Trichloroacetic acid		TWA: 0.5 ppm	(Vacated) TWA: 1 ppm
			(Vacated) TWA: 7 mg/m ³

Component	European Union	The United Kingdom	Germany
Methylene chloride	TWA: 353 mg/m ³ (8h)	STEL: 200 ppm 15 min	TWA: 50 ppm (8 Stunden). AGW -
	TWA: 100 ppm (8h)	STEL: 706 mg/m ³ 15 min	exposure factor 2
	STEL: 706 mg/m³ (15min)	TWA: 353 mg/m ³ 8 hr	TWA: 180 mg/m³ (8 Stunden). AGW
	STEL: 200 ppm (15min)	TWA: 100 ppm 8 hr	 exposure factor 2
	Skin	Skin	TWA: 50 ppm (8 Stunden). MAK
			TWA: 180 mg/m³ (8 Stunden). MAK
			Höhepunkt: 100 ppm
			Höhepunkt: 360 mg/m ³
			Haut
Trichloroacetic acid			TWA: 0.2 ppm (8 Stunden). AGW -
			exposure factor 1
			TWA: 1.4 mg/m³ (8 Stunden). AGW
			- exposure factor 1
			TWA: 0.2 ppm (8 Stunden). MAK
			can occur as vapor and aerosol at
			the same time
			TWA: 1.4 mg/m³ (8 Stunden). MAK
			can occur as vapor and aerosol at
			the same time
			Höhepunkt: 0.2 ppm
			Höhepunkt: 1.4 mg/m ³

Exposure Controls

Engineering Measures

Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

Eye Protection Goggles **Hand Protection** Protective gloves Skin and body protection Long sleeved clothing

Deblock, 3% TCA in Dichloromethane

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Respiratory Protection When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators

low boiling organic solvent Type AX Brown conforming to EN371 **Recommended Filter type:**

To protect the wearer, respiratory protective equipment must be the correct fit and be used

Liquid

Revision Date 23-Mar-2025

and maintained properly

When RPE is used a face piece Fit Test should be conducted

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice

Prevent product from entering drains Do not allow material to contaminate ground water **Environmental exposure controls**

system

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance Colorless **Physical State** Liquid Odor sweet

Odor Threshold No data available Not applicable pН

-97 °C / -142.6 °F Melting Point/Range **Softening Point** No data available **Boiling Point/Range** 40 °C / 104 °F

Flash Point Not applicable Method - No information available

Evaporation Rate No data available Flammability (solid, gas) Not applicable

Explosion Limits Lower 13 vol%

Upper 22 vol%

350 mbar @ 20 °C **Vapor Pressure** No data available

Vapor Density (Air = 1.0)1.325

Specific Gravity / Density **Bulk Density**

Not applicable Liquid Immiscible

Water Solubility

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

Component log Pow Methylene chloride 1.25 Trichloroacetic acid 1.44

Deblock, 3% TCA in Dichloromethane

556 °C / 1032.8 °F

Autoignition Temperature

Decomposition Temperature > 120°C

0.43 cP at 20 °C **Viscosity Explosive Properties** No information available **Oxidizing Properties** No information available

SECTION 10: STABILITY AND REACTIVITY

Reactivity

None known, based on information available.

Chemical Stability

Stable under normal conditions.

Possibility of Hazardous Reactions

Hazardous polymerization does not occur. **Hazardous Polymerization**

Hazardous Reactions None under normal processing.

Conditions to Avoid

Incompatible products. Excess heat.

Incompatible Materials

Strong oxidizing agents. Strong acids. Bases. Alcohols. Amines. Metals.

Hazardous Decomposition Products

Phosgene. Chlorine. Hydrocarbons. Hydrogen chloride gas.

SECTION 11: TOXICOLOGICAL INFORMATION

Information on Toxicological Effects

Product Information No acute toxicity information is available for this product

(a) acute toxicity;

Based on ATE data, the classification criteria are not met Oral **Dermal** Based on ATE data, the classification criteria are not met Inhalation Based on ATE data, the classification criteria are not met

Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Methylene chloride	> 2000 mg/kg (Rat)	> 2000 mg/kg (Rat)	53 mg/L (Rat) 6 h 76000 mg/m³ (Rat) 4 h
Trichloroacetic acid	3320 mg/kg rat	LD50 > 2000 mg/kg (Rat)	-

FSUTS0408

Revision Date 23-Mar-2025

Deblock, 3% TCA in Dichloromethane

Revision Date 23-Mar-2025

(b) skin corrosion/irritation; Category 2

(c) serious eye damage/irritation; Category 1

(d) respiratory or skin sensitization;

Respiratory Skin

Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met

(e) germ cell mutagenicity; Based on available data, the classification criteria are not met

Category 2 (f) carcinogenicity;

The table below indicates whether each agency has listed any ingredient as a carcinogen

Component	EU	UK	Germany	IARC
Methylene chloride				Group 2A
Trichloroacetic acid				Group 2B

Based on available data, the classification criteria are not met (g) reproductive toxicity;

(h) STOT-single exposure; Category 3

Central nervous system (CNS), Respiratory system. Results / Target organs

Based on available data, the classification criteria are not met (i) STOT-repeated exposure;

Target Organs No information available.

(j) aspiration hazard; Based on available data, the classification criteria are not met

delayed

Symptoms / effects,both acute and Inhalation of high vapor concentrations may cause symptoms like headache, dizziness,

tiredness, nausea and vomiting.

Endocrine Disrupting Properties Assess endocrine disrupting properties for human health

Contains a substance on the National Authorities Endocrine Disruptor Lists

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity effects Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment. The product contains following substances which are hazardous for the

environment.

Component	Freshwater Fish	Water Flea Freshwater Algae		Microtox
Methylene chloride	Pimephales promelas: LC50:193 mg/L/96h	EC50: 140 mg/L/48h	EC50:>660 mg/L/96h	EC50: 1 mg/L/24 h EC50: 2.88 mg/L/15 min
Trichloroacetic acid	>277 mg/l	110 mg/l	0.27 mg/l	

Persistence and degradability

Persistence

FSUTS0408

Degradation in sewage treatment plant

Persistence is unlikely, based on information available, Immiscible with water.

Contains substances known to be hazardous to the environment or not degradable in waste

water treatment plants.

Bioaccumulative potential May have some potential to bioaccumulate

Deblock, 3% TCA in Dichloromethane

Componentlog PowBioconcentration factor (BCF)Methylene chloride1.256.4 - 40 dimensionlessTrichloroacetic acid1,440.4-1.7 Cyprinus caprio

Mobility in soil

The product contains volatile organic compounds (VOC) which will evaporate easily from all

surfaces. Spillage unlikely to penetrate soil. The product is insoluble and sinks in water. Will likely be mobile in the environment due to its volatility. Disperses rapidly in air.

Revision Date 23-Mar-2025

Endocrine Disruptor Information This product does not contain any known or suspected endocrine disruptors

Other adverse effects No information available

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from Residues/Unused

Products

Waste is classified as hazardous Dispose of in accordance with federal, state and local regulations Dispose of in accordance with the European Directives on waste and hazardous

waste Dispose of in accordance with local regulations

Contaminated Packaging Do not reuse empty containers Dispose of in accordance with local regulations Dispose of

this container to hazardous or special waste collection point.

Other Information Do not flush to sewer Waste codes should be assigned by the user based on the

application for which the product was used Do not empty into drains Do not let this chemical

enter the environment

SECTION 14: TRANSPORT INFORMATION

IMDG/IMO

UN-No UN2922
Hazard Class 8
Subsidiary Hazard Class 6.1
Packing Group III

Proper Shipping Name Corrosive liquid, toxic, n.o.s. Trichloroacetic acid, Dichloromethane

Road and Rail Transport

UN-No UN2922
Hazard Class 8
Subsidiary Hazard Class 6.1
Packing Group III

Proper Shipping Name Corrosive liquid, toxic, n.o.s. Trichloroacetic acid, Dichloromethane

IATA

UN-No UN2922
Hazard Class 8
Subsidiary Hazard Class 6.1
Packing Group III

Proper Shipping Name Corrosive liquid, toxic, n.o.s. Trichloroacetic acid, Dichloromethane

Special Precautions for User No special precautions required

SECTION 15: REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

X = listed International Inventories

Component	EINECS	TSCA	DSL	PICCS	ENCS	ISHL	IECSC	AICS	KECL
Methylene chloride	200-838-9	Х	X	Х	X	X	Χ	Χ	KE-23893
Trichloroacetic acid	200-927-2	Х	X	Х	X	X	Χ	Χ	KE-34058

	Component	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Γ	Methylene chloride				Annex I - Y45

National Regulations

Persistent Organic Pollutant This product does not contain any known or suspected substance **Ozone Depletion Potential** This product does not contain any known or suspected substance

	Component	Persisten	Persistent Organic Pollutant		Ozone Depletion Potential		Pesticides Act 1974	
Tric	hloroacetic acid						X	

SECTION 16: OTHER INFORMATION

Legend

CAS - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances IECSC - Chinese Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

ENCS - Japanese Existing and New Chemical Substances AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

RPE - Respiratory Protective Equipment

LC50 - Lethal Concentration 50%

POW - Partition coefficient Octanol:Water

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50%

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

OECD - Organisation for Economic Co-operation and Development

BCF - Bioconcentration factor

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

MARPOL - International Convention for the Prevention of Pollution from Ships

ATE - Acute Toxicity Estimate

VOC - (Volatile Organic Compound)

Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Revision Date 23-Mar-2025 **Revision Summary** Not applicable.

In accordance with local and national regulations: Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet