

# SAFETY DATA SHEET

Creation Date 05-October-2010

Revision Date 24-December-2021

**Revision Number 4** 

1. Identification

**Product Name** Lithium nitrate

Cat No.: AC212540000; AC212540050; AC212540250; AC212541000

**CAS-No** 7790-69-4

**Synonyms** Nitric acid, lithium salt.

**Recommended Use** Laboratory chemicals.

Food, drug, pesticide or biocidal product use. Uses advised against

Details of the supplier of the safety data sheet

Company

Manufacturer Importer/Distributor

Acros Organics Fisher Scientific Company Fisher Scientific One Reagent Lane One Reagent Lane 112 Colonnade Road. Fair Lawn, NJ 07410 Fair Lawn, NJ 07410 Ottawa, ON K2E 7L6, Tel: (201) 796-7100

Canada

Tel: 1-800-234-7437

**Emergency Telephone Number** For information **US** call: 001-800-ACROS-01 / **Europe** call: +32 14 57 52 11

Emergency Number US:001-201-796-7100 / Europe: +32 14 57 52 99 CHEMTREC Tel. No.US:001-800-424-9300 / Europe:001-703-527-3887

2. Hazard(s) identification

Classification

WHMIS 2015 Classification Classified as hazardous under the Hazardous Products Regulations (SOR/2015-17)

Oxidizing solids Category 3 Acute oral toxicity Category 4 Serious Eye Damage/Eye Irritation Category 2

Label Elements

Signal Word

Warning

**Hazard Statements** 

May intensify fire; oxidizer Harmful if swallowed Causes serious eye irritation

\_\_\_\_\_



## **Precautionary Statements**

### Prevention

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

Keep/Store away from clothing/combustible materials

Take any precaution to avoid mixing with combustibles

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Wear protective gloves/protective clothing/eye protection/face protection

#### Response

IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Rinse mouth

If eye irritation persists: Get medical advice/attention

In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

### **Disposal**

Dispose of contents/container to an approved waste disposal plant

# 3. Composition/Information on Ingredients

Component	CAS-No	Weight %
Lithium nitrate	7790-69-4	>95

# 4. First-aid measures

**General Advice** If symptoms persist, call a physician.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists,

call a physician.

**Inhalation** Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if

symptoms occur.

**Ingestion** Clean mouth with water and drink afterwards plenty of water. Get medical attention if

symptoms occur.

Most important symptoms/effects

Notes to Physician

None reasonably foreseeable.

Treat symptomatically

# 5. Fire-fighting measures

Suitable Extinguishing Media Water spray.

Unsuitable Extinguishing Media No information available

### Lithium nitrate

Flash Point No information available No information available Method -

**Autoignition Temperature** 

**Explosion Limits** 

Upper Lower No data available No data available

No information available

Oxidizer **Oxidizing Properties** 

Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

## **Specific Hazards Arising from the Chemical**

Oxidizer: Contact with combustible/organic material may cause fire. May ignite combustibles (wood paper, oil, clothing, etc.). Non-combustible. Thermal decomposition can lead to release of irritating gases and vapors. Keep product and empty container away from heat and sources of ignition.

# **Hazardous Combustion Products**

Nitrogen oxides (NOx).

### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

#### NFPA

Up

Health	Flammability	Instability	Physical hazards
2	0	2	OX

## Accidental release measures

**Personal Precautions** Use personal protective equipment as required. Ensure adequate ventilation. Avoid dust

formation.

**Environmental Precautions** Should not be released into the environment.

Methods for Containment and Clean Sweep up and shovel into suitable containers for disposal. Keep in suitable, closed containers for disposal. Soak up with inert absorbent material. Sweep up and shovel into

suitable containers for disposal.

# 7. Handling and storage Handling

Wear personal protective equipment/face protection. Ensure adequate ventilation. Avoid dust formation. Avoid ingestion and inhalation. Do not get in eyes, on skin, or on clothing.

Keep away from clothing and other combustible materials.

Keep containers tightly closed in a dry, cool and well-ventilated place. Do not store near Storage.

combustible materials. Incompatible Materials. Strong oxidizing agents. Strong reducing

agents. Acids. Combustible material.

# 8. Exposure controls / personal protection

This product does not contain any hazardous materials with occupational exposure **Exposure Guidelines** 

limitsestablished by the region specific regulatory bodies.

# **Engineering Measures**

Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

#### Lithium nitrate

### Personal protective equipment

Eye Protection Goggles

Hand Protection Protective gloves

Glove material	Breakthrough time	Glove thickness	Glove comments
Natural rubber	See manufacturers	-	Splash protection only
Nitrile rubber	recommendations		
Neoprene			
DVC			

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. gloves with care avoiding skin contamination.

### **Respiratory Protection**

No protective equipment is needed under normal use conditions.

### **Environmental exposure controls**

No information available.

### **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

# 9. Physical and chemical properties

Physical StateSolidAppearanceWhiteOdorOdorless

Odor Threshold<br/>pHNo information available<br/>No information availableMelting Point/Range251 °C / 483.8 °F

Boiling Point/Range 600 °C / 1112 °F @ 760 mmHg

Flash Point No information available

Evaporation Rate Not applicable

Flammability (solid, gas)

No information available

Flammability or explosive limits

UpperNo data availableLowerNo data availableVapor PressureNo information available

Vapor Density
Not applicable
Specific Gravity
2.380

Solubility
90 g/L (28°C)
Partition coefficient; n-octanol/water
No data available
Autoignition Temperature
No information available

Decomposition Temperature > 600°C
Viscosity Not applicable
Molecular Formula Li N O3

Molecular FormulaLi N O3Molecular Weight68.95

# 10. Stability and reactivity

Reactive Hazard Yes

Stability Oxidizer: Contact with combustible/organic material may cause fire. Hygroscopic.

Lithium nitrate

**Conditions to Avoid** Avoid dust formation. Incompatible products. Excess heat. Combustible material. Exposure

to moist air or water.

**Incompatible Materials** Strong oxidizing agents, Strong reducing agents, Acids, Combustible material

Hazardous Decomposition Products Nitrogen oxides (NOx)

**Hazardous Polymerization** Hazardous polymerization does not occur.

**Hazardous Reactions** None under normal processing.

# 11. Toxicological information

### **Acute Toxicity**

# **Product Information**

**Component Information** 

LD50 Oral	LD50 Dermal	LC50 Inhalation		
426 mg/kg (Rat)	>2000 mg/kg (Rat)	LC50 > 5.93 mg/L (Rat) 4 h		

**Toxicologically Synergistic** 

No information available

**Products** 

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation Irritating to eyes

Sensitization No information available

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

	Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
ı	Lithium nitrate	7790-69-4	Not listed				

**Mutagenic Effects** No information available

**Reproductive Effects** No information available.

No information available. **Developmental Effects** 

**Teratogenicity** No information available.

STOT - single exposure None known STOT - repeated exposure None known

**Aspiration hazard** No information available

Symptoms / effects,both acute and No information available

delayed

**Endocrine Disruptor Information** No information available

**Other Adverse Effects** The toxicological properties have not been fully investigated.

# 12. Ecological information

**Ecotoxicity** 

Do not empty into drains. .

Persistence and Degradability Soluble in water Persistence is unlikely based on information available.

**Bioaccumulation/ Accumulation** No information available.

Revision Date 24-December-2021

### Lithium nitrate

### **Mobility**

Will likely be mobile in the environment due to its water solubility.

## 13. Disposal considerations

### **Waste Disposal Methods**

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

# 14. Transport information

DOT

**UN-No** UN2722

Proper Shipping Name LITHIUM NITRATE

Hazard Class 5.1 Packing Group III

<u>TDG</u>

UN-No UN2722

Proper Shipping Name LITHIUM NITRATE

Hazard Class 5.1 Packing Group

IATA

UN-No UN2722

Proper Shipping Name LITHIUM NITRATE

Hazard Class 5.1 Packing Group III

IMDG/IMO

UN-No UN2722

Proper Shipping Name LITHIUM NITRATE

Hazard Class 5.1 Packing Group III

# 15. Regulatory information

### **International Inventories**

Component	CAS-No	DSL	NDSL	TSCA	TSCA Inventory notification - Active-Inactive	EINECS	ELINCS	NLP
Lithium nitrate	7790-69-4	Х	-	Х	ACTIVE	232-218-9	-	-

Component	CAS-No	IECSC	KECL	ENCS	ISHL	TCSI	AICS	NZIoC	PICCS
Lithium nitrate	7790-69-4	X	KF-22582	X	X	X	X	X	X

### Legend:

X - Listed '-' - Not Listed

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**ENCS** - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

### Canada

SDS in compliance with provisions of information as set out in Canadian Standard - Part 4, Schedule 1 and 2 of the Hazardous Products Regulations (HPR) and meets the requirements of the HPR (Paragraph 13(1)(a) of the Hazardous Products Act (HPA)).

### **Other International Regulations**

Revision Date 24-December-2021

Lithium nitrate

### Authorisation/Restrictions according to EU REACH

## Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS-No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Lithium nitrate	7790-69-4	Not applicable	Not applicable	Not applicable	Not applicable
Component	CAS-No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Lithium nitrate	7790-69-4	Not applicable	Not applicable	Not applicable	Not applicable

16. Other information

Prepared By Regulatory Affairs

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com

Creation Date05-October-2010Revision Date24-December-2021Print Date24-December-2021

**Revision Summary**This document has been updated to comply with the requirements of WHMIS 2015 to align

with the Globally Harmonised System (GHS) for the Classification and Labelling of

Chemicals.

### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**