

Page 1/9 Revision Date 31-Mar-2025 Version 4

Page 1/9

Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THECOMPANY/UNDERTAKING

Product Identifier

Perihalan Produk:

Product Description:

Aluminum Copper square bar, alloy 2024

Aluminum Copper square bar, alloy 2024

Cat No.: 42105

Molecular Formula Al:Cu:Mg:Mn; 93.5:4.4:1.5:0.6 wt%

Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals.
Uses advised against No Information available

Company Thermo Fisher Scientific (M) Sdn Bhd

Hap Seng Business Park, Lot 01-03, 01-04 Aras 1 Unity Square, No 12, Persiaran Perusahaan, Seksyen 23, 40300 Shah Alam,

Selangor Darul Ehsan, Malaysia. Main line: +60 3-5525 7888

Supplier

E-mail address Enquiry.my@thermofisher.com

Emergency Telephone Number Tel: +03-5525 7888

CHEMTREC Malaysia 1-800-815-308 (Malay)

CHEMTREC Malaysia (Kuala Lumpur) +(60)-327884561 (Malay)

SECTION 2: HAZARDS IDENTIFICATION

Classification of the substance or mixture

Label Elements

Hazard Statements

Precautionary Statements

Storage

P403 - Store in a well-ventilated place

Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

Other Hazards

EUH210 - Safety data sheet available on request

Revision Date 31-Mar-2025

This product does not contain any known or suspected endocrine disruptors

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS No	Weight %
Aluminum	7429-90-5	93.5
Copper	7440-50-8	4.4
Manganese	7439-96-5	1.5
Magnesium	7439-95-4	0.6

SECTION 4: FIRST AID MEASURES

Description of first aid measures

General Advice If symptoms persist, call a physician.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Get medical attention

immediately if symptoms occur.

Ingestion Clean mouth with water and drink afterwards plenty of water. Get medical attention if

symptoms occur.

Inhalation Remove to fresh air. Get medical attention immediately if symptoms occur.

Self-Protection of the First Aider No special precautions required.

Most important symptoms and effects, both acute and delayed

None reasonably foreseeable.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media

Suitable Extinguishing Media

approved class D extinguishers. Do not use water or foam.

Extinguishing media which must not be used for safety reasons

Water may be ineffective.

Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors.

Hazardous Combustion Products

Metal oxides.

Advice for fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full

protective gear.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Ensure adequate ventilation. Use personal protective equipment as required. Avoid dust formation. No special precautions required.

Environmental precautions

Do not flush into surface water or sanitary sewer system. Should not be released into the environment. Do not allow material to contaminate ground water system.

Methods and Material for Containment and Cleaning Up

Sweep up and shovel into suitable containers for disposal. Avoid dust formation. Pick up and transfer to properly labelled containers.

Reference to Other Sections

Refer to protective measures listed in Sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

Precautions for Safe Handling

Wear personal protective equipment/face protection. Ensure adequate ventilation. Avoid ingestion and inhalation. Avoid contact with skin, eyes or clothing. Avoid dust formation.

Conditions for Safe Storage, Including any Incompatibilities

Keep in a dry place. Keep away from acids.

Specific End Uses

Use in laboratories.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

Component	Malaysia	ACGIH TLV	OSHA PEL		
Aluminum		TWA: 1 mg/m ³	(Vacated) TWA: 15 mg/m ³		
			(Vacated) TWA: 5 mg/m ³		
			TWA: 15 mg/m ³		
			TWA: 5 mg/m ³		
Copper		TWA: 0.2 mg/m ³	(Vacated) TWA: 0.1 mg/m ³		
		_	TWA: 0.1 mg/m ³		
			TWA: 1 mg/m ³		
Manganese		TWA: 0.02 mg/m ³	(Vacated) TWA: 1 mg/m ³		
_		TWA: 0.1 mg/m ³	Ceiling: 5 mg/m ³		
		_	(Vacated) STEL: 3 mg/m ³		
			(Vacated) Ceiling: 5 mg/m ³		

Component	European Union	The United Kingdom Germany	
Aluminum		STEL: 30 mg/m ³ 15 min	TWA: 1.25 mg/m³ (8 Stunden).
		STEL: 12 mg/m ³ 15 min	AGW - exposure factor 2
		TWA: 10 mg/m ³ 8 hr	TWA: 10 mg/m³ (8 Stunden). AGW -
		TWA: 4 mg/m ³ 8 hr	exposure factor 2

Aluminum Copper square bar, alloy 2024

			TWA: 4 mg/m³ (8 Stunden). MAK TWA: 1.5 mg/m³ (8 Stunden). MAK
Copper		STEL: 0.6 mg/m³ 15 min STEL: 2 mg/m³ 15 min TWA: 1 mg/m³ 8 hr TWA: 0.2 mg/m³ 8 hr	TWA: 0.01 mg/m³ (8 Stunden). MAK Höhepunkt: 0.02 mg/m³
Manganese	TWA: 0.2 mg/m³ (8h) TWA: 0.05 mg/m³ (8h)	STEL: 0.6 mg/m³ 15 min STEL: 0.15 mg/m³ 15 min TWA: 0.2 mg/m³ 8 hr TWA: 0.05 mg/m³ 8 hr	TWA: 0.2 mg/m³ (8 Stunden). AGW - exposure factor 8 TWA: 0.02 mg/m³ (8 Stunden). AGW - exposure factor 8 TWA: 0.2 mg/m³ (8 Stunden). MAK TWA: 0.02 mg/m³ (8 Stunden). MAK Höhepunkt: 1.6 mg/m³ Höhepunkt: 0.16 mg/m³

Exposure Controls
Engineering Measures

None under normal use conditions.

Personal protective equipment

Eye Protection Wear safety glasses with side shields (or goggles)

Hand Protection No special protective equipment required

Skin and body protection Long sleeved clothing

Respiratory Protection No protective equipment is needed under normal use conditions

Recommended Filter type: Particle filter

<u>Hygiene Measures</u> Handle in accordance with good industrial hygiene and safety practice

system Local authorities should be advised if significant spillages cannot be contained

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

AppearanceSilverPhysical StateSolid BarOdorOdorless

Odor Threshold No data available PH No information available

Melting Point/RangeNo data availableSoftening PointNo data availableBoiling Point/RangeNo information available

Flash Point No information available Method - No information available

Evaporation Rate Not applicable Solid

Flammability (solid,gas)

Explosion Limits

No information available

No data available

Revision Date 31-Mar-2025

Aluminum Copper square bar, alloy 2024

Solid

Solid

Revision Date 31-Mar-2025

Page 5/9

Vapor Pressure23 hPa @ 20 °CVapor DensityNot applicable

Specific Gravity / Density
Bulk Density
Water Solubility
Solubility in other solvents

No data available
No data available
Insoluble in water
No information available

Partition Coefficient (n-octanol/water)

Autoignition TemperatureNo data availableDecomposition TemperatureNo data available

Viscosity Not applicable

Explosive PropertiesNo information available
No information available

Molecular Formula Al:Cu:Mg:Mn; 93.5:4.4:1.5:0.6 wt%

SECTION 10: STABILITY AND REACTIVITY

Reactivity

None known, based on information available.

Chemical Stability

Stable under normal conditions.

Possibility of Hazardous Reactions

Hazardous PolymerizationNo information available.Hazardous ReactionsNone under normal processing.

Conditions to Avoid

None known.

Incompatible Materials

Oxidizing agent.

Hazardous Decomposition Products

Metal oxides.

SECTION 11: TOXICOLOGICAL INFORMATION

Information on Toxicological Effects

Product Information

Aluminum Copper square bar, alloy 2024

(a) acute toxicity;

Oral Based on available data, the classification criteria are not met

No data available **Dermal** Inhalation No data available

Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation			
Aluminum	-	-	LC50 > 0.888 mg/L (Rat) 4 h			
Copper	-	-	LC50 > 5.11 mg/L (Rat) 4 h			
Manganese	LD50 = 9 g/kg (Rat)	-	LC50 > 5.14 mg/L (Rat) 4 h			
Magnesium	LD50 = 230 mg/kg (Rat)	-	-			

(b) skin corrosion/irritation; No data available

(c) serious eye damage/irritation; No data available

(d) respiratory or skin sensitization;

No data available Respiratory No data available Skin

No data available (e) germ cell mutagenicity;

(f) carcinogenicity; No data available

There are no known carcinogenic chemicals in this product

No data available (g) reproductive toxicity;

(h) STOT-single exposure; No data available

No data available (i) STOT-repeated exposure;

Target Organs No information available.

Not applicable (j) aspiration hazard;

Solid

Symptoms / effects,both acute and No information available. delayed

Endocrine Disrupting Properties

Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.

SECTION 12: ECOLOGICAL INFORMATION

Contains a substance which is:. Very toxic to aquatic organisms. The product contains **Ecotoxicity effects**

following substances which are hazardous for the environment. May cause long-term

adverse effects in the environment. Do not allow material to contaminate ground water

Revision Date 31-Mar-2025

Aluminum Copper square bar, alloy 2024

Revision Date 31-Mar-2025

system.

Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
Copper	Onchorhynchys mykiss:	EC50: = 0.03 mg/L, 48h	0.0426-0.0535 mg/L	
	LC50=0.15 mg/L 96h	Static (Daphnia magna)	EC50 72 h	
	Cuprinus carpio:		0.031-0.054 mg/L EC50	
	LC50=0.8 mg/L 96h		96 h	
Manganese	LC50: > 3.6 mg/L, 96h			
	semi-static			
	(Oncorhynchus mykiss)			

Persistence and degradability Product contains heavy metals. Discharge into the environment must be avoided. Special

pre-treatment is necessary Insoluble in water, May persist.

Persistence Degradability

Not relevant for inorganic substances.

Degradation in sewage treatment plant

Contains substances known to be hazardous to the environment or not degradable in waste

water treatment plants.

Bioaccumulative potential Product has a high potential to bioconcentrate; May have some potential to bioaccumulate

Mobility in soil Spillage unlikely to penetrate soil. Is not likely mobile in the environment due its low water

solubility.

Endocrine Disruptor Information This product does not contain any known or suspected endocrine disruptors

Other adverse effects No information available

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from Residues/Unused

Products

Waste is classified as hazardous Dispose of in accordance with the European Directives on

waste and hazardous waste Dispose of in accordance with local regulations

Contaminated Packaging Dispose of this container to hazardous or special waste collection point.

Other Information Do not flush to sewer

SECTION 14: TRANSPORT INFORMATION

IMDG/IMO Not regulated

Road and Rail Transport Not regulated

<u>IATA</u> Not regulated

Special Precautions for User No special precautions required

SECTION 15: REGULATORY INFORMATION

Aluminum Copper square bar, alloy 2024

Safety, health and environmental regulations/legislation specific for the substance or mixture

X = listedInternational Inventories

Component	EINECS	TSCA	DSL	PICCS	ENCS	ISHL	IECSC	AICS	KECL
Aluminum	231-072-3	Х	Х	Х	Х		Х	Х	KE-00881
Copper	231-159-6	Х	Х	Х	Х		Х	Х	KE-08896
Manganese	231-105-1	Х	Х	Х	Х		Х	Х	KE-22999
Magnesium	231-104-6	Х	Х	Х	Х		Х	Х	KE-22673

National Regulations

Persistent Organic Pollutant Ozone Depletion Potential

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

SECTION 16: OTHER INFORMATION

Legend

CAS - Chemical Abstracts Service TSCA - United States Toxic Substances Control Act Section 8(b)

Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

Substances/EU List of Notified Chemical Substances PICCS - Philippines Inventory of Chemicals and Chemical Substances **ENCS** - Japanese Existing and New Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances AICS - Australian Inventory of Chemical Substances **KECL** - Korean Existing and Evaluated Chemical Substances NZIoC - New Zealand Inventory of Chemicals

TWA - Time Weighted Average WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists IARC - International Agency for Research on Cancer

RPE - Respiratory Protective Equipment LD50 - Lethal Dose 50%

LC50 - Lethal Concentration 50% EC50 - Effective Concentration 50% POW - Partition coefficient Octanol:Water

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime

Dangerous Goods Code **OECD** - Organisation for Economic Co-operation and Development

BCF - Bioconcentration factor

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

MARPOL - International Convention for the Prevention of Pollution from Ships

Revision Date 31-Mar-2025

ATE - Acute Toxicity Estimate VOC - (Volatile Organic Compound)

Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Health, Safety and Environmental Department **Prepared By**

Revision Date 31-Mar-2025 **Revision Summary** Not applicable.

In accordance with local and national regulations: Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

Revision Date 31-Mar-2025

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet