

according to Regulation (EC) No. 1907/2006

Revision Date 19-Mar-2024 Revision Number 3

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product Description: Micro particle size standard, polystyrene monodisperse, 9µm, 1% (solids), aqueous

suspension

Cat No. : J67700

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals.
Uses advised against No Information available

1.3. Details of the supplier of the safety data sheet

Company

Thermo Fisher (Kandel) GmbH

Erlenbachweg 2, 76870 Kandel, Germany

Tel: +49 (0) 721 84007 280 Fax: +49 (0) 721 84007 300

Swiss distributor - Fisher Scientific AG Neuhofstrasse 11. CH 4153 Reinach

Tel: +41 (0) 56 618 41 11

https://www.fishersci.ch/ch/en/customer-help-

support/forms/email-us.html

E-mail address begel.sdsdesk@thermofisher.com

1.4. Emergency telephone number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

customers in Switzerland:

Tox Info Suisse Emergency Number: 145 (24hr)

Tox Info Suisse: +41-44 251 51 51 (Emergency number from abroad)

Chemtrec (24h) Toll-Free: 0800 564 402 Chemtrec Local: +41-43 508 20 11 (Zurich)

# **SECTION 2: HAZARDS IDENTIFICATION**

### 2.1. Classification of the substance or mixture

CLP Classification - Regulation (EC) No 1272/2008

**Physical hazards** 

Micro particle size standard, polystyrene monodisperse,  $9\mu m$ , 1% (solids), aqueous suspension

Revision Date 19-Mar-2024

Based on available data, the classification criteria are not met

### **Health hazards**

Based on available data, the classification criteria are not met

### **Environmental hazards**

Based on available data, the classification criteria are not met

Full text of Hazard Statements: see section 16

### 2.2. Label elements

None required

EUH210 - Safety data sheet available on request

### 2.3. Other hazards

This product does not contain any known or suspected endocrine disruptors

# **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

### 3.2. Mixtures

| Component    | CAS No     | EC No     | Weight % | CLP Classification - Regulation (EC) No 1272/2008                            |
|--------------|------------|-----------|----------|--|
| Water        | 7732-18-5  | 231-791-2 | 98.99    | -  |
| Polystyrene  | 9003-53-6  |           | 1        | -  |
| Sodium azide | 26628-22-8 | 247-852-1 | 0.001    | Acute Tox. 2 (H300) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) (EUH032) |

| Component    | Specific concentration limits (SCL's) | M-Factor | Component notes |
|--------------|---------------------------------------|----------|-----------------|
| Sodium azide | =                                     | 1        | -               |

Full text of Hazard Statements: see section 16

# **SECTION 4: FIRST AID MEASURES**

### 4.1. Description of first aid measures

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. Get medical attention

\_\_\_\_\_

Micro particle size standard, polystyrene monodisperse, 9µm, 1% (solids), aqueous suspension

Revision Date 19-Mar-2024

immediately if symptoms occur.

**Ingestion** Clean mouth with water and drink afterwards plenty of water. Get medical attention if

symptoms occur.

**Inhalation** Remove to fresh air. Get medical attention immediately if symptoms occur.

**Self-Protection of the First Aider** No special precautions required.

4.2. Most important symptoms and effects, both acute and delayed

None reasonably foreseeable.

# 4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

# **SECTION 5: FIREFIGHTING MEASURES**

### 5.1. Extinguishing media

### Suitable Extinguishing Media

Not combustible.

## Extinguishing media which must not be used for safety reasons

No information available.

### 5.2. Special hazards arising from the substance or mixture

None reasonably foreseeable.

### **Hazardous Combustion Products**

None under normal use conditions.

### 5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# **SECTION 6: ACCIDENTAL RELEASE MEASURES**

### 6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective equipment as required.

# 6.2. Environmental precautions

Should not be released into the environment. See Section 12 for additional Ecological Information.

# 6.3. Methods and material for containment and cleaning up

Sweep up and shovel into suitable containers for disposal.

### 6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

Micro particle size standard, polystyrene monodisperse, 9µm, 1% (solids), aqueous suspension

Revision Date 19-Mar-2024

# **SECTION 7: HANDLING AND STORAGE**

### 7.1. Precautions for safe handling

Wear personal protective equipment/face protection. Ensure adequate ventilation. Avoid contact with skin, eyes or clothing. Avoid ingestion and inhalation.

# **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs, Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

## 7.2. Conditions for safe storage, including any incompatibilities

Keep refrigerated.

**Technical Rules for Hazardous Substances (TRGS) 510** Storage Class (LGK) (Germany)

Storage Class/LGK 10

Switzerland - Storage of hazardous substances

Storage class - SC 10/12 https://www.kvu.ch/de/themen/stoffe-und-produkte https://www.kvu.ch/fr/themes/substances-et-produits https://www.kvu.ch/it/temi/sostanze-e-prodotti

### 7.3. Specific end use(s)

Use in laboratories

# **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

### 8.1. Control parameters

#### **Exposure limits**

List source(s): EU - Commission Directive (EU) 2019/1831 of 24 October 2019 establishing a fifth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC and amending Commission Directive 2000/39/EC UK - EH40/2005 Work Exposure Limits, Forth edition. Published 2020. IRE - 2010 Code of Practice for the Safety, Health and Welfare at Work (Chemical Agents) Regulations 2001. Published by the Health and Safety Authority. CH - The Government of Switzerland has set a directive on limit values for working materials (Grenzwerte am Arbeitsplatz) which is based on the Swiss Federal Regulation "Verordnung über die Verhütung von Unfällen und Berufskrankheiten". This directive is administered, periodically revised and enforced by SUVA (Swiss National Accident Insurance Fund).

| Component    | European Union             | The United Kingdom         | France                                | Belgium                    | Spain               |
|--------------|----------------------------|----------------------------|---------------------------------------|----------------------------|---------------------|
| Sodium azide | Skin                       | Skin                       | TWA / VME: 0.1 mg/m <sup>3</sup>      | Skin                       | STEL / VLA-EC: 0.3  |
|              | TWA 0.1 mg/m <sup>3</sup>  | TWA 0.1 mg/m <sup>3</sup>  | (8 heures). restrictive               | TWA 0.1 mg/m <sup>3</sup>  | mg/m³ (15 minutos). |
|              | STEL 0.3 mg/m <sup>3</sup> | STEL 0.3 mg/m <sup>3</sup> | limit                                 | STEL 0.3 mg/m <sup>3</sup> | TWA / VLA-ED: 0.1   |
|              |                            | _                          | STEL / VLCT: 0.3                      |                            | mg/m³ (8 horas)     |
|              |                            |                            | mg/m <sup>3</sup> . restrictive limit |                            | Piel                |
|              |                            |                            | Peau                                  |                            |                     |

| Component    | Italy                             | Germany                   | Portugal                           | The Netherlands                   | Finland                        |
|--------------|-----------------------------------|---------------------------|------------------------------------|-----------------------------------|--------------------------------|
| Sodium azide | TWA: 0.1 mg/m <sup>3</sup> 8 ore. | MAK 0.2 mg/m <sup>3</sup> | STEL: 0.3 mg/m <sup>3</sup> 15     | huid                              | TWA: 0.1 mg/m <sup>3</sup> 8   |
|              | Time Weighted Average             | (inhalable)               | minutos                            | STEL: 0.3 mg/m <sup>3</sup> 15    | tunteina                       |
|              | STEL: 0.3 mg/m <sup>3</sup> 15    |                           | Ceiling: 0.29 mg/m <sup>3</sup>    | minuten                           | STEL: 0.3 mg/m <sup>3</sup> 15 |
|              | minuti. Short-term                |                           | Ceiling: 0.11 ppm                  | TWA: 0.1 mg/m <sup>3</sup> 8 uren | minuutteina                    |
|              | Pelle                             |                           | TWA: 0.1 mg/m <sup>3</sup> 8 horas |                                   | lho                            |
|              |                                   |                           | Pele                               |                                   |                                |

|   | Component    | Austria                         | Denmark                            | Switzerland                    | Poland                         | Norway                             |
|---|--------------|---------------------------------|------------------------------------|--------------------------------|--------------------------------|------------------------------------|
| I | Sodium azide | Haut                            | TWA: 0.1 mg/m <sup>3</sup> 8 timer | STEL: 0.4 mg/m <sup>3</sup> 15 | STEL: 0.3 mg/m <sup>3</sup> 15 | TWA: 0.1 mg/m <sup>3</sup> 8 timer |
|   |              | MAK-KZGW: 0.3 mg/m <sup>3</sup> | STEL: 0.3 mg/m <sup>3</sup> 15     | Minuten                        | minutach                       | STEL: 0.3 mg/m <sup>3</sup> 15     |

Micro particle size standard, polystyrene monodisperse,  $9\mu m,\,1\%$  (solids), aqueous suspension

Revision Date 19-Mar-2024

|              | 15 Minuten<br>MAK-TMW: 0.1 mg/m³ 8<br>Stunden                               | minutter<br>Hud   | TWA: 0.2 mg/m³ 8<br>Stunden  | TWA: 0.1 mg/m³ 8<br>godzinach   | minutter. value from the regulation  |
|--------------|---|---|--|---|--|
| Component    | Bulgaria  | Croatia   | Ireland  | Cyprus  | Czech Republic   |
| Polystyrene  |   |   |  |   | TWA: 5 mg/m³ 8 hodinách. dust  |
| Sodium azide | TWA: 0.1 mg/m <sup>3</sup><br>STEL : 0.3 mg/m <sup>3</sup><br>Skin notation | kože<br>TWA-GVI: 0.1 mg/m³ 8<br>satima.<br>STEL-KGVI: 0.3 mg/m³<br>15 minutama. | TWA: 0.1 mg/m³ 8 hr.<br>STEL: 0.3 mg/m³ 15 min<br>Skin             | Skin-potential for<br>cutaneous absorption<br>STEL: 0.3 mg/m³<br>TWA: 0.1 mg/m³ | TWA: 0.1 mg/m³ 8<br>hodinách.<br>Potential for cutaneous<br>absorption<br>Ceiling: 0.3 mg/m³ |
| Component    | Estonia   | Gibraltar   | Greece   | Hungary   | Iceland  |
| Sodium azide | Nahk<br>TWA: 0.1 mg/m³ 8<br>tundides.<br>STEL: 0.3 mg/m³ 15                 | Skin notation<br>TWA: 0.1 mg/m³ 8 hr<br>STEL: 0.3 mg/m³ 15 min                  | STEL: 0.1 ppm<br>STEL: 0.3 mg/m³<br>TWA: 0.1 ppm<br>TWA: 0.3 mg/m³ | STEL: 0.3 mg/m³ 15<br>percekben. CK<br>TWA: 0.1 mg/m³ 8<br>órában. AK           | STEL: 0.3 mg/m³<br>TWA: 0.1 mg/m³ 8<br>klukkustundum.<br>Skin notation                       |

| Component    | Latvia  | Lithuania                                     | Luxembourg  | Malta   | Romania |
|--------------|---|---|---|---|---------|
| Sodium azide | skin - potential for<br>cutaneous exposure<br>STEL: 0.3 mg/m³<br>TWA: 0.1 mg/m³ | TWA: 0.1 mg/m³ IPRD<br>Oda<br>STEL: 0.3 mg/m³ | Possibility of significant<br>uptake through the skin<br>TWA: 0.1 mg/m³ 8<br>Stunden<br>STEL: 0.3 mg/m³ 15<br>Minuten | possibility of significant<br>uptake through the skin<br>TWA: 0.1 mg/m³<br>STEL: 0.3 mg/m³ 15<br>minuti |         |

| Component    | Russia                    | Slovak Republic                | Slovenia                          | Sweden                       | Turkey                            |
|--------------|---------------------------|--------------------------------|-----------------------------------|------------------------------|-----------------------------------|
| Polystyrene  | MAC: 10 mg/m <sup>3</sup> |                                |                                   |                              |                                   |
| Sodium azide |                           | Ceiling: 0.3 mg/m <sup>3</sup> | TWA: 0.1 mg/m <sup>3</sup> 8 urah | Binding STEL: 0.3            | Deri                              |
|              |                           | Potential for cutaneous        | Koža                              | mg/m <sup>3</sup> 15 minuter | TWA: 0.1 mg/m <sup>3</sup> 8 saat |
|              |                           | absorption                     | STEL: 0.3 mg/m <sup>3</sup> 15    | TLV: 0.1 mg/m <sup>3</sup> 8 | STEL: 0.3 mg/m <sup>3</sup> 15    |
|              |                           | TWA: 0.1 mg/m <sup>3</sup>     | minutah                           | timmar. NGV                  | dakika                            |

### **Biological limit values**

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

### **Monitoring methods**

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.

# Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

minutites.

See table for values

| Component            | Acute effects local (Dermal) | Acute effects systemic (Dermal) | Chronic effects local (Dermal) | Chronic effects systemic (Dermal) |
|----------------------|------------------------------|---------------------------------|--------------------------------|-----------------------------------|
| Sodium azide         |                              |                                 |                                | DNEL = $46.7\mu g/kg$             |
| 26628-22-8 ( 0.001 ) |                              |                                 |                                | bw/day                            |

| Component                            | Acute effects local (Inhalation) | Acute effects systemic (Inhalation) | Chronic effects local (Inhalation) | Chronic effects systemic (Inhalation) |
|--------------------------------------|----------------------------------|-------------------------------------|------------------------------------|---------------------------------------|
| Sodium azide<br>26628-22-8 ( 0.001 ) |                                  |                                     |                                    | DNEL = 0.164mg/m <sup>3</sup>         |

Micro particle size standard, polystyrene monodisperse,  $9\mu m$ , 1% (solids), aqueous suspension

Revision Date 19-Mar-2024

### **Predicted No Effect Concentration (PNEC)**

See values below.

| Component            | Fresh water          | Fresh water            | Water Intermittent   | Microorganisms in | Soil (Agriculture) |
|----------------------|----------------------|------------------------|----------------------|-------------------|--------------------|
|                      |                      | sediment               |                      | sewage treatment  |                    |
| Sodium azide         | PNEC = $0.35\mu g/L$ | $PNEC = 16.7 \mu g/kg$ | $PNEC = 3.5 \mu g/L$ | PNEC = 30µg/L     |                    |
| 26628-22-8 ( 0.001 ) |                      | sediment dw            |                      |                   |                    |

| Component            | Marine water  | Marine water sediment  | Marine water<br>Intermittent | Food chain | Air |
|----------------------|---------------|------------------------|------------------------------|------------|-----|
| Sodium azide         | PNEC = 15ng/L | $PNEC = 0.72 \mu g/kg$ | PNEC = 150ng/L               |            |     |
| 26628-22-8 ( 0.001 ) |               | sediment dw            | _                            |            |     |

### 8.2. Exposure controls

### **Engineering Measures**

None under normal use conditions.

Personal protective equipment

**Eye Protection** Wear safety glasses with side shields (or goggles) (European standard - EN 166)

Hand Protection Protective gloves

| Glove material | Breakthrough time | Glove thickness | EU standard | Glove comments        |
|----------------|-------------------|-----------------|-------------|-----------------------|
| Natural rubber | See manufacturers | -               | EN 374      | (minimum requirement) |
| Nitrile rubber | recommendations   |                 |             |                       |
| Neoprene       |                   |                 |             |                       |
| PVC            |                   |                 |             |                       |

Skin and body protection Long sleeved clothing.

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. gloves with care avoiding skin contamination.

**Respiratory Protection** No protective equipment is needed under normal use conditions.

Large scale/emergency use Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits

are exceeded or if irritation or other symptoms are experienced

Recommended Filter type: Particle filter

Small scale/Laboratory use Maintain adequate ventilation

Environmental exposure controls No information available.

# **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

# 9.1. Information on basic physical and chemical properties

Physical State Liquid dispersion

Appearance White Odor Odorless

Odor Threshold No data available

Micro particle size standard, polystyrene monodisperse, 9µm, 1% (solids), aqueous
suspension

Revision Date 19-Mar-2024

Liquid

Melting Point/RangeNo data availableSoftening PointNo data availableBoiling Point/RangeNo information availableFlammability (liquid)No data available

Flammability (solid,gas) Not applicable

Explosion Limits No data available

Flash Point > 110 °C / > 230 °F Method - No information available

Autoignition TemperatureNo data availableDecomposition TemperatureNo data availablepHNo information availableViscosityNo data available

Water Solubility Miscible

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

Vapor Pressure <=1100 hPa @ 50 °C

Density / Specific Gravity1.05 g/cm3@ 20 °CBulk DensityNot applicableLiquidVapor DensityNo data available(Air = 1.0)

Particle characteristics Not applicable (liquid)

9.2. Other information

# **SECTION 10: STABILITY AND REACTIVITY**

10.1. Reactivity

None known, based on information available

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous PolymerizationNo information available.Hazardous ReactionsNone under normal processing.

10.4. Conditions to avoid

Incompatible products. Excess heat.

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

None under normal use conditions.

### **SECTION 11: TOXICOLOGICAL INFORMATION**

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

**Product Information** 

(a) acute toxicity;

Oral Based on available data, the classification criteria are not met
Dermal Based on available data, the classification criteria are not met

Micro particle size standard, polystyrene monodisperse,  $9\mu m$ , 1% (solids), aqueous suspension

Revision Date 19-Mar-2024

Inhalation

Based on available data, the classification criteria are not met

### Toxicology data for the components

| Component    | LD50 Oral             | LD50 Dermal | LC50 Inhalation              |
|--------------|-----------------------|-------------|------------------------------|
| Water        | -                     | -           | -                            |
| Sodium azide | LD50 = 27 mg/kg (Rat) | -           | LC50 0.054 - 0.52 mg/L (Rat) |
|              |                       |             | 4 h                          |

(b) skin corrosion/irritation; No data available

(c) serious eye damage/irritation; No data available

(d) respiratory or skin sensitization;

Respiratory No data available Skin No data available

(e) germ cell mutagenicity; No data available

(f) carcinogenicity; No data available

There are no known carcinogenic chemicals in this product

(g) reproductive toxicity; No data available

(h) STOT-single exposure; No data available

(i) STOT-repeated exposure; No data available

Target Organs No information available.

(j) aspiration hazard; No data available

Symptoms / effects,both acute and No information available. delayed

### 11.2. Information on other hazards

Endocrine Disrupting Properties Assess endocrine disrupting properties for human health. This product does not contain any

known or suspected endocrine disruptors.

# **SECTION 12: ECOLOGICAL INFORMATION**

12.1. Toxicity

**Ecotoxicity effects**Contains no substances known to be hazardous to the environment or that are not

degradable in waste water treatment plants.

|   | Component    | Freshwater Fish                | Water Flea | Freshwater Algae |
|---|--------------|--------------------------------|------------|------------------|
| Г | Sodium azide | LC50: = 0.7 mg/L, 96h (Lepomis |            |                  |
|   |              | macrochirus)                   |            |                  |

Micro particle size standard, polystyrene monodisperse, 9μm, 1% (solids), aqueous suspension

Revision Date 19-Mar-2024

| LC50: = 0.8 mg/L, 96h<br>(Oncorhynchus mykiss)<br>LC50: = 5.46 mg/L, 96h<br>flow-through (Pimephales<br>promelas) |  |
|---|--|
|---|--|

| Component    | Microtox | M-Factor |
|--------------|----------|----------|
| Sodium azide |          | 1        |

12.2. Persistence and degradability

**Persistence** Miscible with water, Persistence is unlikely, based on information available.

12.3. Bioaccumulative potential Bioaccumulation is unlikely

12.4. Mobility in soil

The product is water soluble, and may spread in water systems Will likely be mobile in the

environment due to its water solubility. Highly mobile in soils

12.5. Results of PBT and vPvB

assessment

No data available for assessment.

12.6. Endocrine disrupting

properties

Endocrine Disruptor Information This product does not contain any known or suspected endocrine disruptors

12.7. Other adverse effects

Persistent Organic Pollutant Ozone Depletion Potential

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

# **SECTION 13: DISPOSAL CONSIDERATIONS**

### 13.1. Waste treatment methods

Waste from Residues/Unused

**Products** 

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Consult local, regional, and national hazardous waste regulations to

ensure complete and accurate classification.

Contaminated Packaging Empty remaining contents. Dispose of in accordance with local regulations. Do not re-use

empty containers.

European Waste Catalogue (EWC) According to the European Waste Catalog, Waste Codes are not product specific, but

application specific.

Other Information Waste codes should be assigned by the user based on the application for which the product

was used.

Switzerland - Waste Ordinance Disposal should be in accordance with applicable regional, national and local laws and

regulations. Ordinance on the Avoidance and the Disposal of Waste (Waste Ordinance,

ADWO) SR 814.600

https://www.fedlex.admin.ch/eli/cc/2015/891/en

# **SECTION 14: TRANSPORT INFORMATION**

Micro particle size standard, polystyrene monodisperse,  $9\mu m$ , 1% (solids), aqueous suspension

Revision Date 19-Mar-2024

IMDG/IMO

Not regulated

14.1. UN number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

ADR Not regulated

14.1. UN number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

IATA Not regulated

14.1. UN number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

14.5. Environmental hazards No hazards identified

**14.6. Special precautions for user** No special precautions required.

14.7. Maritime transport in bulk

according to IMO instruments

Not applicable, packaged goods

# **SECTION 15: REGULATORY INFORMATION**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### **International Inventories**

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

| Component    | CAS No     | EINECS    | ELINCS | NLP       | IECSC | TCSI | KECL     | ENCS | ISHL |
|--------------|------------|-----------|--------|-----------|-------|------|----------|------|------|
| Water        | 7732-18-5  | 231-791-2 | -      | -         | X     | X    | KE-35400 | Χ    | -    |
| Polystyrene  | 9003-53-6  | -         | -      | 500-008-9 | X     | Χ    | KE-13257 | Х    | Х    |
| Sodium azide | 26628-22-8 | 247-852-1 | -      | -         | Х     | Х    | KE-31357 | Х    | Х    |

| Component    | CAS No     | TSCA | TSCA Inventory<br>notification -<br>Active-Inactive | DSL | NDSL | AICS | NZIoC | PICCS |
|--------------|------------|------|---|-----|------|------|-------|-------|
| Water        | 7732-18-5  | X    | ACTIVE  | X   | ı    | X    | X     | X     |
| Polystyrene  | 9003-53-6  | Х    | ACTIVE  | Х   | -    | X    | Х     | Х     |
| Sodium azide | 26628-22-8 | Х    | ACTIVE  | Х   | -    | X    | Х     | Х     |

Legend: X - Listed '-' - Not Listed KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

### Authorisation/Restrictions according to EU REACH Not applicable

| Component | CAS No | REACH (1907/2006) -      | REACH (1907/2006) -       | REACH Regulation (EC           |
|-----------|--------|--------------------------|---------------------------|--------------------------------|
| -         |        | Annex XIV - Substances   | Annex XVII - Restrictions | 1907/2006) article 59 -        |
|           |        | Subject to Authorization | on Certain Dangerous      | Candidate List of              |
|           |        |                          | Substances                | <b>Substances of Very High</b> |
|           |        |                          |                           | Concern (SVHC)                 |

Micro particle size standard, polystyrene monodisperse,  $9\mu m,\,1\%$  (solids), aqueous suspension

Revision Date 19-Mar-2024

| Water        | 7732-18-5  | 1 | - | - |
|--------------|------------|---|---|---|
| Polystyrene  | 9003-53-6  | - | - | - |
| Sodium azide | 26628-22-8 | • | - | - |

### Seveso III Directive (2012/18/EC)

| Component    | CAS No     | Seveso III Directive (2012/18/EC) -      | Seveso III Directive (2012/18/EC) -     |
|--------------|------------|--|---|
|              |            | Qualifying Quantities for Major Accident | Qualifying Quantities for Safety Report |
|              |            | Notification                             | Requirements                            |
| Water        | 7732-18-5  | Not applicable                           | Not applicable                          |
| Polystyrene  | 9003-53-6  | Not applicable                           | Not applicable                          |
| Sodium azide | 26628-22-8 | Not applicable                           | Not applicable                          |

Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

Take note of Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values

### **National Regulations**

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

**WGK Classification** 

Water endangering class = non-hazardous to waters (self classification)

| Component    | Germany - Water Classification (AwSV) | Germany - TA-Luft Class |
|--------------|---------------------------------------|-------------------------|
| Sodium azide | WGK2                                  |                         |

### **Swiss Regulations**

Article 4 para. 4 of the Ordinance on the protection of young people in the workplace (SR 822.115) and Article 1 lit. f of the EAER regulation on hazardous work and young people (SR 822.115.2).

Take note on Article 13 Maternity Ordinance (SR 822.111.52) with regards expectant and nursing mothers.

# 15.2. Chemical safety assessment

Chemical Safety Assessment/Reports (CSA/CSR) are not required for mixtures

# **SECTION 16: OTHER INFORMATION**

### Full text of H-Statements referred to under sections 2 and 3

H300 - Fatal if swallowed

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

EUH032 - Contact with acids liberates very toxic gas

Legend

Micro particle size standard, polystyrene monodisperse, 9µm, 1% (solids), aqueous suspension

Revision Date 19-Mar-2024

**CAS** - Chemical Abstracts Service

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances IECSC - Chinese Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

**DNEL** - Derived No Effect Level

RPE - Respiratory Protective Equipment LC50 - Lethal Concentration 50% NOEC - No Observed Effect Concentration

PBT - Persistent, Bioaccumulative, Toxic

ADR - European Agreement Concerning the International Carriage of

Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

**OECD** - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

Substances List

**ENCS** - Japanese Existing and New Chemical Substances **AICS** - Australian Inventory of Chemical Substances NZIoC - New Zealand Inventory of Chemicals

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

Predicted No Effect Concentration (PNEC)

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50% POW - Partition coefficient Octanol:Water vPvB - very Persistent, very Bioaccumulative

ICAO/IATA - International Civil Aviation Organization/International Air **Transport Association** 

MARPOL - International Convention for the Prevention of Pollution from

Ships

ATE - Acute Toxicity Estimate VOC - (volatile organic compound)

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

On basis of test data Physical hazards **Health Hazards** Calculation method **Environmental hazards** Calculation method

**Training Advice** 

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Health, Safety and Environmental Department **Prepared By** 

**Revision Date** 19-Mar-2024

New emergency telephone response service provider. **Revision Summary** 

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006. COMMISSION REGULATION (EU) 2020/878 amending Annex II to Regulation (EC) No 1907/2006

For Switzerland - Compiled in accordance with the technical provisions referred to in Annex 2, Number 3, ChemO (SR 813.11 - Ordinance on Protection against Dangerous Substances and Preparations).

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

# **End of Safety Data Sheet**