

according to Regulation (EC) No. 1907/2006

Creation Date 06-Aug-2010 Revision Date 21-Sep-2023 Revision Number 10

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product Description: <u>Morpholine</u>

Cat No. : 158680000; 158680010; 158680025; 158680050; 158680100

Synonyms Tetrahydro-2H-1,4-oxazine; 1-Oxa-4-azacyclohexane

 Index No
 613-028-00-9

 CAS No
 110-91-8

 EC No
 203-815-1

 Molecular Formula
 C4 H9 N O

REACH registration number 01-2119496057-30

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended UseLaboratory chemicals.

Sector of use SU3 - Industrial uses: Uses of substances as such or in preparations at industrial sites

Product category PC21 - Laboratory chemicals

Process categories PROC15 - Use as a laboratory reagent

Environmental release category ERC6a - Industrial use resulting in manufacture of another substance (use of intermediates)

Uses advised against No Information available

1.3. Details of the supplier of the safety data sheet

Company

EU entity/business name

Thermo Fisher Scientific

Janssen Pharmaceuticalaan 3a, 2440 Geel, Belgium

UK entity/business name

Fisher Scientific UK Bishop Meadow Road,

Loughborough, Leicestershire LE11 5RG, United Kingdom

Swiss distributor - Fisher Scientific AG Neuhofstrasse 11, CH 4153 Reinach

Tel: +41 (0) 56 618 41 11

e-mail - infoch@thermofisher.com

E-mail address begel.sdsdesk@thermofisher.com

1.4. Emergency telephone number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

customers in Switzerland:

Tox Info Suisse Emergency Number: 145 (24hr)

Tox Info Suisse: +41-44 251 51 51 (Emergency number from abroad)

Chemtrec (24h) Toll-Free: 0800 564 402 Chemtrec Local: +41-43 508 20 11 (Zurich)

Revision Date 21-Sep-2023

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

CLP Classification - Regulation (EC) No 1272/2008

Physical hazards

Flammable liquids Category 3 (H226)

Health hazards

Acute oral toxicity

Acute dermal toxicity

Acute Inhalation Toxicity - Vapors

Skin Corrosion/Irritation

Serious Eye Damage/Eye Irritation

Reproductive Toxicity

Category 4 (H302)

Category 3 (H311)

Category 3 (H331)

Category 1 B (H314)

Category 1 (H318)

Category 2 (H361fd)

Environmental hazards

Based on available data, the classification criteria are not met

Full text of Hazard Statements: see section 16

2.2. Label elements



Signal Word

Danger

Hazard Statements

H226 - Flammable liquid and vapor

H302 - Harmful if swallowed

H311 + H331 - Toxic in contact with skin or if inhaled

H314 - Causes severe skin burns and eye damage

H361fd - Suspected of damaging fertility. Suspected of damaging the unborn child

Precautionary Statements

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P301 + P330 + P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor/physician

2.3. Other hazards

Substance is not considered persistent, bioaccumulative and toxic (PBT) / very persistent and very bioaccumulative (vPvB)

Toxicity to Soil Dwelling Organisms

Toxic to terrestrial vertebrates

This product does not contain any known or suspected endocrine disruptors

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

Component	CAS No	EC No	Weight %	CLP Classification - Regulation (EC) No 1272/2008
Morpholine	110-91-8	EEC No. 203-815-1	>95	Flam. Liq. 3 (H226) Acute Tox. 4 (H302) Acute Tox. 3 (H311) Acute Tox. 3 (H331)
				Skin Corr. 1B (H314) Eye Dam. 1 (H318) Repr. 2 (H361fd)

REACH registration number	01-2119496057-30
---------------------------	------------------

Full text of Hazard Statements: see section 16

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

General Advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. In

the case of contact with eyes, rinse immediately with plenty of water and seek medical

advice.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Immediate medical

attention is required.

Ingestion Do NOT induce vomiting. Call a physician or poison control center immediately.

Inhalation If not breathing, give artificial respiration. Do not use mouth-to-mouth method if victim

ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Remove to fresh

air. Immediate medical attention is required.

Self-Protection of the First Aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination.

4.2. Most important symptoms and effects, both acute and delayed

Causes burns by all exposure routes. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue

and danger of perforation

Revision Date 21-Sep-2023

4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician

Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Water mist may be used to cool closed containers. CO₂, dry chemical, dry sand, alcohol-resistant foam.

Extinguishing media which must not be used for safety reasons

No information available.

5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes. Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

Hazardous Combustion Products

Carbon monoxide (CO), Carbon dioxide (CO₂), Nitrogen oxides (NOx), Thermal decomposition can lead to release of irritating gases and vapors.

5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment as required. Ensure adequate ventilation. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Remove all sources of ignition. Take precautionary measures against static discharges.

6.2. Environmental precautions

Should not be released into the environment.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance. Keep away from

Morpholine Revision Date 21-Sep-2023

open flames, hot surfaces and sources of ignition. Use only non-sparking tools. Take precautionary measures against static discharges.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace. Provide regular cleaning of equipment, work area and clothing. Avoid contact with skin, eyes or clothing. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wear suitable gloves and eye/face protection.

7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area. Keep away from heat, sparks and flame. Keep in properly labeled containers. Flammables area. Store under an inert atmosphere. Protect from moisture.

Technical Rules for Hazardous Substances (TRGS) 510 Storage Class (LGK) (Germany)

Class 3

Switzerland - Storage of hazardous substances

Storage class - SC 3 https://www.kvu.ch/de/themen/stoffe-und-produkte https://www.kvu.ch/fr/themes/substances-et-produits https://www.kvu.ch/it/temi/sostanze-e-prodotti

7.3. Specific end use(s)

Use in laboratories

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits

List source(s): **EU** - Commission Directive (EU) 2019/1831 of 24 October 2019 establishing a fifth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC and amending Commission Directive 2000/39/EC **UK** - EH40/2005 Work Exposure Limits, Forth edition. Published 2020. **IRE** - 2010 Code of Practice for the Safety, Health and Welfare at Work (Chemical Agents) Regulations 2001. Published by the Health and Safety Authority. **CH** - The Government of Switzerland has set a directive on limit values for working materials (Grenzwerte am Arbeitsplatz) which is based on the Swiss Federal Regulation "Verordnung über die Verhütung von Unfällen und Berufskrankheiten". This directive is administered, periodically revised and enforced by SUVA (Swiss National Accident Insurance Fund).

Component	European Union	The United Kingdom	France	Belgium	Spain
Morpholine	TWA: 10 ppm (8hr)	STEL: 20 ppm 15 min	TWA / VME: 10 ppm (8	TWA: 10 ppm 8 uren	STEL / VLA-EC: 20 ppm
	TWA: 36 mg/m ³ (8hr)	STEL: 72 mg/m ³ 15 min	heures). restrictive limit	TWA: 36 mg/m ³ 8 uren	(15 minutos).
	STEL: 20 ppm (15min)	TWA: 10 ppm 8 hr	TWA / VME: 36 mg/m ³	STEL: 20 ppm 15	STEL / VLA-EC: 72
	STEL: 72 mg/m ³	TWA: 36 mg/m ³ 8 hr	(8 heures). restrictive	minuten	mg/m³ (15 minutos).
	(15min)	Skin	limit	STEL: 72 mg/m ³ 15	TWA / VLA-ED: 10 ppm
			STEL / VLCT: 20 ppm.	minuten	(8 horas)
			restrictive limit	Huid	TWA / VLA-ED: 36
			STEL / VLCT: 72		mg/m³ (8 horas)
			mg/m ³ . restrictive limit		

L	Component	Italy	Germany	Portugal	The Netherlands	Finland
	Morpholine	TWA: 10 ppm 8 ore.	TWA: 5 ppm (8	STEL: 20 ppm 15	huid	TWA: 10 ppm 8 tunteina
		Time Weighted Average	Stunden). AGW - ceiling	minutos	STEL: 72 mg/m ³ 15	TWA: 36 mg/m ³ 8
		TWA: 36 mg/m ³ 8 ore.	factor 2; exposure factor	STEL: 72 mg/m ³ 15	minuten	tunteina
		Time Weighted Average	1	minutos	TWA: 36 mg/m ³ 8 uren	STEL: 20 ppm 15
		STEL: 20 ppm 15	TWA: 18 mg/m³ (8	TWA: 10 ppm 8 horas		minuutteina
		minuti. Short-term	Stunden). AGW - ceiling	TWA: 36 mg/m ³ 8 horas		STEL: 72 mg/m ³ 15
		STEL: 72 mg/m ³ 15	factor 2; exposure factor	Pele		minuutteina
		minuti. Short-term	1			lho
		Pelle	TWA: 5 ppm (8			
			Stunden). MAK even if			
			the MAK value is			
L			adhered to,			

"odor-associated" symptoms cannot be ruled out in individual Revision Date 21-Sep-2023

		ruled out in individual cases TWA: 18 mg/m³ (8 Stunden). MAK even if the MAK value is adhered to, "odor-associated" symptoms cannot be ruled out in individual cases Höhepunkt: 5 ppm Höhepunkt: 18 mg/m³ Haut			
0	Avatria	Danmanlı	Coniterantament	Delend	Nam
Component Morpholine	Austria MAK-KZGW: 10 ppm 15	Denmark TWA: 10 ppm 8 timer	Switzerland Haut/Peau	Poland STEL: 72 mg/m³ 15	Norway TWA: 10 ppm 8 timer
worphoine	Minuten MAK-KZGW: 36 mg/m³ 15 Minuten MAK-TMW: 10 ppm 8 Stunden MAK-TMW: 36 mg/m³ 8 Stunden Ceiling: 10 ppm Ceiling: 36 mg/m³	TWA: 16 ppm 6 timer TWA: 36 mg/m³ 8 timer STEL: 72 mg/m³ 15 minutter STEL: 20 ppm 15 minutter Hud	STEL: 20 ppm 15 Minuten STEL: 72 mg/m³ 15 Minuten TWA: 10 ppm 8 Stunden TWA: 36 mg/m³ 8 Stunden	minutach TWA: 36 mg/m³ 8 godzinach	TWA: 36 mg/m³ 8 timer STEL: 20 ppm 15 minutter. value calculated STEL: 54 mg/m³ 15 minutter. value calculated Hud
Component	Bulgaria	Croatia	Ireland	Cyprus	Czech Republic
Morpholine	TWA: 10 ppm TWA: 36.0 mg/m³ STEL : 20 ppm STEL : 72.0 mg/m³	TWA-GVI: 10 ppm 8 satima. TWA-GVI: 36 mg/m³ 8 satima. STEL-KGVI: 20 ppm 15 minutama. STEL-KGVI: 72 mg/m³ 15 minutama.	TWA: 10 ppm 8 hr. TWA: 36 mg/m³ 8 hr. STEL: 20 ppm 15 min STEL: 72 mg/m³ 15 min Skin	STEL: 20 ppm STEL: 72 mg/m³ TWA: 10 ppm TWA: 36 mg/m³	TWA: 35 mg/m ³ 8 hodinách. Potential for cutaneous absorption Ceiling: 70 mg/m ³
		0 " "			
Component	Estonia	Gibraltar	Greece	Hungary	Iceland
Morpholine	TWA: 10 ppm 8 tundides. TWA: 36 mg/m³ 8 tundides. STEL: 20 ppm 15 minutites. STEL: 72 mg/m³ 15 minutites.	TWA: 10 ppm 8 hr TWA: 36 mg/m³ 8 hr STEL: 20 ppm 15 min STEL: 72 mg/m³ 15 min	STEL: 20 ppm STEL: 72 mg/m³ TWA: 10 ppm TWA: 36 mg/m³	STEL: 72 mg/m³ 15 percekben. CK TWA: 36 mg/m³ 8 órában. AK	STEL: 20 ppm STEL: 72 mg/m³ TWA: 10 ppm 8 klukkustundum. TWA: 36 mg/m³ 8 klukkustundum. Skin notation
Component	Latvia	Lithuania	Luxembourg	Malta	Romania
Component Morpholine	STEL: 20 ppm STEL: 72 mg/m³ TWA: 10 ppm TWA: 36 mg/m³	TWA: 10 ppm IPRD TWA: 36 mg/m³ IPRD STEL: 20 ppm STEL: 72 mg/m³	TWA: 10 ppm 8 Stunden TWA: 36 mg/m³ 8 Stunden STEL: 20 ppm 15 Minuten STEL: 72 mg/m³ 15 Minuten	TWA: 10 ppm TWA: 36 mg/m³ STEL: 20 ppm 15 minuti STEL: 72 mg/m³ 15 minuti	TWA: 10 ppm 8 ore TWA: 36 mg/m³ 8 ore STEL: 20 ppm 15 minute STEL: 72 mg/m³ 15 minute
Morpholine	Russia TWA: 0.5 mg/m³ 1932 Skin notation MAC: 1.5 mg/m³	Slovak Republic Ceiling: 72 mg/m³ TWA: 10 ppm TWA: 36 mg/m³	Slovenia TWA: 10 ppm 8 urah TWA: 36 mg/m³ 8 urah Koža STEL: 20 ppm 15 minutah STEL: 72 mg/m³ 15 minutah	Sweden Binding STEL: 20 ppm 15 minuter Binding STEL: 72 mg/m³ 15 minuter TLV: 10 ppm 8 timmar. NGV TLV: 35 mg/m³ 8 timmar. NGV	Turkey TWA: 10 ppm 8 saat TWA: 36 mg/m³ 8 saat STEL: 20 ppm 15 dakika STEL: 72 mg/m³ 15 dakika

Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Monitoring methods

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.

MDHS70 General methods for sampling airborne gases and vapours

MDHS 88 Volatile organic compounds in air. Laboratory method using diffusive samplers, solvent desorption and gas chromatography

MDHS 96 Volatile organic compounds in air - Laboratory method using pumped solid sorbent tubes, solvent desorption and gas chromatography

Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

See table for values

Component	Acute effects local (Dermal)	Acute effects systemic (Dermal)	Chronic effects local (Dermal)	Chronic effects systemic (Dermal)
Morpholine 110-91-8 (>95)				DNEL = 1.04mg/kg bw/day

Component	Acute effects local (Inhalation)	Acute effects systemic (Inhalation)	Chronic effects local (Inhalation)	Chronic effects systemic (Inhalation)
Morpholine 110-91-8 (>95)	DNEL = 72mg/m ³		DNEL = 36mg/m ³	DNEL = 91mg/m ³

Predicted No Effect Concentration (PNEC)

See values below.

ſ	Component	Fresh water	Fresh water	Water Intermittent	Microorganisms in	Soil (Agriculture)
			sediment		sewage treatment	
Ī	Morpholine	PNEC = 0.163mg/L	PNEC = 1.83 mg/kg	PNEC = 0.09mg/L	PNEC = 10mg/L	PNEC =
-	110-91-8 (>95)		sediment dw	-	-	0.269mg/kg soil dw

Component	Marine water	Marine water sediment	Marine water Intermittent	Food chain	Air
Morpholine	PNEC =	PNEC =			
110-91-8 (>95)	0.0163mg/L	0.183mg/kg			
		sediment dw			

8.2. Exposure controls

Engineering Measures

Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location. Use explosion-proof electrical/ventilating/lighting/equipment. Ensure adequate ventilation, especially in confined areas.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

Eye Protection Goggles (European standard - EN 166)

Hand Protection Protective gloves

Glove material Breakthrough time Glove thickness EU standard Glove comments

Nitrile rubber See manufacturers - EN 374 (minimum requirement)

Neoprene recommendations

Natural rubber

PVC

Skin and body protection

Impervious clothing. Chemical resistant apron. Boots. Impervious gloves.

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. gloves with care avoiding skin contamination.

Respiratory Protection When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators.

To protect the wearer, respiratory protective equipment must be the correct fit and be used

and maintained properly

Large scale/emergency use Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits

are exceeded or if irritation or other symptoms are experienced

Recommended Filter type: Organic gases and vapours filter Type A Brown conforming to

EN14387

Small scale/Laboratory use Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure

limits are exceeded or if irritation or other symptoms are experienced.

Recommended half mask:- Valve filtering: EN405; or; Half mask: EN140; plus filter, EN

141

When RPE is used a face piece Fit Test should be conducted

Environmental exposure controls No information available.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical State Liquid

Appearance Colorless

Odor Amine compounds
Odor Threshold No data available
Melting Point/Range -5 °C / 23 °F
Softening Point No data available

Boiling Point/Range 126 - 130 °C / 258.8 - 266 °F @ 760 mmHg
Flammability (liquid) Flammable On basis of test data

Flammability (solid,gas) Not applicable Liquid

Explosion Limits Lower 2 vol% Upper 11.2 vol%

Flash Point 32 °C / 89.6 °F Method - No information available

Autoignition Temperature

Decomposition Temperature
pH

Viscosity

255 °C / 491 °F
No data available
No information available
2.23 cP at 20°C

Viscosity 2.23 cP at 20°C Water Solubility Soluble

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

Component log Pow Morpholine -0.84

Vapor Pressure 11 mbar @ 20 °C

Density / Specific Gravity 0.990

Bulk Density Not applicable Liquid

Morpholine Revision Date 21-Sep-2023

Vapor Density 3.0 (Air = 1.0) (Air = 1.0)

Particle characteristics Not applicable (liquid)

9.2. Other information

Molecular Formula C4 H9 N O Molecular Weight 87.12

Explosive Properties explosive air/vapour mixtures possible

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

None known, based on information available

10.2. Chemical stability

Hygroscopic.

10.3. Possibility of hazardous reactions

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous Reactions None under normal processing.

10.4. Conditions to avoid

Incompatible products. Excess heat. Keep away from open flames, hot surfaces and sources of ignition. Exposure to moist air or water. Exposure to air or moisture over

prolonged periods.

10.5. Incompatible materials

Strong oxidizing agents.

10.6. Hazardous decomposition products

Carbon monoxide (CO). Carbon dioxide (CO2). Nitrogen oxides (NOx). Thermal

decomposition can lead to release of irritating gases and vapors.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Product Information

(a) acute toxicity;

OralCategory 4DermalCategory 3InhalationCategory 3

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Morpholine	1050 mg/kg (Rat)	310 mg/kg (Rabbit)	LC50 > 8000 ppm (Rat) 8 h
	1900 mg/kg (Rat)	500 mg/kg (Rabbit)	

(b) skin corrosion/irritation; Category 1 B

(c) serious eye damage/irritation; Category 1

(d) respiratory or skin sensitization;

Morpholine Revision Date 21-Sep-2023

Based on available data, the classification criteria are not met Respiratory Based on available data, the classification criteria are not met Skin

(e) germ cell mutagenicity; Based on available data, the classification criteria are not met

(f) carcinogenicity; Based on available data, the classification criteria are not met

There are no known carcinogenic chemicals in this product

(g) reproductive toxicity; Category 2

Based on available data, the classification criteria are not met (h) STOT-single exposure;

Based on available data, the classification criteria are not met (i) STOT-repeated exposure;

Target Organs None known.

Based on available data, the classification criteria are not met (j) aspiration hazard;

delayed

Symptoms / effects, both acute and Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation.

11.2. Information on other hazards

Endocrine Disrupting Properties

Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity effects Do not empty into drains. .

Component	Freshwater Fish	Water Flea	Freshwater Algae
Morpholine	LC50: > 1000 mg/L, 96h static (Brachydanio rerio) LC50: 375 - 460 mg/L, 96h (Oncorhynchus mykiss) LC50: = 350 mg/L, 96h static (Lepomis macrochirus)		EC50: = 28 mg/L, 96h static (Pseudokirchneriella subcapitata)

Component	Microtox	M-Factor
Morpholine	EC50 = 57.0 mg/L 30 min	

12.2. Persistence and degradability Readily biodegradable

Persistence

Persistence is unlikely.

12.3. Bioaccumulative potential Bioaccumulation is unlikely

Component	log Pow	Bioconcentration factor (BCF)		
Morpholine	-0.84	0.3 - 2.8 dimensionless		

12.4. Mobility in soil

The product is water soluble, and may spread in water systems . Will likely be mobile in the

environment due to its water solubility. Highly mobile in soils

12.5. Results of PBT and vPvB

assessment

Substance is not considered persistent, bioaccumulative and toxic (PBT) / very persistent

and very bioaccumulative (vPvB).

12.6. Endocrine disrupting

properties

Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors

12.7. Other adverse effects

Persistent Organic Pollutant Ozone Depletion Potential This product does not contain any known or suspected substance This product does not contain any known or suspected substance

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues/Unused

Products

Waste is classified as hazardous. Dispose of in accordance with the European Directives

on waste and hazardous waste. Dispose of in accordance with local regulations.

Contaminated Packaging Dispose of this container to hazardous or special waste collection point. Empty containers

retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and

empty container away from heat and sources of ignition.

European Waste Catalogue (EWC) According to the European Waste Catalog, Waste Codes are not product specific, but

application specific.

Other Information Waste codes should be assigned by the user based on the application for which the product

was used. Do not flush to sewer. Can be landfilled or incinerated, when in compliance with local regulations. Do not empty into drains. Large amounts will affect pH and harm aquatic

organisms.

Switzerland - Waste Ordinance Disposal should be in accordance with applicable regional, national and local laws and

regulations. Ordinance on the Avoidance and the Disposal of Waste (Waste Ordinance,

ADWO) SR 814.600

https://www.fedlex.admin.ch/eli/cc/2015/891/en

SECTION 14: TRANSPORT INFORMATION

IMDG/IMO

14.1. UN number UN2054

14.2. UN proper shipping name MORPHOLINE

14.3. Transport hazard class(es)
Subsidiary Hazard Class

14.4. Packing group

I

ADR

<u>14.1. UN number</u> UN2054

14.2. UN proper shipping name MORPHOLINE

14.3. Transport hazard class(es) 8
Subsidiary Hazard Class 3
14.4. Packing group I

Morpholine

<u>IATA</u>

14.1. UN number UN2054

14.2. UN proper shipping name MORPHOLINE

14.3. Transport hazard class(es)8Subsidiary Hazard Class314.4. Packing groupI

14.5. Environmental hazards No hazards identified

14.6. Special precautions for user No special precautions required.

14.7. Maritime transport in bulk according to IMO instruments

Not applicable, packaged goods

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

L	Component	CAS No	EINECS	ELINCS	NLP	IECSC	TCSI	KECL	ENCS	ISHL
	Morpholine	110-91-8	203-815-1	-	-	Х	X	KE-33492	X	Х
Γ	Component	CAS No	TSCA	TSCA In	ventory	DSL	NDSL	AICS	NZIoC	PICCS

Component CAS No TSCA TSCA Inventory DSL NDSL AICS NZIOC PICCS notification - Active-Inactive

Morpholine 110-91-8 X ACTIVE X - X X X

Legend: X - Listed '-' - Not Listed

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

Authorisation/Restrictions according to EU REACH

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization		REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Morpholine	110-91-8	-	Use restricted. See item 75. (see link for restriction details)	-

REACH links

https://echa.europa.eu/substances-restricted-under-reach

Seveso III Directive (2012/18/EC)

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements
Morpholine	110-91-8	Not applicable	Not applicable

Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

ACR15868

Revision Date 21-Sep-2023

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)?

Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

Take note of Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values

Take note of Directive 94/33/EC on the protection of young people at work

Take note of Dir 92/85/EC on the protection of pregnant and breastfeeding women at work

National Regulations

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

WGK Classification See table for values

Component	Germany - Water Classification (AwSV)	Germany - TA-Luft Class		
Morpholine	WGK1	Class I: 20 mg/m³ (Massenkonzentration)		

Swiss Regulations

Article 4 para. 4 of the Ordinance on the protection of young people in the workplace (SR 822.115) and Article 1 lit. f of the EAER regulation on hazardous work and young people (SR 822.115.2).

Take note on Article 13 Maternity Ordinance (SR 822.111.52) with regards expectant and nursing mothers.

15.2. Chemical safety assessment

A Chemical Safety Assessment/Report (CSA/CSR) has not been conducted

SECTION 16: OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

H302 - Harmful if swallowed

H311 - Toxic in contact with skin

H331 - Toxic if inhaled

H314 - Causes severe skin burns and eye damage

H318 - Causes serious eye damage

H361fd - Suspected of damaging fertility. Suspected of damaging the unborn child

H226 - Flammable liquid and vapor

Legend

CAS - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances/EU List of Notified Chemical Substances

Substances List

PICCS - Philippines Inventory of Chemicals and Chemical Substances IECSC - Chinese Inventory of Existing Chemical Substances

ENCS - Japanese Existing and New Chemical Substances AICS - Australian Inventory of Chemical Substances

IARC - International Agency for Research on Cancer

KECL - Korean Existing and Evaluated Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

DNEL - Derived No Effect Level

RPE - Respiratory Protective Equipment

LC50 - Lethal Concentration 50% NOEC - No Observed Effect Concentration PBT - Persistent, Bioaccumulative, Toxic

EC50 - Effective Concentration 50% POW - Partition coefficient Octanol:Water

TWA - Time Weighted Average

LD50 - Lethal Dose 50%

vPvB - very Persistent, very Bioaccumulative

Predicted No Effect Concentration (PNEC)

Morpholine

Transport Association

ATE - Acute Toxicity Estimate

VOC - (volatile organic compound)

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

OECD - Organisation for Economic Co-operation and Development

BCF - Bioconcentration factor

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Key literature references and sources for data https://echa.europa.eu/information-on-chemicals

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Creation Date 06-Aug-2010 **Revision Date** 21-Sep-2023

SDS sections updated. **Revision Summary**

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006. COMMISSION REGULATION (EU) 2020/878 amending Annex II to Regulation (EC) No 1907/2006

For Switzerland - Compiled in accordance with the technical provisions referred to in Annex 2, Number 3, ChemO (SR 813.11 - Ordinance on Protection against Dangerous Substances and Preparations).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet

ACR15868

Revision Date 21-Sep-2023

ICAO/IATA - International Civil Aviation Organization/International Air

MARPOL - International Convention for the Prevention of Pollution from