

according to Regulation (EC) No. 1907/2006

Creation Date 03-Dec-2010 Revision Date 21-Sep-2023 **Revision Number** 13

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE **COMPANY/UNDERTAKING**

#### 1.1. Product identifier

**Product Description:** Phenol

149340000; 149340010; 149340050; 149340500; 149340051; 149340025 Cat No.:

Carbolic acid; Hydroxybenzene **Synonyms** 

604-001-00-2 **Index No** 108-95-2 **CAS No** EC No 203-632-7 C6 H6 O Molecular Formula

**REACH** registration number 01-2119471329-32

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Recommended Use** Laboratory chemicals.

SU3 - Industrial uses: Uses of substances as such or in preparations at industrial sites Sector of use

PC21 - Laboratory chemicals Product category

**Process categories** PROC15 - Use as a laboratory reagent

Environmental release category ERC6a - Industrial use resulting in manufacture of another substance (use of intermediates)

Uses advised against No Information available

### 1.3. Details of the supplier of the safety data sheet

Company

EU entity/business name

Thermo Fisher Scientific

Janssen Pharmaceuticalaan 3a, 2440 Geel, Belgium

UK entity/business name

Fisher Scientific UK Bishop Meadow Road,

Loughborough, Leicestershire LE11 5RG, United Kingdom

Swiss distributor - Fisher Scientific AG Neuhofstrasse 11, CH 4153 Reinach

Tel: +41 (0) 56 618 41 11

e-mail - infoch@thermofisher.com

E-mail address begel.sdsdesk@thermofisher.com

1.4. Emergency telephone number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number US:001-201-796-7100 / Europe: +32 14 57 52 99 CHEMTREC Tel. No.US:001-800-424-9300 / Europe:001-703-527-3887

customers in Switzerland:

Tox Info Suisse Emergency Number: 145 (24hr)

Tox Info Suisse: +41-44 251 51 51 (Emergency number from abroad)

Chemtrec (24h) Toll-Free: 0800 564 402 Chemtrec Local: +41-43 508 20 11 (Zurich)

Revision Date 21-Sep-2023

### **SECTION 2: HAZARDS IDENTIFICATION**

#### 2.1. Classification of the substance or mixture

#### CLP Classification - Regulation (EC) No 1272/2008

### **Physical hazards**

Based on available data, the classification criteria are not met

#### **Health hazards**

Acute oral toxicity

Acute dermal toxicity

Acute Inhalation Toxicity - Dusts and Mists

Skin Corrosion/Irritation

Germ Cell Mutagenicity

Specific target organ toxicity - (repeated exposure)

Category 3 (H301)

Category 3 (H331)

Category 3 (H331)

Category 1 B (H314)

Category 2 (H341)

Category 2 (H373)

#### **Environmental hazards**

Chronic aquatic toxicity Category 2 (H411)

Full text of Hazard Statements: see section 16

#### 2.2. Label elements



Signal Word

#### Danger

#### **Hazard Statements**

H301 + H311 + H331 - Toxic if swallowed, in contact with skin or if inhaled

H314 - Causes severe skin burns and eye damage

H341 - Suspected of causing genetic defects

H373 - May cause damage to organs through prolonged or repeated exposure

H411 - Toxic to aquatic life with long lasting effects

#### **Precautionary Statements**

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting

P302 + P350 - IF ON SKIN: Gently wash with plenty of soap and water

P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor/physician

#### 2.3. Other hazards

Substance is not considered persistent, bioaccumulative and toxic (PBT) / very persistent and very bioaccumulative (vPvB)

Combustible material

Toxicity to Soil Dwelling Organisms

Toxic to terrestrial vertebrates

This product does not contain any known or suspected endocrine disruptors

### **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

#### 3.1. Substances

Component	CAS No	EC No	Weight %	CLP Classification - Regulation (EC) No 1272/2008
Phenol	108-95-2	203-632-7	>95	Acute Tox. 3 (H301)
				Acute Tox. 3 (H311) Acute Tox. 3 (H331)
				Skin Corr. 1B (H314)
				Eye Dam. 1 (H318) <sup>′</sup>
				Muta. 2 (H341)
				STOT RE 2 (H373)
				Aquatic Chronic 2 (H411)

Component	Specific concentration limits (SCL's)	M-Factor	Component notes
Phenol	Eye Irrit. 2 (H319) :: 1%<=C<3% Skin Corr. 1B (H314) :: C>=3%	-	-
	Skin Irrit. 2 (H315) :: 1%<=C<3%		

REACH registration number 01-2119471329-32
--

Full text of Hazard Statements: see section 16

### **SECTION 4: FIRST AID MEASURES**

### 4.1. Description of first aid measures

General Advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

Eye Contact In the case of contact with eyes, rinse immediately with plenty of water and seek medical

advice. Rinse immediately with plenty of water, also under the eyelids, for at least 15

minutes.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Immediate medical

attention is required.

**Ingestion** Do NOT induce vomiting. Call a physician or poison control center immediately.

**Inhalation** Remove to fresh air. If not breathing, give artificial respiration. Do not use mouth-to-mouth

method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.

Immediate medical attention is required.

Self-Protection of the First Aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination.

### 4.2. Most important symptoms and effects, both acute and delayed

Causes burns by all exposure routes. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: May cause central nervous system depression

#### 4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician

Treat symptomatically.

### **SECTION 5: FIREFIGHTING MEASURES**

### 5.1. Extinguishing media

### Suitable Extinguishing Media

Water mist may be used to cool closed containers. CO<sub>2</sub>, dry chemical, dry sand, alcohol-resistant foam.

### Extinguishing media which must not be used for safety reasons

No information available.

### 5.2. Special hazards arising from the substance or mixture

The product causes burns of eyes, skin and mucous membranes.

#### **Hazardous Combustion Products**

Carbon monoxide (CO), Carbon dioxide (CO2).

### 5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment as required. Evacuate personnel to safe areas. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid dust formation.

#### 6.2. Environmental precautions

Should not be released into the environment.

#### 6.3. Methods and material for containment and cleaning up

Sweep up and shovel into suitable containers for disposal. Avoid dust formation.

### 6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

### **SECTION 7: HANDLING AND STORAGE**

### 7.1. Precautions for safe handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not ingest. If swallowed then seek immediate medical assistance. Do not breathe (dust, vapor, mist, gas). Avoid dust formation.

### **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

#### 7.2. Conditions for safe storage, including any incompatibilities

Store under an inert atmosphere. Protect from moisture. Protect from light. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame. Corrosives area.

Technical Rules for Hazardous Substances (TRGS) 510 Storage Class (LGK) (Germany)

Storage Class/LGK 6.1C

Switzerland - Storage of hazardous substances

Storage class - SC 6.1 https://www.kvu.ch/de/themen/stoffe-und-produkte https://www.kvu.ch/fr/themes/substances-et-produits https://www.kvu.ch/it/temi/sostanze-e-prodotti

Revision Date 21-Sep-2023

#### 7.3. Specific end use(s)

Use in laboratories

### **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### 8.1. Control parameters

### **Exposure limits**

List source(s): **EU** - Commission Directive (EU) 2019/1831 of 24 October 2019 establishing a fifth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC and amending Commission Directive 2000/39/EC **UK** - EH40/2005 Work Exposure Limits, Forth edition. Published 2020. **IRE** - 2010 Code of Practice for the Safety, Health and Welfare at Work (Chemical Agents) Regulations 2001. Published by the Health and Safety Authority. **CH** - The Government of Switzerland has set a directive on limit values for working materials (Grenzwerte am Arbeitsplatz) which is based on the Swiss Federal Regulation "Verordnung über die Verhütung von Unfällen und Berufskrankheiten". This directive is administered, periodically revised and enforced by SUVA (Swiss National Accident Insurance Fund).

Component	European Union	The United Kingdom	France	Belgium	Spain
Phenol	TWA: 2 ppm (8h)	STEL: 4 ppm 15 min	TWA / VME: 2 ppm (8	TWA: 2 ppm 8 uren	STEL / VLA-EC: 4 ppm
	TWA: 8 mg/m³ (8h)	STEL: 16 mg/m <sup>3</sup> 15 min	heures). restrictive limit	TWA: 8 mg/m <sup>3</sup> 8 uren	(15 minutos).
	STEL: 4 ppm (15min)	TWA: 2 ppm 8 hr	TWA / VME: 7.8 mg/m <sup>3</sup>	STEL: 4 ppm 15	STEL / VLA-EC: 16
	STEL: 16 mg/m <sup>3</sup>	TWA: 7.8 mg/m <sup>3</sup> 8 hr	(8 heures). restrictive	minuten	mg/m³ (15 minutos).
	(15min)	Skin	limit	STEL: 16 mg/m <sup>3</sup> 15	TWA / VLA-ED: 2 ppm
	Skin		STEL / VLCT: 4 ppm.	minuten	(8 horas)
			restrictive limit	Huid	TWA / VLA-ED: 8 mg/m <sup>3</sup>
			STEL / VLCT: 15.6		(8 horas)
			mg/m <sup>3</sup> . restrictive limit		Piel
			Peau		

Component	Italy	Germany	Portugal	The Netherlands	Finland
Phenol	TWA: 2 ppm 8 ore. Time	TWA: 2 ppm (8	STEL: 4 ppm 15	huid	TWA: 2 ppm 8 tunteina
	Weighted Average	Stunden). AGW -	minutos	TWA: 8 mg/m <sup>3</sup> 8 uren	TWA: 8 mg/m <sup>3</sup> 8
	TWA: 8.0 mg/m <sup>3</sup> 8 ore.	exposure factor 2	STEL: 16 mg/m <sup>3</sup> 15	_	tunteina
	Time Weighted Average	TWA: 8 mg/m <sup>3</sup> (8	minutos		STEL: 4 ppm 15
	STEL: 4 ppm 15 minuti.	Stunden). AGW -	TWA: 2 ppm 8 horas		minuutteina
	Short-term	exposure factor 2	TWA: 8 mg/m <sup>3</sup> 8 horas		STEL: 16 mg/m <sup>3</sup> 15
	STEL: 16 mg/m <sup>3</sup> 15	Haut	Pele		minuutteina
	minuti. Short-term				lho
	Pelle				

\_\_\_\_\_

#### **Phenol**

Norway Component Austria Denmark Switzerland Poland Phenol Haut TWA: 1 ppm 8 timer Haut/Peau STEL: 16 mg/m3 15 TWA: 1 ppm 8 timer TWA: 4 mg/m<sup>3</sup> 8 timer STEL: 5 ppm 15 minutach TWA: 4 mg/m<sup>3</sup> 8 timer MAK-KZGW: 4 ppm 15 Minuten STEL: 16 mg/m<sup>3</sup> 15 Minuten TWA: 7.8 mg/m<sup>3</sup> 8 STEL: 3 ppm 15 MAK-KZGW: 16 mg/m<sup>3</sup> minutter STEL: 19 mg/m<sup>3</sup> 15 godzinach minutter. value from the STEL: 4 ppm 15 regulation 15 Minuten Minuten minutter TWA: 5 ppm 8 Stunden STEL: 12 mg/m<sup>3</sup> 15 MAK-TMW: 2 ppm 8 Hud TWA: 19 mg/m<sup>3</sup> 8 minutter. value from the Stunden MAK-TMW: 8 mg/m<sup>3</sup> 8 Stunden regulation Hud Stunden

Component	Bulgaria	Croatia	Ireland	Cyprus	Czech Republic
Phenol	TWA: 2 ppm	kože	TWA: 2 ppm 8 hr.	Skin-potential for	TWA: 7.5 mg/m <sup>3</sup> 8
	TWA: 8 mg/m <sup>3</sup>	TWA-GVI: 2 ppm 8	TWA: 8 mg/m <sup>3</sup> 8 hr.	cutaneous absorption	hodinách.
	STEL: 4 ppm	satima.	STEL: 4 ppm 15 min	STEL: 16 mg/m <sup>3</sup>	Potential for cutaneous
	STEL: 16 mg/m <sup>3</sup>	TWA-GVI: 8 mg/m <sup>3</sup> 8	STEL: 16 mg/m <sup>3</sup> 15 min	STEL: 4 ppm	absorption
	Skin notation	satima.	Skin	TWA: 8 mg/m <sup>3</sup>	Ceiling: 15 mg/m <sup>3</sup>
		STEL-KGVI: 4 ppm 15		TWA: 2 ppm	
		minutama.			
		STEL-KGVI: 16 mg/m <sup>3</sup>			
		15 minutama.			

Component	Estonia	Gibraltar	Greece	Hungary	Iceland
Phenol	Nahk	Skin notation	skin - potential for	STEL: 16 mg/m <sup>3</sup> 15	TWA: 1 ppm 8
	TWA: 2 ppm 8 tundides.	TWA: 2 ppm 8 hr	cutaneous absorption	percekben. CK	klukkustundum.
	TWA: 8 mg/m <sup>3</sup> 8	TWA: 8 mg/m <sup>3</sup> 8 hr	STEL: 4 ppm	TWA: 8 mg/m <sup>3</sup> 8	TWA: 4 mg/m <sup>3</sup> 8
	tundides.	STEL: 16 mg/m3 15 min	STEL: 16 mg/m <sup>3</sup>	órában. AK	klukkustundum.
	STEL: 16 mg/m <sup>3</sup> 15	STEL: 4 ppm 15 min	TWA: 2 ppm	lehetséges borön	Skin notation
	minutites.		TWA: 8 mg/m <sup>3</sup>	keresztüli felszívódás	Ceiling: 2 ppm
	STEL: 4 ppm 15				Ceiling: 8 mg/m <sup>3</sup>
	minutites.				

Component	Latvia	Lithuania	Luxembourg	Malta	Romania
Phenol	skin - potential for	TWA: 2 ppm IPRD	Possibility of significant	possibility of significant	Skin notation
	cutaneous exposure	TWA: 8 mg/m³ IPRD	uptake through the skin	uptake through the skin	TWA: 2 ppm 8 ore
	STEL: 4 ppm	Oda	TWA: 2 ppm 8 Stunden	TWA: 2 ppm	TWA: 8 mg/m <sup>3</sup> 8 ore
	STEL: 16 mg/m <sup>3</sup>	STEL: 4 ppm	TWA: 8 mg/m <sup>3</sup> 8	TWA: 8 mg/m <sup>3</sup>	STEL: 4 ppm 15 minute
	TWA: 2 ppm	STEL: 16 mg/m <sup>3</sup>	Stunden	STEL: 16 mg/m <sup>3</sup> 15	STEL: 16 mg/m <sup>3</sup> 15
	TWA: 8 mg/m <sup>3</sup>		STEL: 16 mg/m <sup>3</sup> 15	minuti	minute
			Minuten	STEL: 4 ppm 15 minuti	
			STEL: 4 ppm 15		
			Minuten		

Component	Russia	Slovak Republic	Slovenia	Sweden	Turkey
Phenol	TWA: 0.3 mg/m <sup>3</sup> 0539	Ceiling: 16 mg/m <sup>3</sup>	TWA: 2 ppm 8 urah	Binding STEL: 4 ppm 15	Deri
	Skin notation	Potential for cutaneous	TWA: 8 mg/m <sup>3</sup> 8 urah	minuter	TWA: 2 ppm 8 saat
	MAC: 1 mg/m <sup>3</sup>	absorption	Koža	Binding STEL: 16	TWA: 8 mg/m <sup>3</sup> 8 saat
		TWA: 2 ppm	STEL: 4 ppm 15	mg/m³ 15 minuter	STEL: 4 ppm 15 dakika
		TWA: 8 mg/m <sup>3</sup>	minutah	TLV: 1 ppm 8 timmar.	STEL: 16 mg/m <sup>3</sup> 15
			STEL: 16 mg/m <sup>3</sup> 15	NGV	dakika
			minutah	TLV: 4 mg/m <sup>3</sup> 8 timmar.	
				NGV	
				Hud	

### **Biological limit values**

List source(s):

Component	European Union	United Kingdom	France	Spain	Germany
Phenol	Phenol: 120 mg/g urine		Total Phenol: 250 mg/g	: 120 mg/g Creatinine	Phenol (after
	(end of shift after		creatinine urine end of	urine end of shift	hydrolysis): 120 mg/g
	hydrolysis; measured as		shift		Creatinine urine (end of
	mg/g Creatinine)				shift )

	Component	Italy	Finland	Denmark	Bulgaria	Romania
I	Phenol		Total phenol: 1.3		Phenol: 200 µg/L urine	total Phenol: 120 mg/g
			mmol/L urine after the		at the end of exposure	Creatinine urine end of
			shift.		or end of work shift	shift

ACR14934

Revision Date 21-Sep-2023

Phenol Revision Date 21-Sep-2023

Component	Gibraltar	Latvia	Slovak Republic	Luxembourg	Turkey
Phenol			Phenol: 200 mg/L urine		
			end of exposure or work		
			shift		

#### **Monitoring methods**

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.

MDHS14/3 General methods for sampling and gravimetric analysis of respirable and inhalable dust MDHS70 General methods for sampling airborne gases and vapours

### Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

See table for values

Component	Acute effects local (Dermal)	Acute effects systemic (Dermal)	Chronic effects local (Dermal)	Chronic effects systemic (Dermal)	
Phenol 108-95-2 ( >95 )				DNEL = 1.23mg/kg bw/day	

Component	Acute effects local (Inhalation)	Acute effects systemic (Inhalation)	Chronic effects local (Inhalation)	Chronic effects systemic (Inhalation)	
Phenol 108-95-2 ( >95 )	DNEL = 16mg/m <sup>3</sup>			DNEL = 8mg/m <sup>3</sup>	

### **Predicted No Effect Concentration (PNEC)**

See values below.

Γ	Component	Fresh water	Fresh water	Water Intermittent	Microorganisms in	Soil (Agriculture)
L			sediment		sewage treatment	
ſ	Phenol	PNEC =	PNEC =	PNEC = 0.031mg/L	9	PNEC =
1	108-95-2 ( >95 )	0.0077mg/L	0.0915mg/kg			0.136mg/kg soil dw
L			sediment dw			

Component	Marine water	Marine water sediment	Marine water Intermittent	Food chain	Air
Phenol	PNEC =	PNEC =			
108-95-2 (>95)	0.00077mg/L	0.00915mg/kg			
		sediment dw			

### 8.2. Exposure controls

### **Engineering Measures**

Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

### Personal protective equipment

**Eye Protection** Goggles (European standard - EN 166)

Hand Protection Protective gloves Butyl rubber Neoprene

١	Glove material	Breakthrough time	Glove thickness	EU standard	Glove comments	
	Natural rubber	See manufacturers	-		(minimum requirement)	

Phenol Revision Date 21-Sep-2023

Butyl rubber recommendations EN 374
Nitrile rubber
Neoprene
PVC
Neoprene gloves

Skin and body protection

Wear appropriate protective gloves and clothing to prevent skin exposure.

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. gloves with care avoiding skin contamination.

**Respiratory Protection** Effective dust mask Filter type A.

To protect the wearer, respiratory protective equipment must be the correct fit and be used

and maintained properly

Large scale/emergency use Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits

are exceeded or if irritation or other symptoms are experienced

Recommended Filter type: Particulates filter conforming to EN 143

Small scale/Laboratory use Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure

limits are exceeded or if irritation or other symptoms are experienced.

Recommended half mask:- Valve filtering: EN405; or; Half mask: EN140; plus filter, EN

141; Particle filtering: EN149:2001

When RPE is used a face piece Fit Test should be conducted

**Environmental exposure controls** Prevent product from entering drains. Do not allow material to contaminate ground water

system. Local authorities should be advised if significant spillages cannot be contained.

### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

#### 9.1. Information on basic physical and chemical properties

Physical State Crystalline Solid

Appearance Colorless - Translucent White

**Odor** pungent

Odor Threshold No data available

Melting Point/Range 39 - 42 °C / 102.2 - 107.6 °F

Softening Point No data available Boiling Point/Range 182 °C / 359.6

Boiling Point/Range 182 °C / 359.6 °F @ 760 mmHg

Flammability (liquid) Not applicable Solid

Flammability (solid,gas) No information available

Explosion Limits Lower 1.3 Vol% Upper 9.5 Vol%

Flash Point 79 °C / 174.2 °F Method - No information available

Autoignition Temperature 605 °C / 1121 °F Decomposition Temperature No data available

**pH** 6 @ 20°C 10 g/L aq.sol

Viscosity 3.437 mPa.s (50°C)
Water Solubility Soluble

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

Component log Pow Phenol 1.47

Vapor Pressure 0.4 mbar @ 20 °C

Density / Specific Gravity 1.070

Bulk Density

No data available

Vapor Density Not applicable Solid

Phenol Revision Date 21-Sep-2023

Particle characteristics No data available

9.2. Other information

Molecular FormulaC6 H6 OMolecular Weight94.11

**Explosive Properties** explosive air/vapour mixtures possible

Evaporation Rate Not applicable - Solid

### **SECTION 10: STABILITY AND REACTIVITY**

10.1. Reactivity Yes

10.2. Chemical stability

Hygroscopic, Light sensitive.

10.3. Possibility of hazardous reactions

**Hazardous Polymerization Hazardous Reactions**No information available.
None under normal processing.

10.4. Conditions to avoid

Avoid dust formation. Incompatible products. Exposure to moisture. Exposure to light. Keep away from open flames, hot surfaces and sources of ignition. Exposure to moist air or

water.

10.5. Incompatible materials

Acids. Bases. Strong oxidizing agents. Halogens. Lead. Metals.

10.6. Hazardous decomposition products

Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>).

### **SECTION 11: TOXICOLOGICAL INFORMATION**

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### **Product Information**

(a) acute toxicity;

Oral Category 3
Dermal Category 3
Inhalation Category 3

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Phenol	Calc. ATE 60 mg/kg (Human	Calc. ATE 300 mg/kg (Human	Calc. ATE 0.5 mg/l (Human
	evidence)	evidence)	evidence)
	LD50 = 340 mg/kg (Rat)	LD50 = 660 mg/kg (Rat)	LC50 >900 mg/m <sup>3</sup> /8h (Rat)
	650 mg/kg (Rat; OECD 401)	850 - 1400 mg/kg (Rabbit)	

(b) skin corrosion/irritation; Category 1 B

(c) serious eye damage/irritation; Category 1

**Phenol** Revision Date 21-Sep-2023

(d) respiratory or skin sensitization;

Respiratory Skin

Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met

(e) germ cell mutagenicity; Category 2

Based on available data, the classification criteria are not met (f) carcinogenicity;

The table below indicates whether each agency has listed any ingredient as a carcinogen

(a) reproductive toxicity: **Reproductive Effects**  Based on available data, the classification criteria are not met

Experiments have shown reproductive toxicity effects on laboratory animals.

(h) STOT-single exposure; Based on available data, the classification criteria are not met

Category 2 (i) STOT-repeated exposure;

Central nervous system (CNS), Skin, Liver, Kidney. **Target Organs** 

Not applicable (j) aspiration hazard;

Solid

Tumorigenic effects have been reported in experimental animals. See actual entry in Other Adverse Effects

RTECS for complete information

delayed

Symptoms / effects, both acute and Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Ingestion causes

severe swelling, severe damage to the delicate tissue and danger of perforation. May cause

central nervous system depression.

### 11.2. Information on other hazards

**Endocrine Disrupting Properties** 

Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.

### **SECTION 12: ECOLOGICAL INFORMATION**

12.1. Toxicity

**Ecotoxicity effects** Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

Component	Freshwater Fish	Water Flea	Freshwater Algae
Phenol	4-7 mg/L LC50 96 h 32 mg/L LC50 96 h	EC50: 10.2 - 15.5 mg/L, 48h (Daphnia magna) EC50: 4.24 - 10.7 mg/L, 48h Static (Daphnia magna)	EC50: 187 - 279 mg/L, 72h static (Desmodesmus subspicatus) EC50: 0.0188 - 0.1044 mg/L, 96h static (Pseudokirchneriella subcapitata) EC50: = 46.42 mg/L, 96h
			(Pseudokirchneriella subcapitata)

Component	Microtox	M-Factor
Phenol	EC50 21 - 36 mg/L 30 min	

EC50 = 23.28 mg/L 5 min	
EC50 = 25.61 mg/L 15 min	
EC50 = 28.8  mg/L  5  min	
EC50 = 31.6 mg/L 15 min	

12.2. Persistence and degradability

Persistence Degradation in sewage

treatment plant

Soluble in water, Persistence is unlikely, based on information available.

Contains substances known to be hazardous to the environment or not degradable in waste

water treatment plants.

**12.3. Bioaccumulative potential** Bioaccumulation is unlikely

Component	log Pow	Bioconcentration factor (BCF)
Phenol	1.47	17.5

12.4. Mobility in soil

The product is water soluble, and may spread in water systems Will likely be mobile in the

environment due to its water solubility. Highly mobile in soils

12.5. Results of PBT and vPvB

assessment

Substance is not considered persistent, bioaccumulative and toxic (PBT) / very persistent

and very bioaccumulative (vPvB).

12.6. Endocrine disrupting

properties

**Endocrine Disruptor Information** 

This product does not contain any known or suspected endocrine disruptors

12.7. Other adverse effects

Persistent Organic Pollutant Ozone Depletion Potential This product does not contain any known or suspected substance This product does not contain any known or suspected substance

### **SECTION 13: DISPOSAL CONSIDERATIONS**

### 13.1. Waste treatment methods

Waste from Residues/Unused

**Products** 

Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.

**Contaminated Packaging** Dispose of this container to hazardous or special waste collection point.

European Waste Catalogue (EWC) According to the European Waste Catalog, Waste Codes are not product specific, but

application specific.

Other Information Do not flush to sewer. Waste codes should be assigned by the user based on the

application for which the product was used. Do not empty into drains. Large amounts will affect pH and harm aquatic organisms. Do not let this chemical enter the environment.

Switzerland - Waste Ordinance Disposal should be in accordance with applicable regional, national and local laws and

regulations. Ordinance on the Avoidance and the Disposal of Waste (Waste Ordinance,

ADWO) SR 814.600

https://www.fedlex.admin.ch/eli/cc/2015/891/en

### **SECTION 14: TRANSPORT INFORMATION**

IMDG/IMO

**14.1. UN number** UN1671

Phenol Revision Date 21-Sep-2023

14.2. UN proper shipping name PHENOL, SOLID

14.3. Transport hazard class(es) 6.1 14.4. Packing group II

ADR

**14.1. UN number** UN1671

14.2. UN proper shipping name PHENOL, SOLID

**14.3. Transport hazard class(es)** 6.1 **14.4. Packing group** II

<u>IATA</u>

**14.1. UN number** UN1671

14.2. UN proper shipping name PHENOL, SOLID

14.3. Transport hazard class(es) 6.1 14.4. Packing group II

<u>14.5. Environmental hazards</u> Dangerous for the environment

Product is a marine pollutant according to the criteria set by IMDG/IMO

**14.6. Special precautions for user** No special precautions required.

14.7. Maritime transport in bulk according to IMO instruments

Not applicable, packaged goods

### **SECTION 15: REGULATORY INFORMATION**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **International Inventories**

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

Phenol 108-95-2 203-632-7 X X KE-28209 X X	Component	CAS No	EINECS	ELINCS	NLP	IECSC	TCSI	KECL	ENCS	ISHL
	Phenol	108-95-2	203-632-7		-	Х	X	KE-28209	X	X

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	DSL	NDSL	AICS	NZIoC	PICCS
Phenol	108-95-2	Х	ACTIVE	X	-	X	X	Х

**Legend:** X - Listed '-' - Not Listed **KECL** - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

#### Authorisation/Restrictions according to EU REACH

	Component	CAS No	REACH (1907/2006) - Annex XIV - Substances	REACH (1907/2006) - Annex XVII - Restrictions	REACH Regulation (EC 1907/2006) article 59 -
			Subject to Authorization	on Certain Dangerous	Candidate List of
				Substances	Substances of Very High
Į					Concern (SVHC)
Ī	Phenol	108-95-2	-	Use restricted. See item	-
				75.	
				(see link for restriction	
Į				details)	

#### **REACH links**

https://echa.europa.eu/substances-restricted-under-reach

## **Phenol**

#### Seveso III Directive (2012/18/EC)

Component	CAS No	Seveso III Directive (2012/18/EC) - Seveso III Directive (2012/18/	
		Qualifying Quantities for Major Accident	Qualifying Quantities for Safety Report
		Notification	Requirements
Phenol	108-95-2	Not applicable	Not applicable

Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)?

Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at

Take note of Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values

#### **National Regulations**

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

**WGK Classification** See table for values

Component	Germany - Water Classification (AwSV)	Germany - TA-Luft Class	
Phenol	WGK2	Class I: 20 mg/m³ (Massenkonzentration)	

Component	France - INRS (Tables of occupational diseases)
Phenol	Tableaux des maladies professionnelles (TMP) - RG 14

#### **Swiss Regulations**

Article 4 para. 4 of the Ordinance on the protection of young people in the workplace (SR 822.115) and Article 1 lit. f of the EAER regulation on hazardous work and young people (SR 822.115.2).

Take note on Article 13 Maternity Ordinance (SR 822.111.52) with regards expectant and nursing mothers.

	Component	Switzerland - Ordinance on the Reduction of Risk from handling of hazardous substances preparation (SR 814.81)	Switzerland - Ordinance on Incentive Taxes on Volatile Organic Compounds (OVOC)	Switzerland - Ordinance of the Rotterdam Convention on the Prior Informed Consent Procedure
Phenol		Prohibited and Restricted		
	108-95-2 ( >95 ) Substances			

### 15.2. Chemical safety assessment

A Chemical Safety Assessment/Report (CSA/CSR) has not been conducted

### **SECTION 16: OTHER INFORMATION**

### Full text of H-Statements referred to under sections 2 and 3

H301 - Toxic if swallowed

H311 - Toxic in contact with skin

H314 - Causes severe skin burns and eye damage

H318 - Causes serious eye damage

H331 - Toxic if inhaled

H341 - Suspected of causing genetic defects

Revision Date 21-Sep-2023

H411 - Toxic to aquatic life with long lasting effects

#### Legend

CAS - Chemical Abstracts Service

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

Il DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

PICCS - Philippines Inventory of Chemicals and Chemical Substances

**ENCS** - Japanese Existing and New Chemical Substances **AICS** - Australian Inventory of Chemical Substances

**IECSC** - Chinese Inventory of Existing Chemical Substances **KECL** - Korean Existing and Evaluated Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

TWA - Time Weighted Average

LARC - International Agency for Res

**DNEL** - Derived No Effect Level

IARC - International Agency for Research on Cancer Predicted No Effect Concentration (PNEC)

RPE - Respiratory Protective Equipment LC50 - Lethal Concentration 50%

LD50 - Lethal Dose 50% EC50 - Effective Concentration 50%

**NOEC** - No Observed Effect Concentration **PBT** - Persistent, Bioaccumulative, Toxic

**POW** - Partition coefficient Octanol:Water **PVB** - very Persistent, very Bioaccumulative

**ADR** - European Agreement Concerning the International Carriage of Dangerous Goods by Road

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

MARPOL - International Convention for the Prevention of Pollution from Ships

**OECD** - Organisation for Economic Co-operation and Development

ATE - Acute Toxicity Estimate
VOC - (volatile organic compound)

**BCF** - Bioconcentration factor

Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

#### **Training Advice**

Chemical incident response training.

Creation Date03-Dec-2010Revision Date21-Sep-2023Revision SummaryNot applicable.

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006. COMMISSION REGULATION (EU) 2020/878 amending Annex II to Regulation (EC) No. 1907/2006

For Switzerland - Compiled in accordance with the technical provisions referred to in Annex 2, Number 3, ChemO (SR 813.11 - Ordinance on Protection against Dangerous Substances and Preparations).

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

## **End of Safety Data Sheet**