

# SAFETY DATA SHEET

Creation Date 27-January-2015 Revision Date 24-December-2021 **Revision Number** 5

1. Identification

**Product Name** Hyflo \*Super-Cel\* Filter Aid

H333-3 Cat No.:

Synonyms Infusorial earth

**Recommended Use** Laboratory chemicals.

Uses advised against Food, drug, pesticide or biocidal product use.

Details of the supplier of the safety data sheet

Company

Importer/Distributor

Fisher Scientific 112 Colonnade Road, Ottawa, ON K2E 7L6.

Canada

Tel: 1-800-234-7437

Manufacturer

Fisher Scientific Company One Reagent Lane Fair Lawn, NJ 07410

Tel: (201) 796-7100

**Emergency Telephone Number** CHEMTREC®, Inside the USA: 800-424-9300

CHEMTREC®, Outside the USA: 001-703-527-3887

## 2. Hazard(s) identification

Classification

WHMIS 2015 Classification Classified as hazardous under the Hazardous Products Regulations (SOR/2015-17)

Serious Eye Damage/Eye Irritation Category 2 Carcinogenicity Category 1A Specific target organ toxicity (single exposure) Category 3

Target Organs - Respiratory system.

Specific target organ toxicity - (repeated exposure) Category 1

Target Organs - Lungs.

Label Elements

Signal Word

Danger

**Hazard Statements** 

Causes serious eye irritation May cause respiratory irritation

May cause cancer

Causes damage to organs through prolonged or repeated exposure



### **Precautionary Statements**

#### Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Do not breathe dust/fumes/gas/mist/vapours/spray

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Use only outdoors or in a well-ventilated area

Wear protective gloves/protective clothing/eye protection/face protection

#### Response

IF INHALED: Remove person to fresh air and keep comfortable for breathing

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

IF exposed or concerned: Get medical advice/attention

### Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

### **Disposal**

Dispose of contents/container to an approved waste disposal plant

# 3. Composition/Information on Ingredients

| Component                          | CAS-No     | Weight % |
|------------------------------------|------------|----------|
| Kieselguhr, soda ash flux-calcined | 68855-54-9 | 56       |
| Silica, cristobalite               | 14464-46-1 | < 40     |
| Quartz                             | 14808-60-7 | < 4      |

## 4. First-aid measures

**General Advice** If symptoms persist, call a physician.

**Eye Contact**Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists,

call a physician.

**Inhalation** Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if

symptoms occur.

Ingestion Clean mouth with water and drink afterwards plenty of water. Get medical attention if

symptoms occur.

Most important symptoms/effects

Notes to Physician

None reasonably foreseeable.

Treat symptomatically

## 5. Fire-fighting measures

**Suitable Extinguishing Media**Substance is nonflammable; use agent most appropriate to extinguish surrounding fire.

No information available

Unsuitable Extinguishing Media No information available

Flash Point Not applicable

Method - No information available

**Autoignition Temperature** 

**Explosion Limits** 

Upper No data available
Lower No data available

Lower No data available
Sensitivity to Mechanical Impact No information available
Sensitivity to Static Discharge No information available

### **Specific Hazards Arising from the Chemical**

Non-combustible. None reasonably foreseeable.

#### **Hazardous Combustion Products**

None under normal use conditions.

### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

HealthFlammabilityInstabilityPhysical hazards200N/A

### Accidental release measures

Personal Precautions Use personal protective equipment as required. Ensure adequate ventilation. Avoid dust

formation.

**Environmental Precautions** Should not be released into the environment.

Methods for Containment and Clean Sweep up and shovel into suitable containers for disposal. Keep in suitable, closed

Jp containers for disposal.

## 7. Handling and storage

**Handling** Wear personal protective equipment/face protection. Ensure adequate ventilation. Avoid

dust formation. Avoid ingestion and inhalation. Do not get in eyes, on skin, or on clothing.

**Storage.** Keep containers tightly closed in a dry, cool and well-ventilated place. Incompatible

Materials. None known.

## 8. Exposure controls / personal protection

#### **Exposure Guidelines**

| Component                  | Alberta                         | British<br>Columbia                     | Ontario TWAEV                  | Quebec                         | ACGIH TLV                       | OSHA PEL                                 | NIOSH IDLH                 |
|----------------------------|---------------------------------|---|--------------------------------|--------------------------------|---------------------------------|--|----------------------------|
| O'll' a serie te le ell'te | TIMA 0.005                      | 0 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | TIM/A 0.05                     | T)4/4 0 05                     | T)4/4 0 005                     | () ( (  ) T) A ( A                       | IDLU 05/2                  |
| Silica, cristobalite       | TWA: 0.025<br>mg/m <sup>3</sup> | TWA: 0.025<br>mg/m <sup>3</sup>         | TWA: 0.05<br>mg/m <sup>3</sup> | TWA: 0.05<br>mg/m <sup>3</sup> | TWA: 0.025<br>mg/m <sup>3</sup> | (Vacated) TWA:<br>0.05 mg/m <sup>3</sup> | TWA: 0.05                  |
|                            |                                 |   |                                |                                |                                 | TWA: 50 μg/m <sup>3</sup>                | mg/m³                      |
| Quartz                     | TWA: 0.025                      | TWA: 0.025                              | TWA: 0.10                      | TWA: 0.1 mg/m <sup>3</sup>     | TWA: 0.025                      | (Vacated) TWA:                           | IDLH: 50 mg/m <sup>3</sup> |
|                            | mg/m³                           | mg/m³                                   | mg/m³                          |                                | mg/m³                           | 0.1 mg/m <sup>3</sup>                    | TWA: 0.05                  |
|                            |                                 |   |                                |                                | _                               | TWA: 50 µg/m <sup>3</sup>                | mg/m³                      |

#### Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH IDLH: NIOSH - National Institute for Occupational Safety and Health

#### **Engineering Measures**

Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

#### Personal protective equipment

Eye Protection Goggles

**Hand Protection** Wear appropriate protective gloves and clothing to prevent skin exposure.

| Glove material | Breakthrough time | Glove thickness | Glove comments         |
|----------------|-------------------|-----------------|------------------------|
| Natural rubber | See manufacturers | -               | Splash protection only |
| Nitrile rubber | recommendations   |                 |                        |
| Neoprene       |                   |                 |                        |
| PVC            |                   |                 |                        |

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. gloves with care avoiding skin contamination.

### **Respiratory Protection**

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly **Recommended Filter type:** Particulates filter conforming to EN 143

When RPE is used a face piece Fit Test should be conducted

## **Environmental exposure controls**

No information available.

## **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

## 9. Physical and chemical properties

Physical StateSolidAppearanceLight greyOdorOdorless

Odor Threshold No information available

**pH** 5 - 10

Melting Point/Range1710 °C / 3110 °FBoiling Point/Range2230 °C / 4046 °FFlash PointNot applicableEvaporation RateNot applicable

Flammability (solid,gas)

No information available

Flammability or explosive limits

Upper<br/>LowerNo data available<br/>No data availableVapor Pressure10 mmHg @ 1732 °CVapor DensityNot applicableSpecific Gravity1.9 - 2.35

Solubility Insoluble in water Partition coefficient; n-octanol/water No data available

### Hyflo \*Super-Cel\* Filter Aid

No information available

No information available

Not applicable

Autoignition Temperature Decomposition Temperature

Decomposition Temperature Viscosity

Molecular Formula Molecular Weight

## 10. Stability and reactivity

SiO2

60.0843

Reactive Hazard None known, based on information available

**Stability** Stable under normal conditions.

**Conditions to Avoid** Avoid dust formation.

Incompatible Materials None known

Hazardous Decomposition Products None under normal use conditions

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous Reactions None under normal processing.

# 11. Toxicological information

**Acute Toxicity** 

Product Information No acute toxicity information is available for this product

Oral LD50

Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg.

Dermal LD50

Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg.

Mist LC50

Based on ATE data, the classification criteria are not met. ATE > 5 mg/l.

**Component Information** 

| Component                          | LD50 Oral  | LD50 Dermal | LC50 Inhalation           |
|------------------------------------|------------|-------------|---------------------------|
| Kieselguhr, soda ash flux-calcined | Not listed | Not listed  | LC50 > 2.6 mg/L (Rat) 4 h |

Toxicologically Synergistic No information available

**Products** 

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation Irritating to eyes and respiratory system

Sensitization No information available

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Component            | CAS-No     | IARC       | NTP        | ACGIH      | OSHA       | Mexico     |
|----------------------|------------|------------|------------|------------|------------|------------|
| Kieselguhr, soda ash | 68855-54-9 | Not listed |
| flux-calcined        |            |            |            |            |            |            |
| Silica, cristobalite | 14464-46-1 | Group 1    | Known      | A2         | X          | A2         |
| Quartz               | 14808-60-7 | Group 1    | Known      | A2         | X          | A2         |

IARC (International Agency for Research on Cancer)

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2A - Probably Carcinogenic to Humans Group 2B - Possibly Carcinogenic to Humans

NTP: (National Toxicity Program)

NTP: (National Toxicity Program)

Known - Known Carcinogen

Reasonably Anticipated - Reasonably Anticipated to be a Human

Carcinogen

ACGIH: (American Conference of Governmental Industrial

Hygienists)

A1 - Known Human Carcinogen
A2 - Suspected Human Carcinogen

A3 - Animal Carcinogen

ACGIH: (American Conference of Governmental Industrial Hygienists)

Mutagenic Effects No information available

**Reproductive Effects**No information available.

**Developmental Effects**No information available.

**Teratogenicity** No information available.

STOT - single exposure Respiratory system

STOT - repeated exposure Lungs

Aspiration hazard No information available

Symptoms / effects,both acute and No information available

delayed

Endocrine Disruptor Information No information available

Other Adverse Effects The toxicological properties have not been fully investigated.

# 12. Ecological information

Ecotoxicity

.

Persistence and Degradability No information available

**Bioaccumulation/ Accumulation** No information available.

**Mobility** No information available.

## 13. Disposal considerations

**Waste Disposal Methods** 

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

## 14. Transport information

DOTNot regulatedTDGNot regulatedIATANot regulatedIMDG/IMONot regulated

## 15. Regulatory information

#### International Inventories

| Component                          | CAS-No     | DSL | NDSL | TSCA | TSCA Inventory<br>notification -<br>Active-Inactive | EINECS    | ELINCS | NLP |
|------------------------------------|------------|-----|------|------|---|-----------|--------|-----|
| Kieselguhr, soda ash flux-calcined | 68855-54-9 | X   | -    | X    | ACTIVE  | 272-489-0 | -      | ı   |
| Silica, cristobalite               | 14464-46-1 | X   | -    | X    | ACTIVE  | 238-455-4 | -      | ı   |
| Quartz                             | 14808-60-7 | X   | -    | X    | ACTIVE  | 238-878-4 | -      | ı   |

| Component                          | CAS-No     | IECSC | KECL     | ENCS | ISHL | TCSI | AICS | NZIoC | PICCS |
|------------------------------------|------------|-------|----------|------|------|------|------|-------|-------|
| Kieselguhr, soda ash flux-calcined | 68855-54-9 | Х     | KE-21796 | X    | X    | X    | Х    | X     | X     |
| Silica, cristobalite               | 14464-46-1 | Х     | KE-09017 | Х    | X    | X    | Х    | Х     | Х     |
| Quartz                             | 14808-60-7 | Х     | KE-29983 | X    | Х    | X    | Х    | X     | Х     |

Legend:

X - Listed '-' - Not Listed

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**IECSC** - Chinese Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**ENCS** - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

#### Canada

SDS in compliance with provisions of information as set out in Canadian Standard - Part 4, Schedule 1 and 2 of the Hazardous Products Regulations (HPR) and meets the requirements of the HPR (Paragraph 13(1)(a) of the Hazardous Products Act (HPA)).

| Component            | Canada - National Pollutant<br>Release Inventory (NPRI) | Canadian Environmental<br>Protection Agency (CEPA)<br>- List of Toxic Substances | Canada's Chemicals Management<br>Plan (CEPA) |
|----------------------|---|--|--|
| Silica, cristobalite |   |  | Subject to Monitoring and                    |
|                      |   |  | Surveillance Activities                      |
| Quartz               |   |  | Subject to Monitoring and                    |
|                      |   |  | Surveillance Activities                      |

#### Other International Regulations

### Authorisation/Restrictions according to EU REACH

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

| Component            | CAS-No     | OECD HPV | Persistent Organic<br>Pollutant | Ozone Depletion<br>Potential | Restriction of<br>Hazardous<br>Substances (RoHS) |
|----------------------|------------|----------|---------------------------------|------------------------------|--|
| Kieselguhr, soda ash | 68855-54-9 | Listed   | Not applicable                  | Not applicable               | Not applicable                                   |
| flux-calcined        |            |          |                                 |                              |  |
| Silica, cristobalite | 14464-46-1 | Listed   | Not applicable                  | Not applicable               | Not applicable                                   |
| Quartz               | 14808-60-7 | Listed   | Not applicable                  | Not applicable               | Not applicable                                   |

| Component                          | CAS-No     | Seveso III Directive<br>(2012/18/EC) -<br>Qualifying Quantities<br>for Major Accident<br>Notification | Seveso III Directive<br>(2012/18/EC) -<br>Qualifying Quantities<br>for Safety Report<br>Requirements | Rotterdam<br>Convention (PIC) | Basel Convention<br>(Hazardous Waste) |
|------------------------------------|------------|---|--|-------------------------------|---------------------------------------|
| Kieselguhr, soda ash flux-calcined | 68855-54-9 | Not applicable  | Not applicable   | Not applicable                | Not applicable                        |
| Silica, cristobalite               | 14464-46-1 | Not applicable  | Not applicable   | Not applicable                | Not applicable                        |
| Quartz                             | 14808-60-7 | Not applicable  | Not applicable   | Not applicable                | Not applicable                        |

### 16. Other information

Prepared By Regulatory Affairs

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com

Creation Date27-January-2015Revision Date24-December-2021Print Date24-December-2021

**Revision Summary**This document has been updated to comply with the requirements of WHMIS 2015 to align

with the Globally Harmonised System (GHS) for the Classification and Labelling of

Chemicals.

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the

date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**