

SAFETY DATA SHEET

Creation Date 30-Oct-2012 Revision Date 29-Mar-2024 Revision Number 5

1. Identification

Product Name Nickel(II) acetate tetrahydrate

Cat No. : A13026

CAS No 6018-89-9

Synonyms Acetic acid, nickel(II) salt

Recommended Use Laboratory chemicals.

Uses advised against Food, drug, pesticide or biocidal product use.

Details of the supplier of the safety data sheet

Company

Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street Ward Hill. MA 01835-8099

Tel: 800-343-0660 Fax: 800-322-4757

Emergency Telephone Number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute oral toxicity Category 4 Acute Inhalation Toxicity - Dusts and Mists Category 4 Respiratory Sensitization Category 1 Category 1 Skin Sensitization Germ Cell Mutagenicity Category 2 Carcinogenicity Category 1A Reproductive Toxicity Category 1B Specific target organ toxicity (single exposure) Category 3

Target Organs - Respiratory system.

Specific target organ toxicity - (repeated exposure) Category 1

Target Organs - Liver, Kidney.

Label Elements

Signal Word

Danger

Hazard Statements

May cause an allergic skin reaction

May cause allergy or asthma symptoms or breathing difficulties if inhaled

May cause respiratory irritation

Suspected of causing genetic defects

May cause cancer by inhalation

May damage the unborn child

Causes damage to organs through prolonged or repeated exposure

Harmful if swallowed or if inhaled



Precautionary Statements

Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Use only outdoors or in a well-ventilated area

In case of inadequate ventilation wear respiratory protection

Contaminated work clothing should not be allowed out of the workplace

Wear protective gloves

Do not breathe dust/fume/gas/mist/vapors/spray

Response

IF exposed or concerned: Get medical attention/advice

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician

Skin

IF ON SKIN: Wash with plenty of soap and water

If skin irritation or rash occurs: Get medical advice/attention

Wash contaminated clothing before reuse

Ingestion

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

Rinse mouth

Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Very toxic to aquatic life with long lasting effects

WARNING. Cancer and Reproductive Harm - https://www.p65warnings.ca.gov/.

3. Composition/Information on Ingredients

	Component	CAS No	Weight %
ı	Nickel(II) acetate tetrahydrate	6018-89-9	>95

Nickel(II) acetate	373-02-4	-

4. First-aid measures

General Advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

Eye Contact In the case of contact with eyes, rinse immediately with plenty of water and seek medical

advice.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Immediate medical

attention is required.

Inhalation Remove to fresh air. If breathing is difficult, give oxygen. Do not use mouth-to-mouth

method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.

Immediate medical attention is required.

Ingestion Do NOT induce vomiting. Call a physician or poison control center immediately.

Most important symptoms and

effects

May cause allergic skin reaction. May cause allergy or asthma symptoms or breathing difficulties if inhaled. . Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain,

muscle pain or flushing

Notes to Physician Treat symptomatically

5. Fire-fighting measures

Suitable Extinguishing Media Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.

Unsuitable Extinguishing Media No information available

Flash Point No information available Method - No information available

Autoignition Temperature

Explosion Limits

Upper

No data available

No information available

Lower No data available
Sensitivity to Mechanical Impact No information available
Sensitivity to Static Discharge No information available

Specific Hazards Arising from the Chemical

Do not allow run-off from fire-fighting to enter drains or water courses.

Hazardous Combustion Products

Burning produces obnoxious and toxic fumes. Carbon monoxide (CO). Carbon dioxide (CO2).

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

<u>NFPA</u>

HealthFlammabilityInstabilityPhysical hazards30N/A

6. Accidental release measures

Personal Precautions Ensure adequate ventilation. Use personal protective equipment as required. Keep people

away from and upwind of spill/leak. Evacuate personnel to safe areas. Avoid dust formation.

Nickel(II) acetate tetrahydrate

Environmental Precautions

Should not be released into the environment.

Methods for Containment and Clean Avoid dust formation. Sweep up and shovel into suitable containers for disposal.

	7. Handling and storage
Handling	Use only under a chemical fume hood. Wear personal protective equipment/face protection. Do not breathe (dust, vapor, mist, gas). Do not get in eyes, on skin, or on clothing. Avoid dust formation. Do not ingest. If swallowed then seek immediate medical assistance.

Keep containers tightly closed in a dry, cool and well-ventilated place. Incompatible

Materials. Strong oxidizing agents. Strong acids. Strong bases.

8. Exposure controls / personal protection

Exposure Guidelines

	Component	ACGIH TLV	OSHA PEL	NIOSH	Mexico OEL (TWA)
Ī	Nickel(II) acetate		(Vacated) TWA: 0.1 mg/m ³	IDLH: 10 mg/m ³	
L	tetrahydrate			TWA: 0.015 mg/m ³	
ſ	Nickel(II) acetate		(Vacated) TWA: 0.1 mg/m ³	IDLH: 10 mg/m ³	
1	, ,		,	TWA: 0.015 mg/m ³	

Legend

Storage.

OSHA - Occupational Safety and Health Administration

NIOSH: NIOSH - National Institute for Occupational Safety and Health

Engineering Measures Ensure adequate ventilation, especially in confined areas.

Personal Protective Equipment

Wear appropriate protective eyeglasses or chemical safety goggles as described by **Eye/face Protection**

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

Wear appropriate protective gloves and clothing to prevent skin exposure. Skin and body protection

Respiratory Protection Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard

> EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Particulates filter conforming to EN 143. Recommended Filter type:

Handle in accordance with good industrial hygiene and safety practice. **Hygiene Measures**

Physical and chemical properties

Physical State Powder Solid **Appearance** Greenish-blue Odorless Odor

No information available **Odor Threshold** No information available pН 250 °C / 482 °F **Melting Point/Range**

Boiling Point/Range No information available Flash Point No information available **Evaporation Rate** Not applicable

Flammability (solid,gas) No information available

Flammability or explosive limits

No data available Upper

Nickel(II) acetate tetrahydrate

Lower No data available **Vapor Pressure** No information available

Vapor Density Not applicable

No information available **Specific Gravity** Solubility Soluble in water

Partition coefficient; n-octanol/water No data available No information available **Autoignition Temperature**

> 80°C **Decomposition Temperature Viscosity** Not applicable

C4 H6 O4 Ni . 4 H2 O Molecular Formula

Molecular Weight 248.86

10. Stability and reactivity

Reactive Hazard No

Stable under normal conditions. Stability

Conditions to Avoid Incompatible products. Excess heat.

Incompatible Materials Strong oxidizing agents, Strong acids, Strong bases

Hazardous Decomposition Products Burning produces obnoxious and toxic fumes, Carbon monoxide (CO), Carbon dioxide

(CO₂)

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous Reactions None under normal processing.

11. Toxicological information

Acute Toxicity

Product Information

Component Information

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Nickel(II) acetate tetrahydrate	LD50 = 350 mg/kg (Rat)	Not listed	Not listed
Nickel(II) acetate	LD50 = 350 mg/kg (Rat)	Not listed	Not listed

Toxicologically Synergistic

No information available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation May cause skin, eye, and respiratory tract irritation

May cause sensitization by skin contact Sensitization

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

No ingredient of this product present at levels greater than or equal to 0.1% is identified as

a carcinogen or potential carcinogen by ACGIH.

	Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico
	Nickel(II) acetate tetrahydrate	6018-89-9	Group 1	Known	Not listed	Х	Not listed
ı	Nickel(II) acetate	373-02-4	Group 1	Known	Not listed	Χ	Not listed

IARC (International Agency for Research on Cancer)

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2A - Probably Carcinogenic to Humans Group 2B - Possibly Carcinogenic to Humans

Mutagenic Effects Mutagenic effects have occurred in humans.

Reproductive Effects Experiments have shown reproductive toxicity effects on laboratory animals.

Developmental Effects No information available.

Teratogenicity No information available.

STOT - single exposure Respiratory system

STOT - repeated exposure Liver Kidney

Aspiration hazard No information available

delayed

Symptoms / effects, both acute and Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling

of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing

Endocrine Disruptor Information No information available

Other Adverse Effects The toxicological properties have not been fully investigated. See actual entry in RTECS for

complete information.

12. Ecological information

Ecotoxicity

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The product contains following substances which are hazardous for the environment.

Freshwater Algae	Freshwater Fish	Microtox	Water Flea
1.68 mg/L 72h	Not listed	Not listed	Not listed
_			
Not listed	LC50: = 306.9 mg/L, 96h (Channa argus)	Not listed	Not listed
	1.68 mg/L 72h	1.68 mg/L 72h Not listed Not listed LC50: = 306.9 mg/L, 96h	1.68 mg/L 72h Not listed Not listed Not listed LC50: = 306.9 mg/L, 96h Not listed

Persistence and Degradability Soluble in water Persistence is unlikely based on information available.

Bioaccumulation/ Accumulation No information available.

Mobility Will likely be mobile in the environment due to its water solubility.

13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

14. Transport information

DOT

UN-No

Proper Shipping Name Environmentally hazardous substances, solid, n.o.s.

Nickel(II) acetate tetrahydrate **Technical Name**

Hazard Class Ш **Packing Group**

TDG

UN-No UN3077

Proper Shipping Name Environmentally hazardous substances, solid, n.o.s.

Hazard Class 9 Ш **Packing Group**

IATA

UN3077 **UN-No**

Proper Shipping Name Environmentally hazardous substances, solid, n.o.s.

Hazard Class Packing Group Ш

IMDG/IMO

UN-No UN3077

Proper Shipping Name Environmentally hazardous substances, solid, n.o.s.

Hazard Class 9
Packing Group

Regulatory information

United States of America Inventory

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Nickel(II) acetate tetrahydrate	6018-89-9	=	-	-
Nickel(II) acetate	373-02-4	X	ACTIVE	-

Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

TSCA - Per 40 CFR 751, Regulation of Certain Chemical Substances & Mixtures, Under TSCA Section 6(h) (PBT)

Not applicable

TSCA 12(b) - Notices of Export

Not applicable

International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Nickel(II) acetate tetrahydrate	6018-89-9	-	-	-	Х	-		Х	-	-
Nickel(II) acetate	373-02-4	Х	-	206-761-7	Χ	Χ	Χ	Х	Х	KE-25819

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Component	CAS No	Weight %	SARA 313 - Threshold Values %	SARA 313 - Reporting threasholds
Nickel(II) acetate tetrahydrate	6018-89-9	>95	0.1 %	-
Nickel(II) acetate	373-02-4	-	0.1 %	-

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

Component	CWA - Hazardous Substances	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants
Nickel(II) acetate tetrahydrate	-	-	Х	-
Nickel(II) acetate	-	-	X	-

Clean Air Act

01041171117101								
Component	HAPS Data	Class 1 Ozone Depletors	Class 2 Ozone Depletors					
Nickel(II) acetate tetrahydrate	X		-					

Nickel(II) acetate tetrahydrate

Nickel(II) acetate	X	-

OSHA - Occupational Safety and

Not applicable

Health Administration

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

California Proposition 65

This product contains the following Proposition 65 chemicals.

Component	CAS No	California Prop. 65	Prop 65 NSRL	Category
Nickel(II) acetate tetrahydrate	6018-89-9	Carcinogen Developmental Male Reproductive	-	Developmental Carcinogen
Nickel(II) acetate	373-02-4	Carcinogen Developmental Male Reproductive	-	Developmental Carcinogen

U.S. State Right-to-Know Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Nickel(II) acetate	-	X	X	X	X
tetrahydrate					
Nickel(II) acetate	X	X	X	X	X

U.S. Department of Transportation

Reportable Quantity (RQ): N
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

U.S. Department of Homeland

Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade No information available

Authorisation/Restrictions according to EU REACH

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Nickel(II) acetate tetrahydrate	6018-89-9	-	Use restricted. See item 27. (see link for restriction details)	-
Nickel(II) acetate	373-02-4	-	Use restricted. See item 28. (see link for restriction details) Use restricted. See item 30. (see link for restriction details) Use restricted. See item	-

75.
(see link for restriction details) Use restricted. See item 27.
(see link for restriction details)

REACH links

https://echa.europa.eu/substances-restricted-under-reach

Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Nickel(II) acetate tetrahydrate	6018-89-9	Not applicable	Not applicable	Not applicable	Not applicable
Nickel(II) acetate	373-02-4	Not applicable	Not applicable	Not applicable	Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

Other International Regulations

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Nickel(II) acetate tetrahydrate	6018-89-9	Not applicable	Not applicable	Not applicable	Not applicable
Nickel(II) acetate	373-02-4	Not applicable	Not applicable	Not applicable	Not applicable

1 /	Other i	nform	+100
16	UTHER	nrorma	ation

Prepared By Health, Safety and Environmental Department

Email: chem.techinfo@thermofisher.com

www.thermofisher.com

 Creation Date
 30-Oct-2012

 Revision Date
 29-Mar-2024

 Print Date
 29-Mar-2024

Revision Summary New emergency telephone response service provider.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS