

Page 1/9 Creation Date 21-May-2010 Revision Date 23-Mar-2025 Version 6

Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THECOMPANY/UNDERTAKING

Product Identifier

Perihalan Produk: Larutan Aluminium

Product Description: Aluminium solution 1000 ppm in ca. 1M nitric acid

**Cat No. :** J/8000/05, J/8000/08, J/8000/15

Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals.
Uses advised against No Information available

Company Thermo Fisher Scientific Fisher Scientific (M) Sdn Bhd

Hap Seng Business Park, Lot 01-03, 01-04 Aras 1 Unity Square, No 12, Persiaran Perusahaan, Seksyen 23, 40300 Shah Alam,

Selangor Darul Ehsan, Malaysia. Main line: +60 3-5525 7888

**Supplier** 

E-mail address Enquiry.my@thermofisher.com

Emergency Telephone Number Tel: +03-5525 7888

CHEMTREC Malaysia 1-800-815-308 (Malay)

CHEMTREC Malaysia (Kuala Lumpur) +(60)-327884561 (Malay)

# **SECTION 2: HAZARDS IDENTIFICATION**

# Classification of the substance or mixture

| Substances/mixtures corrosive to metal | Category 1 (H290)   |
|--|---------------------|
| Skin Corrosion/Irritation              | Category 1 B (H314) |
| Serious Eye Damage/Eye Irritation      | Category 1 (H318)   |

#### Label Elements



Signal Word Danger

**Hazard Statements** 

H290 - May be corrosive to metals

H314 - Causes severe skin burns and eye damage

Revision Date 23-Mar-2025

#### **Precautionary Statements**

#### Prevention

P234 - Keep only in original packaging

P264 - Wash face, hands and any exposed skin thoroughly after handling

P271 - Use only outdoors or in a well-ventilated area

P280 - Wear protective gloves/protective clothing/eye protection/face protection

#### Response

P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor

P390 - Absorb spillage to prevent material damage

P362 + P364 - Take off contaminated clothing and wash it before reuse

#### Storage

P402 - Store in a dry place

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

P406 - Store in corrosion resistant polypropylene container with a resistant inliner

P501 - Dispose of contents/ container to an approved waste disposal plant

#### Other Hazards

This product does not contain any known or suspected endocrine disruptors

# **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

| Component               | CAS No     | Weight % |
|-------------------------|------------|----------|
| Nitric acid% [C ≤ 70 %] | 7697-37-2  | 5 - 7    |
| Aluminum nitrate        | 13473-90-0 | < 1      |
| Water                   | 7732-18-5  | 93 - 95  |

# **SECTION 4: FIRST AID MEASURES**

Description of first aid measures

**Eye Contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Immediate medical attention is required.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. Immediate medical

attention is required.

Ingestion Do NOT induce vomiting. Call a physician or poison control center immediately.

Inhalation Remove to fresh air. Do not use mouth-to-mouth method if victim ingested or inhaled the

substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Immediate medical attention is required. If

not breathing, give artificial respiration.

Self-Protection of the First Aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination.

Most important symptoms and effects, both acute and delayed

Causes burns by all exposure routes. Ingestion causes severe swelling, severe damage to

#### Aluminium solution 1000 ppm in ca. 1M nitric acid

the delicate tissue and danger of perforation.

#### Indication of any immediate medical attention and special treatment needed

**Notes to Physician** 

Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure.

Revision Date 23-Mar-2025

# **SECTION 5: FIREFIGHTING MEASURES**

#### Extinguishing media

#### **Suitable Extinguishing Media**

Not combustible. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. CO 2, dry chemical, dry sand, alcohol-resistant foam.

### Extinguishing media which must not be used for safety reasons

No information available.

# Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors.

#### **Hazardous Combustion Products**

Nitrogen oxides (NOx).

#### Advice for fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# **SECTION 6: ACCIDENTAL RELEASE MEASURES**

# Personal Precautions, Protective Equipment and Emergency Procedures

Ensure adequate ventilation. Use personal protective equipment as required. Keep people away from and upwind of spill/leak. Evacuate personnel to safe areas.

#### **Environmental precautions**

Should not be released into the environment. See Section 12 for additional Ecological Information.

#### Methods and Material for Containment and Cleaning Up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

# Reference to Other Sections

Refer to protective measures listed in Sections 8 and 13.

# **SECTION 7: HANDLING AND STORAGE**

# Precautions for Safe Handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Do not breathe (dust, vapor, mist, gas). Do not ingest. If swallowed then seek immediate medical assistance.

#### Conditions for Safe Storage, Including any Incompatibilities

#### Aluminium solution 1000 ppm in ca. 1M nitric acid

Revision Date 23-Mar-2025

Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area. Do not store in metal containers.

#### Specific End Uses

Use in laboratories.

# **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### **Control Parameters**

| Component               | Malaysia | ACGIH TLV     | OSHA PEL                           |
|-------------------------|----------|---------------|------------------------------------|
| Nitric acid% [C ≤ 70 %] |          | TWA: 2 ppm    | (Vacated) TWA: 2 ppm               |
|                         |          | STEL: 4 ppm   | (Vacated) TWA: 5 mg/m <sup>3</sup> |
|                         |          |               | (Vacated) STEL: 4 ppm              |
|                         |          | (Vacated) STE |                                    |
|                         |          |               | TWA: 2 ppm                         |
|                         |          |               | TWA: 5 mg/m <sup>3</sup>           |

| Component               | European Union          | The United Kingdom | Germany                         |
|-------------------------|-------------------------|--------------------|---------------------------------|
| Nitric acid% [C ≤ 70 %] | STEL: 1 ppm (15min)     | STEL: 1 ppm 15 min | TWA: 1 ppm (8 Stunden). AGW -   |
|                         | STEL: 2.6 mg/m³ (15min) |                    | TWA: 2.6 mg/m³ (8 Stunden). AGW |
|                         |                         |                    | -                               |

# **Exposure Controls**

# **Engineering Measures**

Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

Eye Protection Goggles
Hand Protection Protective gloves

**Skin and body protection**Wear appropriate protective gloves and clothing to prevent skin exposure

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

**Respiratory Protection** When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators

Recommended Filter type: Particulates filter conforming to EN 143 or Acid gases filter Type E Yellow conforming to

EN14387

To protect the wearer, respiratory protective equipment must be the correct fit and be used

and maintained properly

When RPE is used a face piece Fit Test should be conducted

Handle in accordance with good industrial hygiene and safety practice

Environmental exposure controls No information available

FSUJ8000

Aluminium solution 1000 ppm in ca. 1M nitric acid

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES** 

Information on basic physical and chemical properties

Appearance Colorless
Physical State Liquid
Odor Odorless

Odor Threshold No data available

**pH** < 1

Melting Point/Range -10 °C / 14 °F Estimated

Softening Point No data available

Boiling Point/Range 100 °C / 212 °F Estimated

Flash Point No information available Method - No information available

**Evaporation Rate** No data available

Flammability (solid,gas) Not applicable Liquid

Explosion Limits No data available

Vapor Pressure
No data available

Vapor DensityNo data available(Air = 1.0)Specific Gravity / Density1.08EstimatedBulk DensityNot applicableLiquid

Water Solubility Miscible

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

Component log Pow Nitric acid ...%  $[C \le 70 \%]$  -2.3

Autoignition Temperature
Decomposition Temperature
Viscosity
No data available
No data available
No data available
No information available
No information available

**SECTION 10: STABILITY AND REACTIVITY** 

Reactivity

None known, based on information available.

**Chemical Stability** 

Stable under normal conditions.

Possibility of Hazardous Reactions

**Hazardous Polymerization** Hazardous polymerization does not occur.

Hazardous Reactions None under normal processing.

FSUJ8000

Revision Date 23-Mar-2025

Aluminium solution 1000 ppm in ca. 1M nitric acid

Conditions to Avoid

Incompatible products. Excess heat.

Incompatible Materials

Strong bases. Strong reducing agents. Metals.

**Hazardous Decomposition Products** 

Nitrogen oxides (NOx).

# **SECTION 11: TOXICOLOGICAL INFORMATION**

#### Information on Toxicological Effects

#### **Product Information**

(a) acute toxicity;

Oral Based on available data, the classification criteria are not met

DermalNo data availableInhalationNo data available

#### Toxicology data for the components

| Component               | LD50 Oral                                | LD50 Dermal | LC50 Inhalation           |
|-------------------------|--|-------------|---------------------------|
| Nitric acid% [C ≤ 70 %] | -  | -           | LC50 = 2500 ppm. (Rat) 1h |
| Aluminum nitrate        | 2060 mg/kg (Rat)<br>204 mg/kg (Al) (Rat) | -           | -                         |
| Water                   | -  | -           | -                         |

| Component               | ECHA (RAC) ATE (Oral) | ECHA (RAC) ATE (Dermal) | ECHA (RAC) ATE (Inhalation) |  |
|-------------------------|-----------------------|-------------------------|-----------------------------|--|
| Nitric acid% [C ≤ 70 %] | -                     | =                       | ATE = 2.65 mg/L (vapours)   |  |

(b) skin corrosion/irritation; Category 1 B

(c) serious eye damage/irritation; Category 1

(d) respiratory or skin sensitization;

**Respiratory Skin**No data available

No data available

(e) germ cell mutagenicity; No data available

(f) carcinogenicity; No data available

There are no known carcinogenic chemicals in this product

(g) reproductive toxicity; No data available

(h) STOT-single exposure; No data available

FSUJ8000

Revision Date 23-Mar-2025

Aluminium solution 1000 ppm in ca. 1M nitric acid

Revision Date 23-Mar-2025

(i) STOT-repeated exposure: No data available

**Target Organs** No information available.

(j) aspiration hazard; No data available

delayed

Symptoms / effects, both acute and Ingestion causes severe swelling, severe damage to the delicate tissue and danger of

perforation.

Assess endocrine disrupting properties for human health. This product does not contain any **Endocrine Disrupting Properties** 

known or suspected endocrine disruptors.

# SECTION 12: ECOLOGICAL INFORMATION

**Ecotoxicity effects** Do not empty into drains. Large amounts will affect pH and harm aquatic organisms.

Persistence and degradability

**Persistence** 

Soluble in water, Persistence is unlikely, based on information available, Miscible with

water.

Bioaccumulative potential Bioaccumulation is unlikely

| Component               | log Pow | Bioconcentration factor (BCF) |  |  |
|-------------------------|---------|-------------------------------|--|--|
| Nitric acid% [C ≤ 70 %] | -2.3    | No data available             |  |  |

**Mobility in soil** The product is water soluble, and may spread in water systems. . Will likely be mobile in

the environment due to its water solubility. Highly mobile in soils.

**Endocrine Disruptor Information** This product does not contain any known or suspected endocrine disruptors

No information available Other adverse effects

# **SECTION 13: DISPOSAL CONSIDERATIONS**

Waste treatment methods

Waste from Residues/Unused

**Products** 

Waste is classified as hazardous Dispose of in accordance with the European Directives on

waste and hazardous waste Dispose of in accordance with local regulations

**Contaminated Packaging** Empty containers should be taken to an approved waste handling site for recycling or

disposal Dispose of this container to hazardous or special waste collection point.

Other Information Waste codes should be assigned by the user based on the application for which the product

was used Do not empty into drains Do not flush to sewer Large amounts will affect pH and harm aquatic organisms Solutions with low pH-value must be neutralized before discharge

# **SECTION 14: TRANSPORT INFORMATION**

IMDG/IMO

**UN-No** UN2031 **Hazard Class** 8

Aluminium solution 1000 ppm in ca. 1M nitric acid

Packing Group

Proper Shipping Name NITRIC ACID

**Road and Rail Transport** 

UN-No UN2031 Hazard Class 8 Packing Group II

Proper Shipping Name NITRIC ACID

**IATA** 

UN-No UN2031 Hazard Class 8 Packing Group II

Proper Shipping Name NITRIC ACID

Special Precautions for User No special precautions required

# **SECTION 15: REGULATORY INFORMATION**

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories X = listed

| Component               | EINECS    | TSCA | DSL | PICCS | ENCS | ISHL | IECSC | AICS | KECL     |
|-------------------------|-----------|------|-----|-------|------|------|-------|------|----------|
| Nitric acid% [C ≤ 70 %] | 231-714-2 | X    | X   | Х     | Х    | X    | Χ     | Χ    | KE-25911 |
| Aluminum nitrate        | 236-751-8 | Х    | Х   | Х     | Х    | Х    | Х     | Χ    | KE-01007 |
| Water                   | 231-791-2 | Х    | Х   | Х     | Х    |      | Х     | Χ    | KE-35400 |

| Component               | Seveso III Directive<br>(2012/18/EC) - Qualifying<br>Quantities for Major<br>Accident Notification | Seveso III Directive<br>(2012/18/EC) - Qualifying<br>Quantities for Safety<br>Report Requirements | Rotterdam Convention<br>(PIC) | Basel Convention<br>(Hazardous Waste) |
|-------------------------|--|---|-------------------------------|---------------------------------------|
| Nitric acid% [C ≤ 70 %] |  |   |                               | Annex I - Y34                         |

#### **National Regulations**

Persistent Organic Pollutant
Ozone Depletion Potential

This product does not contain any known or suspected substance
This product does not contain any known or suspected substance

# **SECTION 16: OTHER INFORMATION**

#### Legend

CAS - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b)

Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List of Notified Chemical Substances List

Substances/EU List of Notified Chemical Substances

Substances List

PICCS - Philippines Inventory of Chemicals and Chemical Substances

ENCS - Japanese Existing and New Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

NZIOC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit TWA - Time Weighted Average

ACGIH - American Conference of Governmental Industrial Hygienists IARC - International Agency for Research on Cancer

Revision Date 23-Mar-2025

# Aluminium solution 1000 ppm in ca. 1M nitric acid

RPE - Respiratory Protective Equipment LD50 - Lethal Dose 50%

LC50 - Lethal Concentration 50% EC50 - Effective Concentration 50%

POW - Partition coefficient Octanol:Water

**ADR** - European Agreement Concerning the International Carriage of Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime

Dangerous Goods Code

**OECD** - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

Revision Date 23-Mar-2025

MARPOL - International Convention for the Prevention of Pollution from

Ships

ATE - Acute Toxicity Estimate

VOC - (Volatile Organic Compound)

## Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Revision Date 23-Mar-2025 Revision Summary 23-Mar-2025 Not applicable.

In accordance with local and national regulations: Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet** 

FSUJ8000