

# **SAFETY DATA SHEET**

Creation Date 23-Jan-2013 Revision Date 16-Jan-2023 Revision Number 9

# 1. Identification

Product Name Lithium triethylborohydride, 1.7M solution in THF

Cat No.: AC450690000; AC450691000; AC450698000

Synonyms No information available

Recommended Use Laboratory chemicals.

**Uses advised against** Food, drug, pesticide or biocidal product use.

## Details of the supplier of the safety data sheet

### Company

Fisher Scientific Company
One Reagent Lane
Fair Lawn, NJ 07410
Tel: (201) 796-7100

Acros Organics
One Reagent Lane
Fair Lawn, NJ 07410
Fair Lawn, NJ 07410

## **Emergency Telephone Number**

For information **US** call: 001-800-ACROS-01 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

## 2. Hazard(s) identification

## Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids Category 2
Substances/mixtures which, in contact with water, emit Category 1

flammable gases

Pyrophoric liquids

Skin Corrosion/Irritation

Serious Eye Damage/Eye Irritation

Category 1

Category 1

Category 1

Category 1

Category 2

Specific target organ toxicity (single exposure)

Category 3

Target Organs - Respiratory system, Central nervous system (CNS).

## Label Elements

### Signal Word

Danger

#### **Hazard Statements**

Highly flammable liquid and vapor

In contact with water releases flammable gases which may ignite spontaneously

Catches fire spontaneously if exposed to air

Causes severe skin burns and eye damage

May cause respiratory irritation

May cause drowsiness or dizziness

Suspected of causing cancer



### **Precautionary Statements**

#### Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Do not breathe dust/fume/gas/mist/vapors/spray

Wash face, hands and any exposed skin thoroughly after handling

Use only outdoors or in a well-ventilated area

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof electrical/ventilating/lighting equipment

Use only non-sparking tools

Take precautionary measures against static discharge

Do not allow contact with air

Keep away from any possible contact with water, because of violent reaction and possible flash fire

Handle under inert gas. Protect from moisture

Keep cool

## Response

Immediately call a POISON CENTER or doctor/physician

#### Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

#### Skir

Wash contaminated clothing before reuse

IF ON SKIN: Immerse in cool water/wrap with wet bandages

Brush off loose particles from skin. Immerse in cool water/wrap with wet bandages

#### Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing **Ingestion** 

IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

#### Fire

In case of fire: Use limestone powder, sodium chloride or dry sand to extinguish

## Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Store contents under inert gas

Store in a dry place. Store in a closed container

### **Disposal**

Dispose of contents/container to an approved waste disposal plant

## Hazards not otherwise classified (HNOC)

Reacts violently with water

May form explosive peroxides

WARNING. Cancer - https://www.p65warnings.ca.gov/.

# 3. Composition/Information on Ingredients

Component	CAS No	Weight %
Tetrahydrofuran	109-99-9	80
Lithium triethylhydroborate	22560-16-3	20

### 4. First-aid measures

General Advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

**Eye Contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Immediate medical attention is required.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. Remove and wash

contaminated clothing and gloves, including the inside, before re-use. Call a physician

immediately.

**Inhalation** If not breathing, give artificial respiration. Remove from exposure, lie down. Do not use

mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory

medical device. Call a physician immediately.

**Ingestion** Do NOT induce vomiting. Clean mouth with water. Never give anything by mouth to an

unconscious person. Call a physician immediately.

Most important symptoms and

effects

Causes burns by all exposure routes. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and

vomiting: Product is a corrosive material. Use of gastric lavage or emesis is

contraindicated. Possible perforation of stomach or esophagus should be investigated:

Causes central nervous system depression

Notes to Physician Treat symptomatically

## 5. Fire-fighting measures

**Suitable Extinguishing Media** Dry sodium chloride. Limestone powder.

Unsuitable Extinguishing Media Water, Carbon dioxide (CO2), Foam

Flash Point -17 °C / 1.4 °F

Method - No information available

Autoignition Temperature Explosion Limits

No information available

UpperNo data availableLowerNo data available

**Sensitivity to Mechanical Impact** No information available **Sensitivity to Static Discharge** No information available

#### Specific Hazards Arising from the Chemical

Reacts violently with water. The product causes burns of eyes, skin and mucous membranes.

#### **Hazardous Combustion Products**

Hydrogen. Carbon monoxide (CO). Carbon dioxide (CO2). Oxides of boron. Lithium oxide.

## **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

NFPA

HealthFlammabilityInstabilityPhysical hazards342W

## 6. Accidental release measures

**Personal Precautions** 

Use personal protective equipment as required. Ensure adequate ventilation. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Should not be released into the environment.

**Environmental Precautions** 

Methods for Containment and Clean Keep in suitable, closed containers for disposal. Soak up with inert absorbent material. Do up not expose spill to water.

# 7. Handling and storage

Handling

Handle under inert gas, protect from moisture. Do not allow contact with water. Use only under a chemical fume hood. Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Do not ingest. If swallowed then seek immediate medical assistance. Do not breathe mist/vapors/spray.

Storage.

Keep under nitrogen. Keep away from water or moist air. Shelf life 12 months. Flammables area. Corrosives area. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame. May form explosive peroxides on prolonged storage. Containers should be dated when opened and tested periodically for the presence of peroxides. Should crystals form in a peroxidizable liquid, peroxidation may have occurred and the product should be considered extremely dangerous. In this instance, the container should only be opened remotely by professionals. Incompatible Materials. Acids. Bases. Water. Alcohols. Bromine. oxygen.

# 8. Exposure controls / personal protection

# **Exposure Guidelines**

Component	ACGIH TLV	OSHA PEL	NIOSH	Mexico OEL (TWA)
Tetrahydrofuran	TWA: 50 ppm	(Vacated) TWA: 200 ppm	IDLH: 2000 ppm	TWA: 200 ppm
	STEL: 100 ppm	(Vacated) TWA: 590 mg/m <sup>3</sup>	TWA: 200 ppm	TWA: 590 mg/m <sup>3</sup>
	Skin	(Vacated) STEL: 250 ppm	TWA: 590 mg/m <sup>3</sup>	STEL: 250 ppm
		(Vacated) STEL: 735 mg/m <sup>3</sup>	STEL: 250 ppm	STEL: 735 mg/m <sup>3</sup>
		TWA: 200 ppm	STEL: 735 mg/m <sup>3</sup>	_
		TWA: 590 mg/m <sup>3</sup>		

#### Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH: NIOSH - National Institute for Occupational Safety and Health

**Engineering Measures** 

Use explosion-proof electrical/ventilating/lighting equipment. Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas.

### **Personal Protective Equipment**

**Eye/face Protection** 

Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.

**Skin and body protection**Wear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory Protection Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard

EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Recommended Filter type: low boiling organic solvent. Type AX. Brown. conforming to EN371. or. Organic gases and

vapours filter. Type A. Brown. conforming to EN14387.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

# 9. Physical and chemical properties

Physical State Liquid

AppearanceColorless to yellowOdorNo information availableOdor ThresholdNo information available

pHMelting Point/RangeNo information availableNo data available

Boiling Point/Range

Flash Point

No data available

No information available

-17 °C / 1.4 °F

**Evaporation Rate** No information available

Flammability (solid,gas) Not applicable

Flammability or explosive limits

Upper<br/>LowerNo data available<br/>No data availableVapor PressureNo information availableVapor DensityNo information available

Specific Gravity 0.89

Solubility Reacts violently with water

Partition coefficient; n-octanol/water No data available

Autoignition TemperatureNo information availableDecomposition TemperatureNo information availableViscosityNo information available

# 10. Stability and reactivity

Reactive Hazard Yes

Stability May form explosive peroxides. Reacts violently with water. Moisture sensitive. Air sensitive.

Pyrophoric: Spontaneously flammable in air.

Conditions to Avoid Keep away from open flames, hot surfaces and sources of ignition. Incompatible products.

Exposure to moist air or water. Exposure to moisture.

Incompatible Materials Acids, Bases, Water, Alcohols, Bromine, oxygen

Hazardous Decomposition Products Hydrogen, Carbon monoxide (CO), Carbon dioxide (CO2), Oxides of boron, Lithium oxide

**Hazardous Polymerization** No information available.

**Hazardous Reactions**None under normal processing. Reacts violently with water.

## 11. Toxicological information

**Acute Toxicity** 

**Product Information** 

Oral LD50

Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg.

Dermal LD50

Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg.

Vapor LC50

Based on ATE data, the classification criteria are not met. ATE > 20 mg/l.

**Component Information** 

	Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Г	Tetrahydrofuran	1650 mg/kg ( Rat )	> 2000 mg/kg (Rabbit)	180 mg/L (Rat) 1 h
				53.9 mg/L (Rat) 4 h

**Toxicologically Synergistic** 

No information available

**Products** 

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation No information available

Sensitization No information available

Carcinogenicity Limited evidence of a carcinogenic effect.

Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico
Tetrahydrofuran	109-99-9	Group 2B	Not listed	A3	X	A3
Lithium triethylhydroborate	22560-16-3	Not listed				

ACGIH: (American Conference of Governmental Industrial Hygienists)

A1 - Known Human Carcinogen A2 - Suspected Human Carcinogen

A3 - Animal Carcinogen

ACGIH: (American Conference of Governmental Industrial Hygienists)

No information available **Mutagenic Effects** 

**Reproductive Effects** No information available.

No information available. **Developmental Effects** 

**Teratogenicity** No information available.

Respiratory system Central nervous system (CNS) STOT - single exposure

STOT - repeated exposure None known

**Aspiration hazard** No information available

Symptoms / effects, both acute and

delayed

Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Causes central nervous system depression

### **Endocrine Disruptor Information**

Component	EU - Endocrine Disrupters	EU - Endocrine Disruptors -	Japan - Endocrine Disruptor
	Candidate List	Evaluated Substances	Information
Tetrahydrofuran	Group III Chemical	Not applicable	Not applicable

**Other Adverse Effects** The toxicological properties have not been fully investigated.

# 12. Ecological information

# **Ecotoxicity**

Do not empty into drains. Reacts with water so no ecotoxicity data for the substance is available.

	Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Г	Tetrahydrofuran	Not listed	2160 mg/l LC50 = 96 h	Not listed	EC50 48 h 3485 mg/l
	•		Pimephales promelas		EC50: >10000 mg/L/24h
			Leuciscus idus: LC50: 2820		_
			mg/L/48h		

Persistence and Degradability Persistence is unlikely based on information available.

**Bioaccumulation/ Accumulation** No information available.

#### **Mobility**

Is not likely mobile in the environment.

Component	log Pow
Tetrahydrofuran	0.45

# 13. Disposal considerations

**Waste Disposal Methods** 

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

Component	RCRA - U Series Wastes	RCRA - P Series Wastes
Tetrahydrofuran - 109-99-9	U213	-

# 14. Transport information

DOT

UN-No UN3394

Proper Shipping Name Organometallic substance, liquid, pyrophoric, water-reactive

Technical Name Tetrahydrofuran, Lithium triethylhydroborate

Hazard Class 4.2 Subsidiary Hazard Class 3 Packing Group 1

TDG

UN-No UN3394

Proper Shipping Name ORGANOMETALLIC SUBSTANCE, LIQUID, PYROPHORIC, WATER-REACTIVE

Hazard Class 4.2 Subsidiary Hazard Class 4.3 Packing Group 1

IATA FORBIDDEN FOR IATA TRANSPORT

UN-No UN3394

Proper Shipping Name ORGANOMETALLIC SUBSTANCE, LIQUID, PYROPHORIC, WATER-REACTIVE

FORBIDDEN FOR IATA TRANSPORT

Hazard Class 4.2 Subsidiary Hazard Class 4.3 Packing Group

IMDG/IMO

UN-No UN3394

Proper Shipping Name ORGANOMETALLIC SUBSTANCE, LIQUID, PYROPHORIC, WATER-REACTIVE

Hazard Class 4.2 Subsidiary Hazard Class 4.3 Packing Group

# 15. Regulatory information

#### **United States of America Inventory**

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Tetrahydrofuran	109-99-9	Χ	ACTIVE	-
Lithium triethylhydroborate	22560-16-3	=	-	-

#### l egend

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

TSCA - Per 40 CFR 751, Regulation of Certain Chemical Substances & Mixtures, Under TSCA Section 6(h) (PBT)

Not applicable

TSCA 12(b) - Notices of Export

Component	CAS No	TSCA 12(b) - Notices of Export
Tetrahydrofuran	109-99-9	Section 4, 1 % de minimus concentration

## **International Inventories**

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Tetrahydrofuran	109-99-9	Χ	-	203-726-8	Χ	Χ	Χ	Χ	Χ	KE-33454
Lithium triethylhydroborate	22560-16-3	-	-	245-076-8	-	-		-	Х	KE-22601

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

## U.S. Federal Regulations

SARA 313 Not applicable

SARA 311/312 Hazard Categories See section 2 for more information

CWA (Clean Water Act) Not applicable

Clean Air Act Not applicable

**OSHA** - Occupational Safety and

Health Administration

Not applicable

**CERCLA** This material, as supplied, contains one or more substances regulated as a hazardous

substance under the Comprehensive Environmental Response Compensation and Liability

Act (CERCLA) (40 CFR 302)

Component	Hazardous Substances RQs	CERCLA EHS RQs
Tetrahydrofuran	1000 lb	-

### **California Proposition 65**

This product contains the following Proposition 65 chemicals.

Component	CAS No	California Prop. 65	Prop 65 NSRL	Category
Tetrahydrofuran	109-99-9	Carcinogen	=	Carcinogen

## U.S. State Right-to-Know

Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Tetrahydrofuran	X	X	X	-	X

## **U.S. Department of Transportation**

Reportable Quantity (RQ): Y
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

### U.S. Department of Homeland

Security

This product does not contain any DHS chemicals.

## **Other International Regulations**

Mexico - Grade No information available

## Authorisation/Restrictions according to EU REACH

Component	CAS No	REACH (1907/2006) -	REACH (1907/2006) -	REACH Regulation (EC
-		Annex XIV - Substances	Annex XVII - Restrictions	1907/2006) article 59 -
		Subject to Authorization	on Certain Dangerous	Candidate List of

			Substances	Substances of Very High Concern (SVHC)
Tetrahydrofuran	109-99-9	-	Use restricted. See item	-
			/5.	
			(see link for restriction	
			details)	
Lithium triethylhydroborate	22560-16-3	-	-	-

https://echa.europa.eu/substances-restricted-under-reach

### Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Tetrahydrofuran	109-99-9	Listed	Not applicable	Not applicable	Not applicable
Lithium triethylhydroborate	22560-16-3	Not applicable	Not applicable	Not applicable	Not applicable

Component	CAS No	Seveso III Directive	Seveso III Directive	Rotterdam	Basel Convention
		(2012/18/EC) -	(2012/18/EC) -	Convention (PIC)	(Hazardous Waste)
		<b>Qualifying Quantities</b>	Qualifying Quantities		
		for Major Accident	for Safety Report		
		Notification	Requirements		
Tetrahydrofuran	109-99-9	Not applicable	Not applicable	Not applicable	Not applicable
Lithium triethylhydroborate	22560-16-3	Not applicable	Not applicable	Not applicable	Not applicable

11	$\sim$ 1.1		4.4
16	( )that	r inforn	ation .
10	· CALLEI	- 11 11 ( )1 1 1	пания

Prepared By Regulatory Affairs

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com

 Creation Date
 23-Jan-2013

 Revision Date
 16-Jan-2023

 Print Date
 16-Jan-2023

Revision Summary This document has been updated to comply with the US OSHA HazCom 2012 Standard

replacing the current legislation under 29 CFR 1910.1200 to align with the Globally

Harmonized System of Classification and Labeling of Chemicals (GHS).

### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**