

# **SAFETY DATA SHEET**

Creation Date 09-Apr-2010 Revision Date 24-Dec-2021 Revision Number 4

# 1. Identification

Product Name n-Amyl acetate

Cat No.: A718-4, A718-500

CAS No 628-63-7 Synonyms 1-Pentyl acetate

Recommended Use Laboratory chemicals.

Uses advised against Food, drug, pesticide or biocidal product use.

### Details of the supplier of the safety data sheet

#### Company

Fisher Scientific Company One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100

Emergency Telephone Number CHEMTREC®, Inside the USA: 800-424-9300

CHEMTREC®, Outside the USA: 001-703-527-3887

# 2. Hazard(s) identification

#### Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids

Serious Eye Damage/Eye Irritation

Category 2

Specific target organ toxicity (single exposure)

Category 3

Target Organs - Respiratory system.

# Label Elements

### Signal Word

Warning

# **Hazard Statements**

Flammable liquid and vapor Causes serious eye irritation May cause respiratory irritation



### **Precautionary Statements**

#### Prevention

Wash face, hands and any exposed skin thoroughly after handling

Avoid breathing dust/fume/gas/mist/vapors/spray Use only outdoors or in a well-ventilated area

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof electrical/ventilating/lighting equipment

Use only non-sparking tools

Take precautionary measures against static discharge

Wear protective gloves/protective clothing/eye protection/face protection

Keep cool

#### Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Call a POISON CENTER or doctor/physician if you feel unwell

#### Skir

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

#### **Eves**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

#### Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

### Storage

Store in a well-ventilated place. Keep container tightly closed

Store locked up

# **Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

Repeated exposure may cause skin dryness or cracking

# 3. Composition/Information on Ingredients

Component	CAS No	Weight %
n-Amyl acetate	628-63-7	98

### 4. First-aid measures

**General Advice** If symptoms persist, call a physician.

**Eye Contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. Get medical attention.

**Inhalation** Remove to fresh air. If breathing is difficult, give oxygen. Get medical attention.

**Ingestion** Clean mouth with water and drink afterwards plenty of water.

Most important symptoms and

effects

**Notes to Physician** 

None reasonably foreseeable. Difficulty in breathing. . Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting

Treat symptomatically

# 5. Fire-fighting measures

Suitable Extinguishing Media Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam. Water mist may

be used to cool closed containers.

Unsuitable Extinguishing Media No information available

**Flash Point** 24 °C / 75.2 °F

**Method** - No information available

Autoignition Temperature 375 °C / 707 °F

**Explosion Limits** 

**Upper** 7.5 vol % **Lower** 1.0 vol %

Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

#### **Specific Hazards Arising from the Chemical**

Flammable. Risk of ignition. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Containers may explode when heated. Thermal decomposition can lead to release of irritating gases and vapors. Keep product and empty container away from heat and sources of ignition.

#### **Hazardous Combustion Products**

Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>).

# **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

Health	Flammability	Instability	Physical hazards
2	3	0	N/A

### 6. Accidental release measures

Personal Precautions Use personal protective equipment as required. Ensure adequate ventilation. Remove all

sources of ignition. Take precautionary measures against static discharges.

Environmental Precautions Should not be released into the environment. See Section 12 for additional Ecological

Information.

**Methods for Containment and Clean** Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. **Up**Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

	7. Handling and storage
Handling	Wear personal protective equipment/face protection. Ensure adequate ventilation. Avoid
	ingestion and inhalation. Do not get in eyes, on skin, or on clothing. Keep away from open

flames, hot surfaces and sources of ignition. Use only non-sparking tools. Take precautionary measures against static discharges.

Storage. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from

heat, sparks and flame. Incompatible Materials. Strong oxidizing agents. Strong bases.

# 8. Exposure controls / personal protection

#### **Exposure Guidelines**

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH	Mexico OEL (TWA)
n-Amyl acetate	TWA: 50 ppm	(Vacated) TWA: 100 ppm	IDLH: 1000 ppm	TWA: 50 ppm
	STEL: 100 ppm	(Vacated) TWA: 525 mg/m <sup>3</sup>	TWA: 100 ppm	STEL: 100 ppm
		TWA: 100 ppm	TWA: 525 mg/m <sup>3</sup>	
		TWA: 525 mg/m <sup>3</sup>	_	

#### Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH IDLH: NIOSH - National Institute for Occupational Safety and Health

Engineering Measures Use explosion-proof electrical/ventilating/lighting equipment. Ensure adequate ventilation,

especially in confined areas. Ensure that eyewash stations and safety showers are close to

the workstation location.

**Personal Protective Equipment** 

**Eye/face Protection** Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

**Skin and body protection**Wear appropriate protective gloves and clothing to prevent skin exposure.

**Respiratory Protection**No protective equipment is needed under normal use conditions.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

# Physical and chemical properties

Physical StateLiquidAppearanceColorlessOdorsweet

Odor ThresholdNo information availablepHNo information availableMelting Point/Range-70.8 °C / -95.4 °F

Boiling Point/Range 149 °C / 300.2 °F @ 760 mmHg

Flash Point

24 °C / 75.2 °F

Evaporation Rate

No information available

Flammability (solid,gas) Not applicable

Flammability or explosive limits

 Upper
 7.5 vol %

 Lower
 1.0 vol %

Vapor PressureNo information availableVapor DensityNo information available

Specific Gravity0.870Solubility10 g/l (20C)Partition coefficient; n-octanol/waterNo data availableAutoignition Temperature375 °C / 707 °FDecomposition TemperatureNo information availableViscosityNo information available

Molecular FormulaC7 H14 O2Molecular Weight130.19

# 10. Stability and reactivity

Reactive Hazard None known, based on information available

**Stability** Stable under normal conditions.

Conditions to Avoid Incompatible products. Excess heat. Keep away from open flames, hot surfaces and

sources of ignition.

Incompatible Materials Strong oxidizing agents, Strong bases

Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO2)

Hazardous Polymerization Hazardous polymerization does not occur.

**Hazardous Reactions**None under normal processing.

# 11. Toxicological information

### **Acute Toxicity**

# **Product Information**

**Component Information** 

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
n-Amyl acetate	LD50 = 6500 mg/kg (Rat)	Not listed	Not listed

**Toxicologically Synergistic** 

**Products** 

No information available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation Irritating to eyes and respiratory system

Sensitization No information available

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

l	Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico
	n-Amyl acetate	628-63-7	Not listed				

Mutagenic Effects No information available

Reproductive Effects No information available.

**Developmental Effects** No information available.

**Teratogenicity** No information available.

STOT - single exposure Respiratory system

STOT - repeated exposure None known

Aspiration hazard No information available

Symptoms / effects,both acute and Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting

delayed

**Endocrine Disruptor Information** No information available

Other Adverse Effects The toxicological properties have not been fully investigated.

# 12. Ecological information

#### **Ecotoxicity**

This product contains the following substance(s) which are hazardous for the environment.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
n-Amyl acetate	Not listed	LC50: = 650 mg/L, 96h static	Not listed	Not listed
		(Lepomis macrochirus)		

Persistence and Degradability Soluble in water Persistence is unlikely based on information available.

**Bioaccumulation/ Accumulation** No information available.

Mobility Will likely be mobile in the environment due to its water solubility.

# 13. Disposal considerations

Waste Disposal Methods Chemical waste generators must determine whether a discarded chemical is classified as a

hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

# 14. Transport information

DOT

UN-No UN1104

Proper Shipping Name AMYL ACETATES

Hazard Class 3
Packing Group III

TDG

UN-No UN1104

Proper Shipping Name AMYL ACETATES

Hazard Class 3 Packing Group III

<u>IATA</u>

UN-No UN1104

Proper Shipping Name AMYL ACETATES

Hazard Class 3 Packing Group III

IMDG/IMO

UN-No UN1104

Proper Shipping Name AMYL ACETATES

Hazard Class 3
Packing Group III

# 15. Regulatory information

### **United States of America Inventory**

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
n-Amyl acetate	628-63-7	X	ACTIVE	-

#### Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

TSCA 12(b) - Notices of Export Not applicable

#### **International Inventories**

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
n-Amyl acetate	628-63-7	Χ	-	211-047-3	Χ	Χ	Χ	Χ	Х	KE-01766

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

# U.S. Federal Regulations

Revision Date 24-Dec-2021 n-Amyl acetate

**SARA 313** Not applicable

SARA 311/312 Hazard Categories See section 2 for more information

**CWA (Clean Water Act)** 

Component	CWA - Hazardous Substances	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants
n-Amyl acetate	X	5000 lb	-	-

Clean Air Act Not applicable

**OSHA** - Occupational Safety and

Health Administration

Not applicable

**CERCLA** 

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Component	Hazardous Substances RQs	CERCLA EHS RQs
n-Amyl acetate	5000 lb	-

**California Proposition 65** 

This product does not contain any Proposition 65 chemicals.

# U.S. State Right-to-Know

Regulations	
-------------	--

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
n-Amyl acetate	X	X	X	-	X

#### **U.S. Department of Transportation**

Reportable Quantity (RQ): DOT Marine Pollutant Ν **DOT Severe Marine Pollutant** Ν

### U.S. Department of Homeland

Security

This product does not contain any DHS chemicals.

Other International Regulations

Serious risk, Grade 3 **Mexico - Grade** 

Authorisation/Restrictions according to EU REACH

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
n-Amyl acetate	628-63-7	Listed	Not applicable	Not applicable	Not applicable

Component	CAS No	Seveso III Directive (2012/18/EC) -	Seveso III Directive (2012/18/EC) -	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
		Qualifying Quantities for Maior Accident	for Safety Report		
		Notification	Requirements		
n-Amyl acetate	628-63-7	Not applicable	Not applicable	Not applicable	Not applicable

# 16. Other information

Prepared By Regulatory Affairs

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com

 Creation Date
 09-Apr-2010

 Revision Date
 24-Dec-2021

 Print Date
 24-Dec-2021

Revision Summary This document has been updated to comply with the US OSHA HazCom 2012 Standard

replacing the current legislation under 29 CFR 1910.1200 to align with the Globally

Harmonized System of Classification and Labeling of Chemicals (GHS).

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**