

Page 1 / 10 Creation Date 03-Sep-2009 Revision Date 23-Mar-2025 Version 5

Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THECOMPANY/UNDERTAKING

Product Identifier

Perihalan Produk: <u>Dimethylformamide</u>
Product Description: <u>Dimethylformamide</u>

Cat No.: D/3840/08, D/3840/15, D/3840/17, D/3840/21, D/3840/25, D/3840/27, D/3840/MC15,

D/3840/PB15, D/3840/PB17,

 Synonyms
 DMF

 CAS No
 68-12-2

 Molecular Formula
 C3 H7 N O

Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals.
Uses advised against No Information available

Company Thermo Fisher Scientific Fisher Scientific (M) Sdn Bhd

Hap Seng Business Park, Lot 01-03, 01-04 Aras 1 Unity Square, No 12, Persiaran Perusahaan, Seksyen 23, 40300 Shah Alam,

Selangor Darul Ehsan, Malaysia. Main line: +60 3-5525 7888

**Supplier** 

E-mail address Enquiry.my@thermofisher.com

Emergency Telephone Number Tel: +03-5525 7888

CHEMTREC Malaysia 1-800-815-308 (Malay)

CHEMTREC Malaysia (Kuala Lumpur) +(60)-327884561 (Malay)

## **SECTION 2: HAZARDS IDENTIFICATION**

## Classification of the substance or mixture

Flammable liquids	Category 3 (H226)
Acute dermal toxicity	Category 4 (H312)
Acute Inhalation Toxicity - Vapors	Category 4 (H332)
Serious Eye Damage/Eye Irritation	Category 2 (H319)
Reproductive Toxicity	Category 1B (H360D)

#### Label Elements



#### Signal Word

#### **Danger**

#### **Hazard Statements**

H226 - Flammable liquid and vapor

H312 + H332 - Harmful in contact with skin or if inhaled

H319 - Causes serious eye irritation

H360D - May damage the unborn child

#### **Precautionary Statements**

#### Prevention

P201 - Obtain special instructions before use

P202 - Do not handle until all safety precautions have been read and understood

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P240 - Ground and bond container and receiving equipment

P241 - Use explosion-proof electrical/ ventilating/ lighting equipment

P242 - Use non-sparking tools

P243 - Take action to prevent static discharges

P264 - Wash face, hands and any exposed skin thoroughly after handling

P270 - Do not eat, drink or smoke when using this product

P271 - Use only outdoors or in a well-ventilated area

P280 - Wear protective gloves/protective clothing/eye protection/face protection

## Response

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P312 - Call a POISON CENTER or doctor if you feel unwell

P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

P362 + P364 - Take off contaminated clothing and wash it before reuse

#### Storage

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

#### **Disposal**

P501 - Dispose of contents/ container to an approved waste disposal plant

#### Other Hazards

Toxic to terrestrial vertebrates

This product does not contain any known or suspected endocrine disruptors

## **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

Component	CAS No	Weight %
Dimethylformamide	68-12-2	<=100

## **SECTION 4: FIRST AID MEASURES**

#### Description of first aid measures

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. Get medical attention

immediately if symptoms occur.

FSUD3840

Revision Date 23-Mar-2025

Dimethylformamide Revision Date 23-Mar-2025

**Ingestion** Do NOT induce vomiting. Get medical attention.

**Inhalation** Remove to fresh air. If breathing is difficult, give oxygen. Get medical attention.

Self-Protection of the First Aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination.

Most important symptoms and effects, both acute and delayed

Irritating to eyes. Difficulty in breathing. May be harmful if absorbed through skin. Gastrointestinal discomfort. Symptoms of overexposure may be headache, dizziness,

tiredness, nausea and vomiting.

Indication of any immediate medical attention and special treatment needed

**Notes to Physician** Treat symptomatically. Symptoms may be delayed.

## **SECTION 5: FIREFIGHTING MEASURES**

#### Extinguishing media

#### **Suitable Extinguishing Media**

Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam. Water mist may be used to cool closed containers.

#### Extinguishing media which must not be used for safety reasons

Do not use water jetstream.

#### Special hazards arising from the substance or mixture

Flammable. Risk of ignition. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Thermal decomposition can lead to release of irritating gases and vapors.

#### **Hazardous Combustion Products**

Carbon monoxide (CO), Carbon dioxide (CO2), Nitrogen oxides (NOx).

## Advice for fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

#### Personal Precautions, Protective Equipment and Emergency Procedures

Ensure adequate ventilation. Use personal protective equipment as required. Keep people away from and upwind of spill/leak. Evacuate personnel to safe areas. Remove all sources of ignition. Take precautionary measures against static discharges.

#### **Environmental precautions**

Should not be released into the environment. See Section 12 for additional Ecological Information.

## Methods and Material for Containment and Cleaning Up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

#### Reference to Other Sections

Refer to protective measures listed in Sections 8 and 13.

Dimethylformamide

Revision Date 23-Mar-2025

## **SECTION 7: HANDLING AND STORAGE**

## Precautions for Safe Handling

Use only under a chemical fume hood. Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Do not breathe mist/vapors/spray. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. Use spark-proof tools and explosion-proof equipment. Take precautionary measures against static discharges.

#### Conditions for Safe Storage, Including any Incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame.

#### Specific End Uses

Use in laboratories.

## **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Control Parameters** 

Component	Malaysia	ACGIH TLV	OSHA PEL
Dimethylformamide		TWA: 5 ppm	(Vacated) TWA: 10 ppm
		Skin	(Vacated) TWA: 30 mg/m <sup>3</sup>
			Skin
			TWA: 10 ppm
			TWA: 30 mg/m <sup>3</sup>

Component	European Union	The United Kingdom	Germany
Dimethylformamide	TWA: 15 mg/m³ (8h)	STEL: 10 ppm 15 min	TWA: 5 ppm (8 Stunden). AGW -
	TWA: 5 ppm (8h)	STEL: 30 mg/m <sup>3</sup> 15 min	exposure factor 2
	Skin	TWA: 5 ppm 8 hr	TWA: 15 mg/m³ (8 Stunden). AGW -
		TWA: 15 mg/m <sup>3</sup> 8 hr	exposure factor 2
		Skin	TWA: 5 ppm (8 Stunden). MAK
	STEL: 10 ppm (15min)		TWA: 15 mg/m³ (8 Stunden). MAK
	STEL: 30 mg/m <sup>3</sup> (15min)		Höhepunkt: 10 ppm
	STEL: 30 mg/m <sup>3</sup> (8h)		Höhepunkt: 30 mg/m <sup>3</sup>
	STEL: 10 ppm (8h)		Haut

## **Exposure Controls**

## **Engineering Measures**

Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location. Use explosion-proof electrical/ventilating/lighting equipment.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

#### Personal protective equipment

Eye Protection Goggles
Hand Protection Protective gloves

Skin and body protection Wear appropriate protective gloves and clothing to prevent skin exposure

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Dimethylformamide Revision Date 23-Mar-2025

Respiratory Protection When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators

**Recommended Filter type:** Type A Organic gases and vapours filter Brown conforming to EN14387

To protect the wearer, respiratory protective equipment must be the correct fit and be used

and maintained properly

When RPE is used a face piece Fit Test should be conducted

Handle in accordance with good industrial hygiene and safety practice

**Environmental exposure controls** Prevent product from entering drains

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

Information on basic physical and chemical properties

Appearance Colorless
Physical State Liquid

Odor Rotten-egg like
Odor Threshold No data available

**pH** 6-8 @ 20°C 20% aq.sol

Melting Point/Range
-61 °C / -77.8 °F
Softening Point
No data available
Boiling Point/Range
153 °C / 307.4 °F

Flash Point 58 °C / 136.4 °F Method - Abel-Pensky (DIN 51755)

**Evaporation Rate** 0.17 (Butyl Acetate = 1.0)

Flammability (solid,gas) Not applicable Liquid

Explosion Limits Lower 2.2 vol% Upper 16 vol%

Vapor Pressure 4.9 mbar @ 20 °C

Vapor Density2.5(Air = 1.0)Specific Gravity / Density0.945@ 20 °CBulk DensityNot applicableLiquid

Water Solubility Soluble

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

Component log Pow Dimethylformamide -1.028

Autoignition Temperature 445 °C / 833 °F

**Decomposition Temperature** > 350°C

Viscosity 0.8 mPa.s at 20 °C

Explosive Properties Not explosive explosive air/vapour mixtures possible

Oxidizing Properties No information available

Molecular Formula C3 H7 N O Molecular Weight 73.09

Surface tension 36.42 mN/m (25 °C)

Dimethylformamide Revision Date 23-Mar-2025

## **SECTION 10: STABILITY AND REACTIVITY**

Reactivity

None known, based on information available.

**Chemical Stability** 

Stable under normal conditions.

Possibility of Hazardous Reactions

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous Reactions None under normal processing.

**Conditions to Avoid** 

Incompatible products. Heat, flames and sparks. Keep away from open flames, hot

surfaces and sources of ignition.

Incompatible Materials

Strong oxidizing agents. Halogens. Halogenated compounds. Reducing Agent. . Alkali

metals.

**Hazardous Decomposition Products** 

Carbon monoxide (CO). Carbon dioxide (CO2). Nitrogen oxides (NOx).

## **SECTION 11: TOXICOLOGICAL INFORMATION**

#### Information on Toxicological Effects

#### **Product Information**

(a) acute toxicity;

Oral Based on available data, the classification criteria are not met

Dermal Category 4 Inhalation Category 4

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Dimethylformamide	3040 mg/kg ( Rat )	1500 mg/kg (Rabbit) 3.2 g/kg (Rat)	>5.58 mg/L/4h (Rat)

(b) skin corrosion/irritation; Based on available data, the classification criteria are not met

(c) serious eye damage/irritation; Category 2 Test species rabbit

Observation end point Irritating to eyes

(d) respiratory or skin sensitization;

**Respiratory**Based on available data, the classification criteria are not met **Skin**Based on available data, the classification criteria are not met

## Dimethylformamide

Revision Date 23-Mar-2025

Component	Test method	Test species	Study result
Dimethylformamide	Guinea Pig Maximisation Test	guinea pig	<ul> <li>non-sensitising</li> </ul>
68-12-2 ( <=100 )	(GPMT)		_

Based on available data, the classification criteria are not met (e) germ cell mutagenicity;

(f) carcinogenicity; Based on available data, the classification criteria are not met

The table below indicates whether each agency has listed any ingredient as a carcinogen

Component	EU	UK Germany		IARC
Dimethylformamide				Group 2A

(g) reproductive toxicity; Category 1B

**Reproductive Effects** Experiments have shown reproductive toxicity effects on laboratory animals.

May cause harm to the unborn child. Developmental effects have occurred in experimental **Developmental Effects** 

Teratogenic effects have occurred in experimental animals. **Teratogenicity** 

Based on available data, the classification criteria are not met (h) STOT-single exposure;

Based on available data, the classification criteria are not met (i) STOT-repeated exposure;

None known. **Target Organs** 

(j) aspiration hazard; Based on available data, the classification criteria are not met

delayed

Symptoms / effects,both acute and May be harmful if absorbed through skin. Gastrointestinal discomfort. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

**Endocrine Disrupting Properties** Assess endocrine disrupting properties for human health. This product does not contain any

known or suspected endocrine disruptors.

## **SECTION 12: ECOLOGICAL INFORMATION**

#### **Ecotoxicity effects**

Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox	
Dimethylformamide	Pimephales promelas:	EC50 = 7500 mg/L/48h	EC50 = 7500 mg/L/96h	EC50 = 2000 mg/L 5	
	LC50 = 10.6  g/L/96h	_	_	min	
	Onchorhynchus mykiss:			EC50 = 570  mg/L  240  h	
	LC50 = 9.8 g/L/96h			_	
	Lepomis macrochirus:			1	
	LC50 = 6.3  g/L/96h				

Persistence and degradability Readily biodegradable Persistence is unlikely. **Persistence** 

Component	Degradability
Dimethylformamide	100 % (OECD 301E (21d))
68-12-2 ( <=100 )	

Degradation in sewage treatment plant

Contains no substances known to be hazardous to the environment or not degradable in waste water treatment plants.

Bioaccumulative potential Bioaccumulation is unlikely

<u> 21040041114141170 poteritiar</u>	2.000000	
Component	log Pow	Bioconcentration factor (BCF)

Dimethylformamide Revision Date 23-Mar-2025

Dimethylformamide -1.028 0.3 - 1.2 L/kg

Mobility in soil The product is water soluble, and may spread in water systems. Will likely be mobile in the

environment due to its water solubility but will likely degrade over time. Will likely be mobile

in the environment due to its water solubility. Highly mobile in soils.

Surface tension 36.42 mN/m (25 °C)

**Endocrine Disruptor Information** 

Component	EU - Endocrine Disrupters Candidate List	EU - Endocrine Disruptors - Evaluated
		Substances
Dimethylformamide	Group III Chemical	

Other adverse effects No information available

## **SECTION 13: DISPOSAL CONSIDERATIONS**

Waste treatment methods

Waste from Residues/Unused

**Products** 

Waste is classified as hazardous Dispose of in accordance with the European Directives on

waste and hazardous waste Dispose of in accordance with local regulations

Contaminated Packaging Dispose of this container to hazardous or special waste collection point. Empty containers

retain product residue, (liquid and/or vapor), and can be dangerous Keep product and

empty container away from heat and sources of ignition

Other Information Waste codes should be assigned by the user based on the application for which the product

was used Do not flush to sewer Can be landfilled or incinerated, when in compliance with

local regulations

## **SECTION 14: TRANSPORT INFORMATION**

IMDG/IMO

UN-No UN2265
Hazard Class 3
Packing Group III

Proper Shipping Name N,N-DIMETHYLFORMAMIDE

Road and Rail Transport

UN-No UN2265
Hazard Class 3
Packing Group III

Proper Shipping Name N,N-DIMETHYLFORMAMIDE

**IATA** 

UN-No UN2265
Hazard Class 3
Packing Group III

Proper Shipping Name N,N-DIMETHYLFORMAMIDE

Special Precautions for User No special precautions required

### **SECTION 15: REGULATORY INFORMATION**

Dimethylformamide Revision Date 23-Mar-2025

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories X = listed

Component	EINECS	TSCA	DSL	PICCS	ENCS	ISHL	IECSC	AICS	KECL
Dimethylformamide	200-679-5	X	X	Х	Х	X	Χ	Χ	KE-11411

Component	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Dimethylformamide				Annex I - Y42

#### **National Regulations**

**Persistent Organic Pollutant Ozone Depletion Potential** 

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

## **SECTION 16: OTHER INFORMATION**

#### Legend

CAS - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b)

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic

Substances/EU List of Notified Chemical Substances

Substances List **ENCS** - Japanese Existing and New Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances NZIoC - New Zealand Inventory of Chemicals

IECSC - Chinese Inventory of Existing Chemical Substances **KECL** - Korean Existing and Evaluated Chemical Substances

WEL - Workplace Exposure Limit

**ACGIH** - American Conference of Governmental Industrial Hygienists

RPE - Respiratory Protective Equipment

LC50 - Lethal Concentration 50%

POW - Partition coefficient Octanol:Water

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50%

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

OECD - Organisation for Economic Co-operation and Development

IMO/IMDG - International Maritime Organization/International Maritime

Dangerous Goods Code

**BCF** - Bioconcentration factor

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

MARPOL - International Convention for the Prevention of Pollution from

Page 9/10

Shins

ATE - Acute Toxicity Estimate

VOC - (Volatile Organic Compound)

#### Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

**Revision Date** 23-Mar-2025 **Revision Summary** Not applicable.

In accordance with local and national regulations: Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

Revision Date 23-Mar-2025

### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**