

## SAFETY DATA SHEET

### Classified as hazardous in accordance with the criteria of EPA New Zealand

### **Section 1 - Identification**

**Product Identifier** 

Product Name Sodium hydroxide 46/51% soln.

Synonyms Caustic soda

Recommended Use Laboratory chemicals. Uses advised against No Information available

Product Code S/4930/05, S/4930/15, S/4930/17, S/4930/21, S/4930/25, S/4930/27

Address Thermo Fisher Scientific New Zealand Ltd

244 Bush Road, Albany, Auckland, New Zealand

Emergency Tel. CHEMTREC®

09 980 6780 or +64 9 980 6780

Telephone / Fax Numbers Tel: 09 980 6700

Fax: 09 980 6788

E-mail address <u>ANZinfo@thermofisher.com</u>

## Section 2 - Hazard(s) Identification

Classification under Work Safe New Zealand

Classified as hazardous in accordance with the criteria of EPA New Zealand

**GHS Classification** 

Physical hazards

Substances/mixtures corrosive to metal Category 1

**Health hazards** 

Acute Oral ToxicityCategory 4Acute Dermal ToxicityCategory 4Skin Corrosion/IrritationCategory 1 ASerious Eye Damage/Eye IrritationCategory 1

**Environmental hazards** 

Chronic aquatic toxicity Category 4

Label Elements

FSUS4930 Version 3 05-May-2023 Page 1/10



Signal Word Danger

#### **Hazard Statements**

H290 - May be corrosive to metals

H314 - Causes severe skin burns and eye damage

H413 - May cause long lasting harmful effects to aquatic life

H302 + H312 - Harmful if swallowed or in contact with skin

#### **Precautionary Statements**

#### Prevention

P234 - Keep only in original packaging

P264 - Wash face, hands and any exposed skin thoroughly after handling

P271 - Use only outdoors or in a well-ventilated area

P280 - Wear protective gloves/protective clothing/eye protection/face protection

#### Response

P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor

P363 - Wash contaminated clothing before reuse

P390 - Absorb spillage to prevent material damage

#### Storage

P402 - Store in a dry place

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

P406 - Store in corrosion resistant polypropylene container with a resistant inliner

#### Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

### Other hazards which do not result in classification

Toxic to terrestrial vertebrates

This product does not contain any known or suspected endocrine disruptors

# Section 3 - Composition and Information on Ingredients

| Component        | CAS No    | Weight % |
|------------------|-----------|----------|
| Sodium hydroxide | 1310-73-2 | 50       |
| Water            | 7732-18-5 | 50       |

### **Section 4 - First Aid Measures**

#### Description of first aid measures

**General Advice** Take off contaminated clothing and shoes immediately.

New Zealand Emergency Tel. CHEMTREC®

09 980 6780 or +64 9 980 6780

**Inhalation** Remove to fresh air. Do not use mouth-to-mouth method if victim ingested or inhaled the

substance; give artificial respiration with the aid of a pocket mask equipped with a one-way

FSUS4930 Version 3 05-May-2023 Page 2/10

### SAFETY DATA SHEET

valve or other proper respiratory medical device. Immediate medical attention is required. If

not breathing, give artificial respiration.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Immediate medical attention is required.

**Skin Contact** Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. Immediate medical attention is required.

**Ingestion** Do NOT induce vomiting. Call a physician or poison control center immediately.

Self-Protection of the First Aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination.

First Aid Facilities Eyewash, safety shower and washroom.

Most important symptoms and

effects

Causes burns by all exposure routes. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue

and danger of perforation

Notes to Physician Treat symptomatically.

## **Section 5 - Fire Fighting Measures**

#### **Suitable Extinguishing Media**

Substance is nonflammable; use agent most appropriate to extinguish surrounding fire.

#### Extinguishing media which must not be used for safety reasons

No information available.

### **Specific Hazards Arising from the Chemical**

Corrosive material. Non-combustible, substance itself does not burn but may decompose upon heating to produce corrosive and/or toxic fumes. Keep product and empty container away from heat and sources of ignition.

#### **Hazardous Combustion Products**

Sodium oxides.

#### Special protective equipment and precautions for fire fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

### **Section 6 - Accidental Release Measures**

#### Personal Precautions, Protective Equipment and Emergency Procedures

#### **Emergency procedures**

Wear self-contained breathing apparatus and protective suit. Evacuate personnel to safe areas. Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing.

#### **Environmental Precautions**

Avoid release to the environment. See Section 12 for additional Ecological Information. Do not flush into surface water or sanitary sewer system.

#### Methods for Containment and Clean Up

Wear self-contained breathing apparatus and protective suit. Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

#### Precautions to prevent secondary hazards

Clean contaminated objects and areas thoroughly observing environmental regulations

#### **Reference to Other Sections**

FSUS4930 Version 3 05-May-2023 Page 3 / 10

Refer to protective measures listed in Sections 8 and 13.

## **Section 7 - Handling and Storage**

#### **Precautions for Safe Handling**

#### Advice on safe handling

Use only under a chemical fume hood. Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance.

#### **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

#### Conditions for Safe Storage, Including any Incompatibilities

#### **Storage Conditions**

Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area.

#### **Incompatible Materials**

Acids. Organic materials. Metals. . Zinc.

AS/NZS 2243.10:2004, Safety in laboratories - Storage of chemicals

## **Section 8 - Exposure Controls and Personal Protection**

#### Control parameters

#### **Exposure limits**

NZ - Workplace Exposure Standards and Biological Exposure Indices (6th edition). New Zealand Department of Labor

**UK** - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020.

**ACGIH** - Threshold Limit Values - Ceiling (TLV-C) guidelines by the American Conference of Governmental Industrial Hygienists (ACGIH) for controlling worker exposure to airborne chemical concentrations in the workplace.

AUS - Exposure Standards for Atmospheric Contaminants in the Occupational Environment - Guidance Note on the Interpretation of Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:3008(1995)]

Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:1003(1995)] updated in August, 2005. Safe Work Australia

| Component        | New Zealand WEL              | Australia   | ACGIH TLV                    | The United Kingdom       |
|------------------|------------------------------|-------------|------------------------------|--------------------------|
| Sodium hydroxide | Ceiling: 2 mg/m <sup>3</sup> | 2 mg/m³ TWA | Ceiling: 2 mg/m <sup>3</sup> | 2 mg/m <sup>3</sup> STEL |

#### **Biological limit values**

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

#### Appropriate engineering controls

#### **Engineering Measures**

Use only under a chemical fume hood. Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

#### Individual protection measures, such as personal protective equipment

Eye Protection Goggles (Australian/New Zealand Standard AS/NZS 1337 - Eye protectors for Industrial

applications)

Hand Protection Protective gloves

FSUS4930 Version 3 05-May-2023 Page 4/10

| Glove material          | Breakthrough time | Glove thickness | AUS/NZ Standard | Glove comments                           |
|-------------------------|-------------------|-----------------|-----------------|--|
| Neoprene, Butyl rubber. | > 480 minutes     | 0.45 mm         | AS/NZS 2161     | As tested under EN374-3 Determination of |
|                         | > 480 minutes     | 0.35 mm         |                 | Resistance to Permeation by Chemicals    |
| Nitrile rubber          | > 480 minutes     | 0.35 mm         |                 | •  |
| Viton (R)               | > 480 minutes     | 0.30 mm         |                 |  |

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Skin and body protection Wear appropriate protective gloves and clothing to prevent skin exposure

Repiratory Protection Use an AS/NZS 1716 approved respirator if exposure limits are exceeded or if irritation or

other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained in line with AS/NZS 1715 on the use

and maintenance of repiratory protective devices

Recommended Filter type: Particulates filter conforming to EN 143 (or AUS/NZ equivalent)

Recommended half mask:- Particle filtering: EN149:2001 (or AUS/NZ equivalent)

When RPE is used a face piece Fit Test should be conducted

**Hygiene Measures**Handle in accordance with good industrial hygiene and safety practice.

**Environmental exposure controls** Prevent product from entering drains.

### **Section 9 - Physical and Chemical Properties**

#### Information on basic physical and chemical properties

Physical State Liquid

Appearance Clear, Viscous Odor Odorless

Odor Threshold No data available

pH > 13 Alkaline

Melting Point/Range12 °C / 53.6 °FSoftening PointNo data availableBoiling Point/Range145 °C / 293 °FFlammability (liquid)No data available

Flammability (solid,gas) Not applicable Liquid

Explosion Limits Not applicable

Flash Point No information available Method - No information available

Autoignition TemperatureNot applicableDecomposition TemperatureNo data availableViscosityNo data available

Water Solubility Soluble

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

Vapor Pressure 14 mmHg
Density / Specific Gravity 1.500

Bulk DensityNot applicableLiquidVapor Density> 1.0(Air = 1.0)

Particle characteristics Not applicable (liquid)

Other information

Explosive Properties Not explosive Oxidizing Properties Not oxidising

FSUS4930 Version 3 05-May-2023 Page 5 / 10

## **Section 10 - Stability and Reactivity**

Reactivity

; Contact with metals may evolve flammable hydrogen gas

**Stability** Stable under recommended storage conditions.

Sensitivity to Mechanical Impact No information available

Sensitivity to Static Discharge No information available

Hazardous Polymerization Hazardous polymerization does not occur.

**Hazardous Reactions** Corrosive to metals.

**Conditions to Avoid** Incompatible products, Excess heat.

Incompatible Materials Acids, Organic materials, Metals, . Zinc

Hazardous Decomposition Products Sodium oxides.

## **Section 11 - Toxicological Information**

#### **Acute Effects**

### Information on likely routes of exposure

#### **Product Information**

**Inhalation** Not an expected route of exposure.

Eyes Avoid contact with eyes. Corrosive to the eyes and may cause severe damage including

blindness.

**Skin** Avoid contact with skin. Causes burns. Skin Corrosion/Irritation.

**Ingestion** May be harmful if swallowed.

Numerical measures of toxicity

(a) acute toxicity;

Oral Based on available data, the classification criteria are not met
Dermal Based on ATE data, the classification criteria are not met

ATE = 2700 mg/kg

**Inhalation** Based on ATE data, the classification criteria are not met

#### Toxicology data for the components

| Component        | LD50 Oral             | LD50 Dermal         | LC50 Inhalation |
|------------------|-----------------------|---------------------|-----------------|
| Sodium hydroxide | 140 - 340 mg/kg (Rat) | 1350 mg/kg (Rabbit) |                 |
| NA .             |                       |                     |                 |
| Water            | =                     | =                   | =               |

(b) skin corrosion/irritation; Category 1 A

(c) serious eye damage/irritation; Category 1

(d) respiratory or skin sensitization;

**Respiratory**Skin
Based on available data, the classification criteria are not met
Based on available data, the classification criteria are not met

FSUS4930 Version 3 05-May-2023 Page 6 / 10

### SAFETY DATA SHEET

(e) germ cell mutagenicity; Based on available data, the classification criteria are not met

(f) carcinogenicity; Based on available data, the classification criteria are not met

There are no known carcinogenic chemicals in this product

(g) reproductive toxicity; Based on available data, the classification criteria are not met

(h) STOT-single exposure; Not classified

Bridging principle "Dilution"

Based on available data, the classification criteria are not met

(i) STOT-repeated exposure; Not classified

Bridging principle "Dilution"

Based on available data, the classification criteria are not met

Target Organs None known.

(j) aspiration hazard; Based on available data, the classification criteria are not met

#### Symptoms / effects, both acute and delayed

Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation.

## **Section 12 - Ecological Information**

#### **Ecotoxicity**

**Aquatic ecotoxicity**Do not empty into drains. Large amounts will affect pH and harm aquatic organisms.

| Component        | Freshwater Fish   | Water Flea | Freshwater Algae | Microtox |
|------------------|---|------------|------------------|----------|
| Sodium hydroxide | LC50: = 45.4 mg/L, 96h<br>static (Oncorhynchus<br>mykiss) |            |                  |          |

Terrestrial ecotoxicity There is no data for this product

Persistence and Degradability

**Persistence** Soluble in water, Persistence is unlikely, based on information available.

Degradability

Degradation in sewage treatment

plant

Not relevant for inorganic substances.

Neutralization is normally necessary before waste water is discharged into water treatment plants. Contains substances known to be hazardous to the environment or not degradable

in waste water treatment plants.

Bioaccumulative Potential Bioaccumulation is unlikely

Mobility The product is water soluble, and may spread in water systems. . Will likely be mobile in

the environment due to its water solubility. Highly mobile in soils

Other adverse effects

**Endocrine Disruptor Information Persistent Organic Pollutant** 

This product does not contain any known or suspected endocrine disruptors

This product does not contain any known or suspected substance

FSUS4930 Version 3 05-May-2023 Page 7/10

**Ozone Depletion Potential** 

This product does not contain any known or suspected substance

## **Section 13 - Disposal Considerations**

Waste treatment methods

Waste from Residues/Unused

**Products** 

Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes, including emptied containers, are controlled wastes and should be disposed of in accordance with all federal, E.P.A., state and local regulations. Assure conformity with all applicable regulations.

Contaminated Packaging

Dispose of this container to hazardous or special waste collection point.

**Other Information** 

Disposal agencies or waste contractors must comply with the New Zealand Hazardous Substances (Disposal) Regulations. Do not flush to sewer. Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains. Large amounts will affect pH and harm aquatic organisms. Solutions with high pH-value must be neutralized before discharge.

### **Section 14 - Transport Information**

| Component        | Hazchem Code |  |  |
|------------------|--------------|--|--|
| Sodium hydroxide | 2W           |  |  |
| 1310-73-2 ( 50 ) | 2R           |  |  |

#### NZS 5433:2020

**UN-No** UN1824

Proper Shipping Name SODIUM HYDROXIDE SOLUTION

Hazard Class 8
Packing Group | |

<u>IATA</u>

UN-No UN1824

Proper Shipping Name SODIUM HYDROXIDE SOLUTION

Hazard Class 8
Packing Group | |

IMDG/IMO

UN-No UN1824

Proper Shipping Name SODIUM HYDROXIDE SOLUTION

Hazard Class 8
Packing Group | |

Environmental hazards No hazards identified

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable, packaged goods

Special Precautions

No special precautions required. Please refer to the applicable dangerous goods

regulations for additional information.

Additional information None known

FSUS4930 Version 3 05-May-2023 Page 8/10

## **Section 15 - Regulatory Information**

Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **National Regulations**

There are no applicable tolerable exposure limits or environmental exposure limits according to the EPA Controls for Hazardous Substances

#### Certified handlers, tracking and controlled substance license requirements

Certified handlers are required for some substances. This includes substances requiring a controlled substance license, and most explosives, vertebrates toxic agents, and certain fumigants. Acutely toxic substances which are a Category 1 or 2, such as pesticides also require Certified handlers. Please check the Health and Safety at Work Act 2015 for further information. Tracking is required for some highly hazardous substances. These substances need to be under the control of an appropriately trained person or appropriately secured. Please check the Health and Safety at Work Act 2015 for further information.

#### Prohibition or notification/licensing requirements

Shown below are details of specific prohibition/notifications or licencing requirements when they apply.

#### International Regulations

Ozone Depletion Potential This product does not contain any known or suspected substance

Persistent Organic Pollutant This product does not contain any known or suspected substance

Rotterdam Convention (PIC) Not applicable

# Authorisation/Restrictions according to EU REACH

| Component        | , , | REACH (1907/2006) - Annex XVII -<br>Restrictions on Certain Dangerous<br>Substances | • • • |
|------------------|-----|---|-------|
| Sodium hydroxide | -   | Use restricted. See item 75. (see link for restriction details)                     | -     |

https://echa.europa.eu/substances-restricted-under-reach

#### **International Inventories**

New Zealand (NZIoC), Australia (AICS), Europe (EINECS/ELINCS/NLP), Korea (KECL), China (IECSC), Taiwan (TCSI), Japan (ISHL), Canada (DSL/NDSL), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

| Component        | CAS No    | NZIoC | AICS | EINECS    | ELINCS | NLP | KECL     | IECSC | TCSI |
|------------------|-----------|-------|------|-----------|--------|-----|----------|-------|------|
| Sodium hydroxide | 1310-73-2 | X     | X    | 215-185-5 | i      | -   | KE-31487 | X     | X    |
| Water            | 7732-18-5 | X     | Х    | 231-791-2 | ı      | -   | KE-35400 | Х     | X    |

| Component        | CAS No    | TSCA | TSCA Inventory<br>notification -<br>Active-Inactive | DSL | NDSL | PICCS | ISHL | ENCS |
|------------------|-----------|------|---|-----|------|-------|------|------|
| Sodium hydroxide | 1310-73-2 | X    | ACTIVE  | Х   | -    | X     | Х    | Х    |
| Water            | 7732-18-5 | Х    | ACTIVE  | Х   | -    | Х     | -    | Х    |

Legend: X - Listed '-' - Not Listed KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

### **Section 16 - Other Information**

This safety data sheet complies with the requirements of the EPA Hazardous Substances

FSUS4930 Version 3 05-May-2023 Page 9/10

### (Hazard Classification) Notice 2020 and WorkSafe New Zealand Regulations

#### Legend

NZIoC - New Zealand Inventory of Chemicals

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

**IECSC** - Chinese Inventory of Existing Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer NZS 5433:2020 - Transport of Dangerous Goods on Land

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

**MARPOL** - International Convention for the Prevention of Pollution from Ships

LD50 - Lethal Dose 50%

**EC50** - Effective Concentration 50% **WEL** - Workplace Exposure Limit **DNEL** - Derived No Effect Level

**POW** - Partition coefficient Octanol:Water **vPvB** - very Persistent, very Bioaccumulative

VOC - (Volatile Organic Compound)

AICS - Australian Inventory of Chemical Substances

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

ENCS - Japanese Existing and New Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

CAS - Chemical Abstracts Service

**ACGIH** - American Conference of Governmental Industrial Hygienists

PNEC - Predicted No Effect Concentration

**OECD** - Organisation for Economic Co-operation and Development **IMO/IMDG** - International Maritime Organization/International Maritime Dangerous Goods Code

**ADG** - Australian Code for the Transport of Dangerous Goods by Road and Rail

LC50 - Lethal Concentration 50% ATE - Acute Toxicity Estimate

RPE - Respiratory Protective Equipment NOEC - No Observed Effect Concentration

**BCF** - Bioconcentration factor

PBT - Persistent, Bioaccumulative, Toxic

#### Key literature references and sources for data

HSNO classifications provided in the New Zealand Chemical Classification Information Database (CCID).

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

EPA Guide to classifying hazardous substances in New Zealand

EPA - Assigning a product to an existing HSNO approval guide

#### Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Physical hazards
On basis of test data
Health Hazards
Calculation method
Environmental hazards
Calculation method

#### **Training Advice**

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Chemical incident response training.

Revision Date 05-May-2023 Revision Summary Not applicable

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

## **End of Safety Data Sheet**

FSUS4930 Version 3 05-May-2023 Page 10 / 10