

# **SAFETY DATA SHEET**

Creation Date 23-Jan-2015 Revision Date 28-Dec-2021 Revision Number 5

1. Identification

Product Name Poly(vinyl alcohol), 98% hydrolyzed, approx. M.W. 13,000

Cat No.: AC458240000; AC458240250; AC458241000; AC458245000

**CAS No** 9002-89-5

Synonyms No information available

Recommended Use Laboratory chemicals.

Uses advised against Food, drug, pesticide or biocidal product use.

## Details of the supplier of the safety data sheet

Company

Fisher Scientific Company
One Reagent Lane
Fair Lawn, NJ 07410

Acros Organics
One Reagent Lane
Fair Lawn, NJ 07410

Fair Lawn, NJ 07410

Tel: (201) 796-7100

Emergency Telephone Number For information US call: 001-800-ACROS-01 / Europe call: +32 14 57 52 11

Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

# 2. Hazard(s) identification

#### Classification

Classification under 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

## Label Elements

None required

# Hazards not otherwise classified (HNOC)

None identified

WARNING. Reproductive Harm - https://www.p65warnings.ca.gov/.

# 3. Composition/Information on Ingredients

Component	CAS No	Weight %
Polyvinyl alcohol	9002-89-5	>95
Methyl alcohol	67-56-1	<0.9

# 4. First-aid measures

**Eye Contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Get medical attention

immediately if symptoms occur.

**Inhalation** Remove to fresh air. Get medical attention immediately if symptoms occur.

**Ingestion** Clean mouth with water and drink afterwards plenty of water. Get medical attention if

symptoms occur.

Most important symptoms and

effects

Notes to Physician

None reasonably foreseeable.

Treat symptomatically

# 5. Fire-fighting measures

Suitable Extinguishing Media Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.

Unsuitable Extinguishing Media No information available

Flash Point Not applicable

Method - No information available

**Autoignition Temperature** 

**Explosion Limits** 

Upper

No data available

No information available

Lower No data available
Sensitivity to Mechanical Impact No information available
Sensitivity to Static Discharge No information available

#### **Specific Hazards Arising from the Chemical**

Keep product and empty container away from heat and sources of ignition.

## **Hazardous Combustion Products**

Carbon monoxide (CO). Carbon dioxide (CO2).

## **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

**NFPA** 

HealthFlammabilityInstabilityPhysical hazards010N/A

# 6. Accidental release measures

Personal Precautions Ensure adequate ventilation. Use personal protective equipment as required. Avoid dust

formation.

Environmental Precautions Should not be released into the environment. See Section 12 for additional Ecological

Information.

**Methods for Containment and Clean** Sweep up and shovel into suitable containers for disposal. Avoid dust formation. **Up** 

# 7. Handling and storage

Handling Wear personal protective equipment/face protection. Ensure adequate ventilation. Avoid

contact with skin, eyes or clothing. Avoid ingestion and inhalation. Avoid dust formation.

Storage. Keep containers tightly closed in a dry, cool and well-ventilated place. Incompatible

Materials. Strong oxidizing agents.

# 8. Exposure controls / personal protection

## **Exposure Guidelines**

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH	Mexico OEL (TWA)
Methyl alcohol	TWA: 200 ppm	(Vacated) TWA: 200 ppm	IDLH: 6000 ppm	TWA: 200 ppm
	STEL: 250 ppm	(Vacated) TWA: 260 mg/m <sup>3</sup>	TWA: 200 ppm	STEL: 250 ppm
	Skin	(Vacated) STEL: 250 ppm	TWA: 260 mg/m <sup>3</sup>	
		(Vacated) STEL: 325 mg/m <sup>3</sup>	STEL: 250 ppm	
		Skin	STEL: 325 mg/m <sup>3</sup>	
		TWA: 200 ppm		
		TWA: 260 mg/m <sup>3</sup>		

#### Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH IDLH: NIOSH - National Institute for Occupational Safety and Health

**Engineering Measures** None under normal use conditions.

Personal Protective Equipment

**Eye/face Protection** Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

**Skin and body protection**Wear appropriate protective gloves and clothing to prevent skin exposure.

**Respiratory Protection** No protective equipment is needed under normal use conditions.

**Hygiene Measures** Handle in accordance with good industrial hygiene and safety practice.

# 9. Physical and chemical properties

Physical StateSolidAppearanceOff-whiteOdorCharacteristic

Odor Threshold No information available

pH Not applicable Melting Point/Range 230 - 240 °C

Melting Point/Range230 - 240 °C / 446 - 464 °FBoiling Point/RangeNot applicableFlash PointNot applicableEvaporation RateNot applicable

Flammability (solid, gas)

No information available

Flammability or explosive limits

UpperNo data availableLowerNo data availableVapor PressureNo information available

# Poly(vinyl alcohol), 98% hydrolyzed, approx. M.W. 13,000

Vapor Density Not applicable

Specific GravityNo information availableSolubilitySoluble in hot waterPartition coefficient; n-octanol/waterNo data availableAutoignition TemperatureNo information available

 Decomposition Temperature
 No information available

 Viscosity
 Not applicable

Molecular Weight 13000

# 10. Stability and reactivity

Reactive Hazard None known, based on information available

**Stability** Stable under recommended storage conditions.

Conditions to Avoid Incompatible products. Excess heat.

Incompatible Materials Strong oxidizing agents

Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO2)

Hazardous Polymerization Hazardous polymerization does not occur.

**Hazardous Reactions** None under normal processing.

# 11. Toxicological information

#### **Acute Toxicity**

#### **Product Information**

Component Information

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Polyvinyl alcohol	> 5000 mg/kg (rat)	>7490 mg/kg (rabbit)	>20 mg/m³/h (rat)
Methyl alcohol	LD50 = 1187 – 2769 mg/kg (Rat)	LD50 = 17100 mg/kg ( Rabbit )	LC50 = 128.2 mg/L ( Rat ) 4 h

**Toxicologically Synergistic** 

**Products** 

Delayed and immediate effects as well as chronic effects from short and long-term exposure

No information available

 Irritation
 No information available

 Sensitization
 No information available

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico
Polyvinyl alcohol	9002-89-5	Not listed				
Methyl alcohol	67-56-1	Not listed				

Mutagenic Effects No information available

Reproductive Effects

No information available.

Developmental Effects

No information available.

Teratogenicity

No information available.

STOT - single exposure None known STOT - repeated exposure None known

Aspiration hazard No information available

Symptoms / effects,both acute and No information available

delayed

Endocrine Disruptor Information No information available

Other Adverse Effects The toxicological properties have not been fully investigated.

# 12. Ecological information

#### **Ecotoxicity**

.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Polyvinyl alcohol	Not listed	Lepomis macrochirus:	Not listed	EC50=8.3 mg/L 48h
, ,		LC50=10mg/L 96h		
Methyl alcohol	Not listed	Pimephales promelas: LC50	EC50 = 39000 mg/L 25 min	EC50 > 10000 mg/L 24h
_		> 10000 mg/L 96h	EC50 = 40000 mg/L 15 min	
		_	EC50 = 43000 mg/L 5 min	ļ

Persistence and Degradability Persistence is unlikely based on information available. Soluble in water

**Bioaccumulation/ Accumulation** No information available.

**Mobility** Will likely be mobile in the environment due to its water solubility.

Component	log Pow
Methyl alcohol	-0.74

# 13. Disposal considerations

**Waste Disposal Methods** 

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

Component	RCRA - U Series Wastes	RCRA - P Series Wastes
Methyl alcohol - 67-56-1	U154	=

14. Transpo	rt information
-------------	----------------

DOTNot regulatedTDGNot regulatedIATANot regulatedIMDG/IMONot regulated

# 15. Regulatory information

#### **United States of America Inventory**

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Polyvinyl alcohol	9002-89-5	X	ACTIVE	XU
Methyl alcohol	67-56-1	X	ACTIVE	-

# Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

XU - Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B)

TSCA 12(b) - Notices of Export Not applicable

## **International Inventories**

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Polyvinyl alcohol	9002-89-5	Х	-	-	Χ	Χ	Χ	Χ	Χ	KE-29060
Methyl alcohol	67-56-1	Χ	-	200-659-6	Χ	Х	Х	Х	Х	KE-23193

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

## U.S. Federal Regulations

#### **SARA 313**

	Component	CAS No	Weight %	SARA 313 - Threshold Values %
I	Methyl alcohol	67-56-1	<0.9	1.0

SARA 311/312 Hazard Categories See section 2 for more information

CWA (Clean Water Act) Not applicable

## Clean Air Act

Component	HAPS Data	Class 1 Ozone Depletors	Class 2 Ozone Depletors
Methyl alcohol	X		=

**OSHA** - Occupational Safety and

Health Administration

Not applicable

CERCLA Not applicable

Component	Hazardous Substances RQs	CERCLA EHS RQs
Methyl alcohol	5000 lb	-

## **California Proposition 65**

This product contains the following Proposition 65 chemicals.

	Component	CAS No	California Prop. 65	Prop 65 NSRL	Category
Ī	Methyl alcohol	67-56-1	Developmental	-	Developmental

# U.S. State Right-to-Know

# Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Methyl alcohol	X	X	X	X	X

# **U.S. Department of Transportation**

Reportable Quantity (RQ): Y
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

U.S. Department of Homeland

This product does not contain any DHS chemicals.

Security

## Other International Regulations

Mexico - Grade No information available

## Authorisation/Restrictions according to EU REACH

Component	REACH (1907/2006) - Annex XIV -	REACH (1907/2006) - Annex XVII -	REACH Regulation (EC
	Substances Subject to	Restrictions on Certain Dangerous	1907/2006) article 59 - Candidate

	Authorization	Substances	List of Substances of Very High Concern (SVHC)
Methyl alcohol	-	Use restricted. See item 69. (see link for restriction details)	-

https://echa.europa.eu/substances-restricted-under-reach

## Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Polyvinyl alcohol	9002-89-5	Listed	Not applicable	Not applicable	Not applicable
Methyl alcohol	67-56-1	Listed	Not applicable	Not applicable	Not applicable

Component	CAS No	Seveso III Directive	Seveso III Directive	Rotterdam	Basel Convention
		(2012/18/EC) -	(2012/18/EC) -	Convention (PIC)	(Hazardous Waste)
		<b>Qualifying Quantities</b>	<b>Qualifying Quantities</b>		
		for Major Accident	for Safety Report		
		Notification	Requirements		
Polyvinyl alcohol	9002-89-5	Not applicable	Not applicable	Not applicable	Not applicable
Methyl alcohol	67-56-1	500 tonne	5000 tonne	Not applicable	Not applicable

# 16. Other information

Prepared By Regulatory Affairs

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com

 Creation Date
 23-Jan-2015

 Revision Date
 28-Dec-2021

 Print Date
 28-Dec-2021

Revision Summary This document has been updated to comply with the US OSHA HazCom 2012 Standard

replacing the current legislation under 29 CFR 1910.1200 to align with the Globally

Harmonized System of Classification and Labeling of Chemicals (GHS).

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**