

# SAFETY DATA SHEET

## ZEP MICROSOLVE ACTIVATOR SOLUTION\_55GL

Version 2.2

Revision Date 10/01/2023

Print Date 04/27/2025

### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name : ZEP MICROSOLVE ACTIVATOR SOLUTION\_55GL

Material number : 000000000000287485

#### Manufacturer or supplier's details

Company : Zep, Inc.

Address : 350 Joe Frank Harris Parkway, SE  
Emerson, GA 30137

Telephone : Compliance Services - 877-428-9937

#### Emergency telephone numbers

For SDS Information : Compliance Services - 877-428-9937

For a Medical Emergency : 877-541-2016 Toll Free - All Calls Recorded

For a Transportation Emergency : CHEMTREC: 800-424-9300 - All Calls Recorded.  
In the District of Columbia 202-483-7616

#### Recommended use of the chemical and restrictions on use

### SECTION 2. HAZARDS IDENTIFICATION

#### Emergency Overview

Appearance	liquid
Colour	clear, colourless
Odour	mild

#### GHS Classification

Serious eye damage : Category 1

Skin irritation : Category 2

#### GHS label elements

Hazard pictograms :



Corrosion

Signal word : Danger

Hazard statements : H318 Causes serious eye damage.  
H315 Causes skin irritation.

Precautionary statements : **Prevention:**  
P260 Do not breathe vapours.  
P264 Wash skin thoroughly after handling.  
P280 Wear protective gloves/ eye protection/ face protection.  
**Response:**  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

# SAFETY DATA SHEET

## ZEP MICROSOLVE ACTIVATOR SOLUTION\_55GL

Version 2.2

Revision Date 10/01/2023

Print Date 04/27/2025

easy to do. Continue rinsing.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P310 Immediately call a POISON CENTER/doctor.

P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P363 Wash contaminated clothing before reuse.

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

### Storage:

P403 + P235 Store in a well-ventilated place. Keep cool.

### Disposal:

P501 Dispose of contents/container in accordance with local regulation.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Hazardous components

Chemical name	CAS-No.	Concentration [%]
potassium carbonate	584-08-7	>= 5 - < 10
sodium carbonate	497-19-8	>= 5 - < 10
tetrasodium ethylenediaminetetraacetate	64-02-8	>= 5 - < 10

The exact percentages of disclosed substances are withheld as trade secrets.

## SECTION 4. FIRST AID MEASURES

- General advice : Move out of dangerous area.  
Show this safety data sheet to the doctor in attendance.  
Do not leave the victim unattended.
- If inhaled : Move to fresh air.  
If breathing is difficult, give oxygen.  
If symptoms persist, call a physician.
- In case of skin contact : Immediately flush skin with large amounts of water.  
If skin irritation persists, call a physician.
- In case of eye contact : Remove contact lenses.  
Protect unharmed eye.  
Rinse immediately with plenty of water for at least 15 minutes.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.  
Clean mouth with water and drink afterwards plenty of water.  
Never give anything by mouth to an unconscious person.  
DO NOT induce vomiting unless directed to do so by a

## SAFETY DATA SHEET

### ZEP MICROSOLVE ACTIVATOR SOLUTION\_55GL

Version 2.2

Revision Date 10/01/2023

Print Date 04/27/2025

physician or poison control center.  
If symptoms persist, call a physician.

Most important symptoms and effects, both acute and delayed : Symptoms may include blistering, irritation, burns, and pain.  
Gastrointestinal discomfort  
Effects are dependent on exposure (dose, concentration, contact time).  
Causes skin irritation.  
Causes serious eye damage.  
Review section 2 of SDS to see all potential hazards.

Notes to physician : Treat symptomatically. Symptoms may be delayed.

---

#### SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water spray jet  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : High volume water jet

Specific hazards during firefighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : Carbon dioxide (CO<sub>2</sub>)  
Carbon monoxide  
Nitrogen oxides (NO<sub>x</sub>)  
Smoke

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

---

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.

Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains, inform respective authorities.  
Do not allow undiluted product to reach sewage system or any water course. Do not discharge effluent containing this product to sewer systems without previously consulting with

# SAFETY DATA SHEET

## ZEP MICROSOLVE ACTIVATOR SOLUTION\_55GL

Version 2.2

Revision Date 10/01/2023

Print Date 04/27/2025

the local sewage treatment plant authority. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, ocean, or other waters unless in accordance with the requirements of a National Pollution Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).  
Keep in suitable, closed containers for disposal.

### SECTION 7. HANDLING AND STORAGE

Advice on safe handling : Avoid exposure - obtain special instructions before use.  
Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Do not breathe vapours or spray mist.  
Dispose of rinse water in accordance with local and national regulations.  
Take precautionary measures against static discharges.  
Provide sufficient air exchange and/or exhaust in work rooms.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.  
Electrical installations / working materials must comply with the technological safety standards.

Materials to avoid : Keep away from food and drink.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Contains no substances with occupational exposure limit values.

**Engineering measures** : effective ventilation in all processing areas

#### Personal protective equipment

Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment.

Hand protection  
Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Safety glasses

Skin and body protection : Protective suit

Hygiene measures : When using do not eat or drink.

# SAFETY DATA SHEET

## ZEP MICROSOLVE ACTIVATOR SOLUTION\_55GL

Version 2.2

Revision Date 10/01/2023

Print Date 04/27/2025

When using do not smoke.  
Wash hands before breaks and at the end of workday.

---

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Colour	: clear, colourless
Odour	: mild
Odour Threshold	: No data available
pH	: 11 - 14
Melting point/freezing point	: No data available
Boiling point	: > 100 °C
Flash point	: does not flash
Evaporation rate	: not determined
Flammability (solid, gas, liquid)	: The product is not flammable.
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapour pressure	: not determined
Relative vapour density	: No data available
Relative density	: 1.15
Density	: 1.15 g/cm3
Solubility(ies)	
Water solubility	: soluble in hot water, soluble in cold water
Partition coefficient: n-octanol/water	: No data available
Auto-ignition temperature	: not determined
Thermal decomposition	: No data available
Viscosity	
Viscosity, kinematic	: No data available

---

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.

## SAFETY DATA SHEET

### ZEP MICROSOLVE ACTIVATOR SOLUTION\_55GL

Version 2.2

Revision Date 10/01/2023

Print Date 04/27/2025

Possibility of hazardous reactions	: No decomposition if stored and applied as directed.
Conditions to avoid	: Extremes of temperature and direct sunlight.
Incompatible materials	: No data available
Hazardous decomposition products	: Carbon oxides

#### SECTION 11. TOXICOLOGICAL INFORMATION

##### Potential Health Effects

Aggravated Medical Condition	: None known.
Symptoms of Overexposure	: Symptoms may include blistering, irritation, burns, and pain. Gastrointestinal discomfort Effects are dependent on exposure (dose, concentration, contact time). Causes skin irritation. Causes serious eye damage. Review section 2 of SDS to see all potential hazards. Treat symptomatically. Symptoms may be delayed.

##### Carcinogenicity:

<b>IARC</b>	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
<b>ACGIH</b>	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
<b>OSHA</b>	No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.
<b>NTP</b>	No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens. No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP. No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

##### Acute toxicity

###### Product:

Acute oral toxicity	: Acute toxicity estimate : 4,942 mg/kg Method: Calculation method
---------------------	---

# SAFETY DATA SHEET

## ZEP MICROSOLVE ACTIVATOR SOLUTION\_55GL

Version 2.2

Revision Date 10/01/2023

Print Date 04/27/2025

### Components:

#### **potassium carbonate:**

Acute oral toxicity : LD50 Oral Rat: 1,870 mg/kg

#### **sodium carbonate:**

Acute oral toxicity : LD50 Oral Rat: 4,090 mg/kg

Acute inhalation toxicity : LC50 Rat: 5,750 mg/l  
Exposure time: 2 h

### **Skin corrosion/irritation**

#### Product:

Remarks: Extremely corrosive and destructive to tissue.

### **Serious eye damage/eye irritation**

#### Product:

Remarks: May cause irreversible eye damage.

### **Respiratory or skin sensitisation**

No data available

### **Germ cell mutagenicity**

No data available

### **Carcinogenicity**

No data available

### **Reproductive toxicity**

No data available

### **STOT - single exposure**

No data available

### **STOT - repeated exposure**

#### Components:

#### **tetrasodium ethylenediaminetetraacetate:**

Exposure routes: Inhalation

Assessment: May cause damage to organs through prolonged or repeated exposure.

### **Aspiration toxicity**

No data available

### **Further information**

#### Product:

Remarks: No data available

# SAFETY DATA SHEET

## ZEP MICROSOLVE ACTIVATOR SOLUTION\_55GL

Version 2.2

Revision Date 10/01/2023

Print Date 04/27/2025

### SECTION 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

No data available

#### Persistence and degradability

No data available

#### Bioaccumulative potential

##### Product:

Partition coefficient: n-octanol/water : Remarks: No data available

#### Mobility in soil

No data available

#### Other adverse effects

No data available

##### Product:

Regulation 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances

Remarks This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information : No data available

### SECTION 13. DISPOSAL CONSIDERATIONS

#### Disposal methods

Waste from residues : Do not dispose of waste into sewer.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.

### SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA):



# SAFETY DATA SHEET

## ZEP MICROSOLVE ACTIVATOR SOLUTION\_55GL

Version 2.2

Revision Date 10/01/2023

Print Date 04/27/2025

UN3266, Corrosive liquid, basic, inorganic, n.o.s., (POTASSIUM CARBONATE, SODIUM CARBONATE), 8, III

Transportation Regulation: IMDG (Vessel):  
UN3266, CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S., (POTASSIUM CARBONATE, SODIUM CARBONATE), 8, III

Transportation Regulation: IATA (Cargo Air):  
UN3266, Corrosive liquid, basic, inorganic, n.o.s., (POTASSIUM CARBONATE, SODIUM CARBONATE), 8, III

Transportation Regulation: IATA (Passenger Air):  
UN3266, Corrosive liquid, basic, inorganic, n.o.s., (POTASSIUM CARBONATE, SODIUM CARBONATE), 8, III

Transportation Regulation: TDG (Canada):  
UN3266, CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S., (POTASSIUM CARBONATE, SODIUM CARBONATE), 8, III

The product as delivered to the customer conforms to packaging requirements for shipment by road under US Department of Transportation (DOT) regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

### SECTION 15. REGULATORY INFORMATION

This product is regulated under the United States Federal Insecticide, Fungicide and Rodenticide Act (FIFRA).

#### Pesticide Labeling Information Required Under U.S. FIFRA Regulations

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

#### OTHER STATE / PROVINCIAL REGULATIONS

This chemical is registered as a pesticide product adjuvant. These requirements differ from classification criteria and hazard information required for safety data sheets, and workplace labels of non-pesticide chemicals. If further information is desired, contact our regulatory group at the email address [compliance.services@zep.com](mailto:compliance.services@zep.com).

**TSCA list** : No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

#### EPCRA - Emergency Planning and Community Right-to-Know Act

##### CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

##### SARA 304 Extremely Hazardous Substances Reportable Quantity

# SAFETY DATA SHEET

## ZEP MICROSOLVE ACTIVATOR SOLUTION\_55GL

Version 2.2

Revision Date 10/01/2023

Print Date 04/27/2025

This material does not contain any components with a section 304 EHS RQ.

**SARA 311/312 Hazards** : Serious eye damage or eye irritation  
Skin corrosion or irritation

**SARA 302** : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

### The components of this product are reported in the following inventories:

**TSCA** On TSCA Inventory  
**DSL** All components of this product are on the Canadian DSL

For information on the country notification status for other regions please contact the manufacturer's regulatory group.

### Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)

---

## SECTION 16. OTHER INFORMATION

# SAFETY DATA SHEET

## ZEP MICROSOLVE ACTIVATOR SOLUTION\_55GL

Version 2.2

Revision Date 10/01/2023

Print Date 04/27/2025

### Further information

#### NFPA:

HEALTH	2
FLAMMABILITY	0
INSTABILITY	0
SPECIAL HAZARD.	

0 = not significant, 1 =Slight,  
2 = Moderate, 3 = High  
4 = Extreme

#### HMIS III:

HEALTH	2
FLAMMABILITY	0
PHYSICAL HAZARD	0

0 = not significant, 1 =Slight,  
2 = Moderate, 3 = High  
4 = Extreme, \* = Chronic

### OSHA - GHS Label Information:

Hazard pictograms



Corrosion

Signal word

: **Danger:**

Hazard statements

: Causes serious eye damage. Causes skin irritation.

Precautionary statements

:

**Prevention:** Do not breathe vapours. Wash skin thoroughly after handling. Wear protective gloves/ eye protection/ face protection.

**Response:** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. Immediately call a POISON CENTER/doctor. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Wash contaminated clothing before reuse. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

**Storage:** Store in a well-ventilated place. Keep cool.

**Disposal:** Disposal of contents/container in accordance with local regulation.

## SAFETY DATA SHEET

### ZEP MICROSOLVE ACTIVATOR SOLUTION\_55GL

Version 2.2

Revision Date 10/01/2023

Print Date 04/27/2025

Version:	2.2
Revision Date:	10/01/2023
Print Date:	04/27/2025

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.