

To Our Customers:

The attached Safety Data Sheet (SDS) was prepared by the vendor of the product you purchased through one of our divisions. We used the manufacturer's electronic document directly or scanned a paper copy and generated a file for our automated SDS delivery system.

All statements, technical information, and recommendations contained therein are solely that of the manufacturer of the product. We at Zep Inc. did not verify the accuracy and completeness of the statements and do not warrantee or guarantee the information. We provide vendor SDSs in accordance with the requirements of the OSHA Hazard Communication Standard in order to assist our customers in their compliance efforts. We made every effort to deliver all of the information prepared by the manufacturer. We cannot anticipate all conditions under which this information will be used. If you have any questions about the statements on the SDS, please contact the company shown on the document.

Zep Inc. assumes no liability or responsibility for loss or damage resulting from the improper use or handling of this product, from incompatible product combinations, or from the failure to follow instructions, warnings, and advisories in the manufacturer's product label and Safety Data Sheet.

Sincerely,

Compliance Services Zep Inc.

SAFETY DATA SHEET

1. Identification

Product identifier

NOX-RUST 712AM

Other means of identification

SDS number

140017

Recommended use

Rust preventing oil.

Recommended restrictions

None known.

Manufacturer / Importer / Supplier / Distributor information

Supplier

Parker Industries, Inc.

Address

15-1, Nihonbashi 1-chome, Chuo-ku, Tokyo 103-0027 JAPAN

Telephone Contact person

+81 (3) 5205-1971 Noriharu Tanaka

+81-47-431-3598

e-mail

ntanaka@parkerind.co.jp

Emergency phone number

2. Hazard(s) identification

Physical hazards

Not classified.

Health hazards

Not classified,

Environmental hazards

Not classified.

OSHA defined hazards

Not classified.

Label elements

Hazard symbol

None.

Signal word

Not available.

Hazard statement

Not available.

Precautionary statement

Prevention

Observe good industrial hygiene practices.

Response

Wash skin with soap and water.

Storage

Store in a closed container.

Disposal

Dispose of waste and residues in accordance with local authority requirements. None known.

Hazard(s) not otherwise

classified (HNOC)

3. Composition/information on ingredients

Mixtures

Chemical name	CAS number	%
Mineral oil	Proprietary	<60
Rust preventive additive	Proprietary	<10
Composition comments	All concentrations are in percent by weight unless ingredient is a gas. Gas concentration	

4. First-aid measures

Move to fresh air. Get medical attention if any discomfort continues.

Inhalation Skin contact

Rinse with water. Get medical attention if irritation persists after washing.

Eye contact

Rinse the eye with water immediately. Get medical attention if irritation develops and persists.

Ingestion

Rinse mouth thoroughly. Get medical attention if any discomfort continues.

Most important

symptoms/effects, acute and

Prolonged contact may cause dryness of the skin.

Indication of immediate

delayed

medical attention and special treatment needed

Treat symptomatically,

percent by volume.

General information

First aid personnel must be aware of own risk during rescue.

NOX-RUST 712AM

919277 Version #: 01 Revision date: - Issue date: 06-March-2014

SDS US

1/6

Continued...

Bulletin Number: WQK-47; Date: July 2014

Page 35

5. Fire-fighting measures

Suitable extinguishing media

Use fire-extinguishing media appropriate for surrounding materials.

Unsuitable extinguishing

Specific hazards arising from

the chemical

By heating and fire, toxic vapors/gases may be formed.

Special protective equipment and precautions for firefighters

Selection of respiratory protection for firefighting: follow the general fire precautions indicated in the workplace. Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire-fighting equipment/instructions

Use standard firefighting procedures and consider the hazards of other involved materials, Prevent runoff from fire control or dilution from entering streams, sewers, or drinking water supply.

General fire hazards

Will burn if involved in a fire.

None known.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear suitable protective clothing, gloves and eye/face protection. Avoid prolonged and repeated contact.

Methods and materials for containment and cleaning up

Absorb spillage with suitable absorbent material,

Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Avoid prolonged and repeated contact. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Store in a well-ventilated place. Keep container tightly closed. Store away from incompatible

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910,1000)

Components	Type	Value	Form
Mineral oil (CAS Proprietary)	PEL	5 mg/m3	Mist,
Rust preventive additive (CAS Proprietary)	PEL.	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
HE ACCIU Three hald I build Male.			

US. ACGIH Threshold Limit Values

Components	Type	Value	Form
Mineral oil (CAS Proprietary)	TWA	5 mg/m3	Inhalable fraction.

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value	Form
Mineral oil (CAS Proprietary)	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
Rust preventive additive (CAS Proprietary)	TWA	5 mg/m3	Respirable.
		10 mg/m3	Total

Biological limit values

No biological exposure limits noted for the ingredient(s).

Appropriate engineering

Provide adequate ventilation. Observe occupational exposure limits and minimize the risk of

inhalation of vapors and mist.

Individual protection measures, such as personal protective equipment

Eye/face protection

Risk of splashes: Wear approved safety goggles.

Skin protection Other

Hand protection

For prolonged or repeated skin contact use suitable protective gloves.

Respiratory protection

Wear appropriate clothing to prevent repeated or prolonged skin contact.

In case of inadequate ventilation or risk of inhalation of oil mist, suitable respiratory equipment with

particulate filter and organic vapor cartridges can be used.

Thermal hazards

Wear appropriate thermal protective clothing, when necessary.

NOX-RUST 712AM

919277 Version #: 01 Revision date: - Issue date: 06-March-2014

SDS US 216

Continued ...

Bulletin Number: WQK-47; Date: July 2014

Page 36

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Viscous liquid.

Physical state

Liquid.

Form

Viscous liquid. Yellowish brown.

Color Odor

Odor threshold

Fatty, Oily. Not available.

Not available.

Melting point/freezing point

Not available.

Initial boiling point and boiling

> 482 °F (> 250 °C)

range

Flash point

> 410.0 °F (> 210.0 °C) Not available.

Evaporation rate Flammability (solid, gas)

Not applicable.

Upper/lower flammability or explosive limits Flammability limit - lower

Not available.

(%)

Flammability limit - upper

Not available.

(%)

Not available.

Vapor pressure

Not available.

Vapor density Relative density

0.9 - 1

Solubility(ies)

Solubility (water)

Not available.

Partition coefficient

Not available.

(n-octanol/water)

Auto-ignition temperature

Not available.

Decomposition temperature

Not available.

Viscosity

1000 mPa·s (20 °C)

10. Stability and reactivity

Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

Chemical stability

Stable under normal temperature conditions.

Possibility of hazardous

reactions

Will not occur.

Conditions to avoid

Contact with incompatible materials.

Incompatible materials

Strong oxidizing agents.

Hazardous decomposition products

Carbon oxides. Sulfur dioxide. Nitrogen oxides. Calcium oxides.

11. Toxicological information

Information on likely routes of exposure

Ingestion

May cause discomfort if swallowed.

Inhalation

Under normal conditions of intended use, this material is not expected to be an inhalation hazard.

Skin contact

Prolonged contact may cause dryness of the skin.

Eye contact

May cause temporary eye irritation. May cause redness and pain.

Symptoms related to the physical, chemical and

Prolonged contact may cause dryness of the skin.

toxicological characteristics Information on toxicological effects

Acute toxicity

May cause discomfort if swallowed.

NOX-RUST 712AM

SDS US 3/6

919277 Version #: 01 Revision date: - Issue date: 06-March-2014

Continued ...

Components Species **Test Results** Rust preventive additive (CAS Proprietary) Acute Oral LD50 Mouse 6450 mg/kg Ra! 6450 mg/kg Skin corrosion/irritation Prolonged contact may cause dryness of the skin. Serious eye damage/eye May cause temporary eye Irritation. May cause redness and pain. irritation Respiratory or skin sensitization Respiratory sensitization No data available. Skin sensitization No data available. Germ cell mutagenicity No data available. Carcinogenicity No data available. Reproductive toxicity No data available. Specific target organ toxicity -No data available. single exposure Specific target organ toxicity -No data available. repeated exposure Aspiration hazard No data available. Chronic effects No data available. 12. Ecological information **Ecotoxicity** The product components are not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the Persistence and degradability No data available. No data available. Bioaccumulative potential Mobility in soil No data available. No data available. Mobility in general Other adverse effects No data available. 13. Disposal considerations Disposal instructions Dispose of in accordance with local regulations. Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste disposal company. Waste from residues / unused Dispose in accordance with all applicable regulations. Do not discharge into drains, water courses or onto the ground. Since emptied containers may retain product residue, follow label warnings even after container is Contaminated packaging 14. Transport information Not regulated as dangerous goods. IATA Not regulated as dangerous goods. IMDG Not regulated as dangerous goods. Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code 15. Regulatory information US federal regulations This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D) Not regulated. US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Continued ...

919277 Version #: 01 Revision date: - Issue date: 06-March-2014

Not listed.

NOX-RUST 712AM

SDS US

4/6

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Immediate Hazard - No Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not reculated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

US state regulations

US. Massachusetts RTK - Substance List

Mineral oil (CAS Proprietary)

Rust preventive additive (CAS Proprietary)

US. New Jersey Worker and Community Right-to-Know Act

Mineral oil (CAS Proprietary)

Rust preventive additive (CAS Proprietary)

US, Pennsylvania Worker and Community Right-to-Know Law

Rust preventive additive (CAS Proprietary)

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance Not listed.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes
	mplies with the inventory requirements administered by the governing country(s), components of the product are not listed or exempt from listing on the inventory a	dministered by the governing

16. Other information, including date of preparation or last revision

Issue date

06-March-2014

Revision date

01

Version #

NOX-RUST 712AM

SDS US

919277 Version #: 01 Revision date: - Issue date: 06-March-2014

5/6

Continued ...

NFPA Ratings



Disclaimer

This information is provided without warranty. The information is believed to be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.

NOX-RUST 712AM 919277 Version #: 01 Revision date: - Issue date: 06-March-2014

SDS US

6/6