

# To Our Customers:

The attached Safety Data Sheet (SDS) was prepared by the vendor of the product you purchased through one of our divisions. We used the manufacturer's electronic document directly or scanned a paper copy and generated a file for our automated SDS delivery system.

All statements, technical information, and recommendations contained therein are solely that of the manufacturer of the product. We at Zep Inc. did not verify the accuracy and completeness of the statements and do not warrantee or guarantee the information. We provide vendor SDSs in accordance with the requirements of the OSHA Hazard Communication Standard in order to assist our customers in their compliance efforts. We made every effort to deliver all of the information prepared by the manufacturer. We cannot anticipate all conditions under which this information will be used. If you have any questions about the statements on the SDS, please contact the company shown on the document.

Zep Inc. assumes no liability or responsibility for loss or damage resulting from the improper use or handling of this product, from incompatible product combinations, or from the failure to follow instructions, warnings, and advisories in the manufacturer's product label and Safety Data Sheet.

Sincerely,

Compliance Services Zep Inc.

# IDEMITSU

# SAFETY DATA SHEET

**Product Name: PPE** 

Mazda Automatic Transmission Fluid Type: FZ, 12 x 1 **Qrt Case** 

**Revision Date:** 07-Sep-2016 **Revision Number: 5** 

# 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

1.1 Product Identifier

**Product Name:** Mazda Automatic Transmission Fluid Type: FZ, 12 x 1 Qrt Case

Other means of identification

**Product Code:** 1770-042A

**Synonyms** Not available

1.2 Recommended use of the chemical and restrictions on use

**Recommended Use** Automotive Lubricant

Uses advised against No information available

1.3. Details of the supplier of the safety data sheet

Manufactured by Idemitsu Lubricants America Corporation, 701 Port Rd.,

Jeffersonville, IN. 47130 Telephone: 812-285-8234, Fax: 812-285-8243, Contact Name: Robin Hutchens, Email:

sds@ilacorp.com

24 Hour Emergency Phone Number: Within USA and Canada: 1800-424-9300

Outside USA and Canada: + 1 703-741-5970 (collect calls

accepted)

# 2. HAZARDS IDENTIFICATION

# 2.1 Classification

This material is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200) and WHMIS 2015

Acute toxicity - Oral	Not classified
Acute toxicity - Dermal	Not classified
Acute toxicity - Inhalation (Gases)	Not classified
Acute toxicity - Inhalation (Vapors)	Not classified
Acute toxicity - Inhalation (Dusts/Mists)	Not classified
Skin corrosion/irritation	Not classified
Serious eye damage/eye irritation	Not classified
Respiratory sensitization	Not classified
Skin sensitization	Not classified
Germ cell mutagenicity	Not classified
Carcinogenicity	Not classified
Reproductive toxicity	Not classified
Specific target organ toxicity (single exposure)	Not classified
Specific target organ toxicity (repeated exposure)	Not classified
Aspiration toxicity	Not classified
Physical hazards	None

# 2.2. Label elements

Not a dangerous substance or mixture according to the Globally Harmonized System (GHS)

Hazards not otherwise classified (HNOC) Not applicable

2.3 Other information

Other hazards • May be harmful in contact with skin

Toxic to aquatic life

Harmful to aquatic life with long lasting effects

Revision Date: 07-Sep-2016

Unknown acute toxicity 6.62% of the mixture consists of ingredient(s) of unknown toxicity

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

# 3.1 Substances

Not applicable

# 3.2 Mixtures

**Non-Hazardous Components** 

Chemical Name	CAS-No	Weight %
Lubricating Base Stocks	Mixture	70-90
Synthetic Lubricant	Mixture	5-10

# 4. FIRST AID MEASURES

Type: FZ, 12 x 1 Qrt Case

#### 4.1 First Aid Measures

General Advice If symptoms persist, call a physician. Take a copy of the Safety Data Sheet when going for

medical treatment.

Eye Contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes. Keep eye wide open while rinsing. If eye irritation

Revision Date: 07-Sep-2016

persists, consult a specialist.

Skin Contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. If skin irritation persists, call a physician.

**Inhalation** Move to fresh air in case of accidental inhalation of vapors. If breathing is difficult, give

oxygen. If not breathing, give artificial respiration. Call a physician immediately.

**Ingestion** Do not induce vomiting without medical advice. If vomiting occurs naturally, have casualty

lean forward to reduce the risk of aspiration. Call a physician or Poison Control Center

immediately.

#### 4.2 Most important symptoms and effects, both acute and delayed

**Symptoms** No information available.

# 4.3 Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

#### 5. FIRE-FIGHTING MEASURES

Flammable Properties NFPA: Class IIIB Combustible Liquid

5.1 Suitable Extinguishing Media Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment

**Unsuitable Extinguishing Media**Do not use a solid water stream as it may scatter and spread fire.

5.2 Specific Hazards Arising from the Chemical Thermal decomposition can lead to release of irritating gases and

vapors.

Hazardous combustion products: During a fire, smoke may contain the original material in addition

to combustion products of varying composition which may be toxic and / or irritating. Combustion products may include and are not limited to, Carbon oxides, Calcium Oxides (CaOx), Nitrogen oxides (NOx), Oxides of Phosphorus, Sulphur oxides.

5.3 Protective Equipment and Precautions for Firefighters As in any fire, wear self-contained breathing apparatus

pressure-demand, MSHA/NIOSH (approved or equivalent) and

full protective gear.

# ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes and clothing. Avoid breathing vapors or mists. Use personal

protective equipment. Ensure adequate ventilation. Remove all sources of ignition.

6.2 Environmental Precautions

Type: FZ, 12 x 1 Qrt Case

**Environmental Precautions** 

Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Do not allow material to contaminate ground water system. Do not flush into surface water or sanitary sewer system. Large Spills: Dike far ahead of liquid spill for later recovery and disposal. Prevent entry into waterways, sewers, basements or confined areas.

Revision Date: 07-Sep-2016

#### 6.3 Methods and material for containment and cleaning up

Methods for Clean-up Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth,

diatomaceus earth, vermiculite) and place in container for disposal according to local /

national regulations (see section 13).

Spill Management

LARGE SPILLS Eliminate sources of ignition. Prevent additional discharge of material if possible to do so

without hazard. For small spills implement cleanup procedures; for large spills implement cleanup procedures and, if in public area, keep public away and advise authorities. Also, if this product is subject to CERCLA reporting (see Section 15 Regulatory Information) notify

the National Response Center.

WATER SPILLS Prevent liquid entering sewers, watercourses, or low areas. Contain spilled liquid with sand

or earth. Recover by pumping or with suitable absorbent. If liquid is too viscous for pumping, scrape up. Consult an expert on disposal of recovered material and ensure

conformity to local disposal regulations.

# 7. HANDLING AND STORAGE

#### 7.1. Precautions for safe handling

**Handling** Do not breathe vapors or spray mist. Avoid contact with skin,

eyes and clothing. Wear personal protective equipment. Remove and wash contaminated clothing before re-use. Keep away from open flames, hot surfaces and sources of ignition. Take

necessary action to avoid static electricity discharge (which might

cause ignition of organic vapors).

Safe Handling Advice Handle in accordance with good industrial hygiene and safety

practices.

7.2. Conditions for safe storage, including any

incompatibilities

Storage Keep in properly labeled containers. Keep container tightly closed

in a dry and well-ventilated place.

Incompatible Materials and/or Coatings No information available

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control parameters

**Exposure Guidelines** This product does not contain any hazardous materials with occupational exposure limits

established by the region specific regulatory bodies.

Other Exposure Guidelines (If Generated)

Type: FZ, 12 x 1 Qrt Case

Chemical Name	OSHA PEL	ACGIH TLV	ACGIH OEL (STEL)	NIOSHT REL TWA	ILA IHG	ILA ROEG	ILA Internal Exposure Limit
Oil mist, mineral	TWA: 5 mg/m³	TWA: 5 mg/m³		TWA 5 mg/m <sup>3</sup> ST 10 mg/m <sup>3</sup>			

#### 8.2 Exposure controls

Appropriate engineering controls

Ensure adequate ventilation, especially in confined areas. Consider the potential hazards of this material (see Section 2), applicable exposure limits, job activities, and other substances in the work place when designing engineering controls and selecting personal protective equipment. If engineering controls or work practices are not adequate to prevent exposure to harmful levels of this material, the personal protective equipment listed below is recommended. The user should read and understand all instructions and limitations supplied with the equipment since protection is usually provided for a limited time or under certain circumstances.

Revision Date: 07-Sep-2016

#### Personal Protective Equipment

**Eye/face protection** Safety glasses equipped with side shields are recommended as minimum protection in

industrial settings.

**Skin protection** Choose the appropriate protective clothing / gloves based on the tasks being performed to

avoid exposed skin surfaces. Glove Type: Neoprene, Nitriles

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

General Hygiene Considerations When us

When using, do not eat, drink or smoke. Clean equipment, work area and clothing regularly.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1. Information on basic physical and chemical properties

Appearance Blue / Green
Physical State Liquid
Odor Mild

Odor Threshold No information available

pH Not applicableMelting point / melting range Not applicable

Boiling point / boiling range No information available

Flash Point > 170 °C / 338 °F COC ASTM D92

Evaporation Rate
Flammability Limit in Air
No information available
Explosion Limits
No information available
Vapor Pressure
Vapor Density (Air)
No information available

Partition Coefficient (n-octanol/water)

Autoignition Temperature

Decomposing Temperature

No information available
No information available
No information available

© 40C = 24.26 cSt; @ 100C = 5.42 cSt

#### Other Information

Type: FZ, 12 x 1 Qrt Case

Revision Date: 07-Sep-2016

#### 10. STABILITY AND REACTIVITY

10.1 Reactivity

The product is chemically stable Reactivity

10.2 Chemical stability

Stable under recommended storage conditions. **Chemical Stability** 

10.3 Possibility of Hazardous Reactions

None under normal processing. **Possibility of Hazardous Reactions** 

**Hazardous Polymerization** Hazardous polymerisation does not occur.

**10.4 Conditions to Avoid** 

Heat, flames and sparks. **Conditions to Avoid** 

10.5 Incompatible Materials

**Incompatible Materials** Strong oxidizing agents.

10.6 Hazardous Decomposition Products

**Hazardous decomposition products** Thermal decomposition can lead to release of irritating gases and

vapors.

# 11. TOXICOLOGICAL INFORMATION

#### 11.1 Information on likely routes of exposure

Inhalation May cause irritation of respiratory tract.

Eve contact May cause slight irritation.

**Skin Contact** May cause skin irritation and/or dermatitis.

Ingestion May be harmful if swallowed.

#### 11.2 Information on toxicological effects

**Symptoms** No information available

# 11.3 Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Not classified.

Serious eye damage/eye

irritation

Not classified.

Not classified. Sensitization Not classified.

11.4 Carcinogenicity

**Mutagenic effects** 

No component of this product present at levels greater than or equal to 0.1% is identified as Carcinogenicity

a known or anticipated carcinogen by NTP, IARC, OSHA, or ACGIH.

Type: FZ, 12 x 1 Qrt Case

Revision Date: 07-Sep-2016

Legend:

NTP: (National Toxicity Program), ACGIH (American Conference of Governmental Industrial Hygienists) IARC: (International Agency for Research on Cancer), OSHA (Occupational Safety and Health Administration of the US Department of Labor)

Reproductive Effects Not classified.

STOT - single exposure Not classified.

STOT - repeated exposure Not classified

**Chronic Toxicity** Avoid repeated exposure.

Aspiration hazard Not classified.

11.5 Acute Toxicity

**Unknown acute toxicity** 6.62% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document .

#### **Product Information (Estimated):**

 ATEmix (oral)
 > 5,000 mg/kg

 ATEmix (dermal)
 > 2,000 mg/kg

 ATEmix (inhalation-dust/mist)
 > 5 mg/l

ATEmix (inhalation-vapor) > 800 mg/l

# 12. ECOLOGICAL INFORMATION

#### 12.1 Ecotoxicity

Ecotoxicity effects

Toxic to aquatic life. Harmful to aquatic life with long lasting effects. Plants and animals may

experience harmful or fatal effects when coated with petroleum products. Petroleum-based (mineral) lubricating oils normally will float on water. In stagnant or slow-flowing waterways, an oil layer can cover a large surface area. As a result, this oil layer might limit or eliminate natural atmospheric oxygen transport into the water. With time, if not removed, oxygen depletion in the waterway may be sufficient to cause a fish kill or create an anaerobic

environment.

**Unknown aquatic toxicity** 11.80% of the mixture consists of components(s) of unknown hazards to the aquatic

environment

**12.2 Persistence and degradability** No information available.

12.3 Bioaccumulation/Accumulation No information available

12.4. Mobility in soil No information available

PBT and vPvB assessment No information available

12.5 Other adverse effects: No information available

# 13. DISPOSAL CONSIDERATIONS

Type: FZ, 12 x 1 Qrt Case

Hazard characteristic and regulatory waste stream classification can change with product use. Accordingly, it is the responsibility of the user to determine the proper storage, transportation, treatment and/or disposal methodologies for spent materials and residues at the time of disposition.

To minimize exposure, see Section 8 (Exposure Controls/Personal Protection) of the SDS.

Waste Disposal Method This material, as supplied, is not a hazardous waste according to Federal regulations (40

CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local

Revision Date: 07-Sep-2016

regulations for additional requirements.

**Contaminated packaging** Dispose of in accordance with local regulations.

#### 14. TRANSPORT INFORMATION

DOT - Non bulk Not regulated

**DOT - Bulk** Not regulated

<u>IATA</u> Not regulated

IMDG/IMO Not regulated

# 15. REGULATORY INFORMATION

#### International Inventories

TSCA	All ingredients are on the inventory or exempt from listing	
DSL	All ingredients are on the inventory or exempt from listing	
NDSL	Not Listed	
EINECS	Does not comply	
ELINCS	Contains an ELINCS substance	
ENCS	All ingredients are on the inventory or exempt from listing	
CHINA	All ingredients are on the inventory or exempt from listing	
KECL	All ingredients are on the inventory or exempt from listing	
PICCS	All ingredients are on the inventory or exempt from listing	
AICS	Does not comply	
NZIoC	Does not comply	
Mexico	Does not comply	

# USA

# Federal Regulations

#### <u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

#### SARA 311/312 Hazardous Categorization

Acute Health Hazard No Chronic Health Hazard No Fire Hazard No

Type: FZ, 12 x 1 Qrt Case

No

No

Revision Date: 07-Sep-2016

# Sudden Release of Pressure Hazard Reactive Hazard

# **CERCLA/SARA 302 & 304**

Section 302 & 304 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 355.

Chemical Name	CAS-No	Weight %	RQ	TPQ
Benzene	71-43-2	<0.001	10 lb final RQ	
			4.54 kg final RQ	

# Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product contains the following HAPs:

Chemical Name	CAS-No	Weight %	HAPS data
Benzene	71-43-2	<0.001	X

# **CWA (Clean Water Act)**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CAS-No	Weight %	U.S CWA (Clean Water Act)
Benzene	71-43-2	<0.001	X

# State Regulations

#### **California Proposition 65**

This product contains chemicals known to the state of California to cause birth defects or other reproductive harm

Chemical Name	CAS-No	Weight %	California Prop. 65		Safe Harbor Limits for Cancer-causing Chemicals (NSRLs)
Benzene	71-43-2	<0.001	Carcinogen Developmental Male Reproductive	24µg/dayoral 49µg/dayinhalation	6.4 μg/day oral 13 μg/day inhalation

# State Right-to-Know

Chemical Name	CAS-No	New Jersey
Petroleum distillates, hydrotreated light paraffinic	64742-55-8	X
Alkenyl dicarboxylamide	ACC 147376	X
Petroleum distillates, solvent dewaxed heavy paraffinic	64742-65-0	X

Chemical Name	CAS-No	Massachusetts
Petroleum distillates, hydrotreated light paraffinic	64742-55-8	X

Chemical Name	CAS-No	Pennsylvania
Alkenyl dicarboxylamide	ACC 147376	X
Petroleum distillates, solvent dewaxed heavy paraffinic	64742-65-0	Х
Amines, polyethylenepoly-, reaction products with succinic anhydride polybutenyl derivitives	68439-80-5	Х

Type: FZ, 12 x 1 Qrt Case

#### **New Jersey Worker and Community Right-to-Know Act:**

Under the New Jersey Right-to-Know Act L. 1983 Chapter 315 N.J.S.A. 34:5A-1 et. seq., the product is to be identified as follows: PETROLEUM OIL (Automatic Transmission Fluid)

#### Canada

This material has been classified in accordance with the WHMIS 2015 regulation

Chemical Name	CAS-No	Weight %	NPRI
Petroleum distillates, hydrotreated light	64742-47-8	<0.1	Listed
Diphenylamine	122-39-4	<0.01	Listed
Benzene	71-43-2	< 0.001	Listed

#### Legend

NPRI - National Pollutant Release Inventory

Health: 1

# 16. OTHER INFORMATION



NFPA

Flammability: 1

Instability: 0

Revision Date: 07-Sep-2016

Prepared By Lakyn Neumeyer Revision Date: 07-Sep-2016

Revision Summary: Unknown acute toxicity

Unknown acute aquatic toxicity

**Ecological Information** 

#### Disclaimer:

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

**End of Safety Data Sheet**