

HANOI UNIVERSITY OF SCIENCE AND TECHNOLOGY

School of Information and communications technology

Software Requirement Specification

Version 1.3

AIMS Project

Subject: ITSS Software Development

Group 07:

No	Name	Student ID
1	Trịnh Thị Thuỳ Dương	20226034
2	Nguyễn Thị Thu Huyền	20220073
3	Hoàng Khải Mạnh	20225984
4	Đoàn Thị Thu Quyên	20226063
5	Dương Phương Thảo	20226001

Hanoi, March 2nd 2025

Table of contents

1 Introduction	2
1.1 Objective	2
1.2 Scope	2
1.3 Glossary	2
1.4 References	3
2 Overall Description	4
2.1 Survey	4
2.2 Overall requirements	4
2.3 Business process	4
3 Detailed Requirements	10
3.1 Use case 1 “Pay Order”	10
3.2 Use case 2 “Cancel Order”	11
3.3 Use case 3 “View product details”	12
3.4 Use case 4 “Add product to cart”	14
3.5 Use case 5 “Update cart”	15
3.6 Use case 6 “Add product to store”	18
3.7 Use case 7 “Update Product to Store”	21
3.8 Use case 8 “Process Pending Order”	22
3.9 Use case 9 “Place Rush Order”	25
3.10 Use case 10 “CRUD Users”	26
3.11 Use Case 11 “Place Order”	27
3.12 Use case 12 “Log in”	30
4 Supplementary specification	32
4.1 Functionality	32
4.2 Usability	32
4.3 Reliability	32
4.4 Performance	32
4.5 Supportability	33
4.6 Other requirements	33

1 Introduction

1.1 Objective

- The AIMS desktop e-commerce software's functional and non-functional requirements are described in this paper. The text functions as a thorough manual for the AIMS system's creation, testing, deployment, and upkeep.
- The purpose of this SRS is to help software developers and all other stakeholders working on the AIMS project communicate and collaborate clearly.

1.2 Scope

The name of the software product is AIMS which is a desktop e-commerce software that runs 24/7 and is easy for new users to use. It can handle up to 1,000 customers at once without slowing down much and works for 300 hours without crashing. If something goes wrong, it gets back to normal within 1 hour. It responds in 2 seconds normally or 5 seconds during busy times.

This software helps with online shopping, making it simple and reliable for users and businesses. It manages sales and customer needs. Its goal is to stay fast, dependable, and user-friendly, keeping customers happy and businesses running smoothly.

1.3 Glossary

<i>No</i>	<i>Term</i>	<i>Explanation</i>	<i>Example</i>	<i>Note</i>
1	token	A piece of data created by server, and contains the user's information, as well as a special token code that user can pass to the server with every method that supports authentication, instead of passing a username and password directly.	JSON Web Token (JWT)	Compact, URL-safe and usable especially in web browser single sign-on (SSO) context.
2	API (Application Programming Interface)	A set of rules that allows different software applications to	VNPay API	Includes online shopping, digital

<i>No</i>	<i>Term</i>	<i>Explanation</i>	<i>Example</i>	<i>Note</i>
		communicate with each order		payments, and logistics
3	E-Commerce (Electronic Commerce)	The buying and selling of goods and services over the internet	Amazon, Shopee	Includes online shopping, digital payment, and logistics
4	VAT (Value Added Tax)	Value-added tax, a consumption tax added to goods and services.	10% VAT in Vietnam	Applied at each stage of production and distribution
5	Rush Order	An order that requires expedited processing and delivery.	Express shipping, Same-day delivery.	May involve additional fees for faster service.
6	Payment Gateway	A service that authorizes and processes online payments securely.	VNPay	Ensures secure transactions between customers and merchants.


1.4 References

2 Overall Description

2.1 Survey

- Customer: an individual user who browses, selects, and purchases products through the AIMS system. They are not required to create an account to place orders.
- Administrator: responsible for managing user accounts, system security, and overall system maintenance.
- Product Manager: user with administrative privileges responsible for managing product information, inventory levels, and order processing.
- VNPay: third-party service that processes customer payments securely, handles transaction validation, and facilitates refunds when necessary.

2.2 Overall requirements




2.3 Business process

The use case “Place Order” is performed by the Customer.


These use cases “Update Product” and “Add Product to Store” are performed by the Product Manager.

The use case “CRUD Users” is performed by the Administrator.


2.3.1. Activity Diagram “Pay Order”




2.3.2. Activity Diagram “Cancel Order”




2.3.3. Activity Diagram “View Product Detail”




2.3.4. Activity Diagram “Add Product to Cart”




2.3.5. Activity Diagram “Update Cart”




2.3.6. Activity Diagram “Add Product to Store”




2.3.7. Activity Diagram “Update Product to Store”




2.3.8. Activity Diagram “Process Pending Store”




2.3.9. Activity Diagram “Place Rush Order”




2.3.10. Activity Diagram “CRUD Users”



2.3.11. Activity Diagram “Place Order”



2.3.12. Activity Diagram “Log in”



3 Detailed Requirements

3.1 Use case 1 “Pay Order”

Use Case “Pay Order”

1. Use case code

UC001

2. Brief Description

This use case describes the interaction between the Customer and AIMS when the Customer wishes to pay an order.

3. Actors

3.1 Customer

1.1 VNPay

4. Preconditions

The preconditions of this use case is that the user that chosen to place an order and finish providing the delivery information and the total price have been calculated.

5. Basic Flow of Events

1. AIMS software displays the invoice (Table 8.1)
2. The customer chooses payment method (in this case VNPay)
3. AIMS software redirects to VNPay
4. Customer performs the payment transaction with VNPay
5. AIMS software saves invoice and payment transactions
6. VNPay notifies the payment result

6. Alternative flows

Table Alternative flows of events for UC Place order

No	Location	Condition	Action	Resume location
1.	At step 4	If the credit card of the user is not valid	The software will display a message notify the customer	Resumes at Step 3
2.	At Step 4	If the credit card of user doesn't have enough money for transaction	The software will display a message notify the customer	Resumes at Step 3

3.	At step 3	If the software fails to connects to VNPay		Use case ends
----	-----------	--	--	---------------

7. Input data

No	Data fields	Description	Mandatory	Valid condition	Example
1	Card owner		Yes		Trinh Thuy Duong
2	Card type	Choose from dropdown list	Yes		Visa
3	Card number		Yes	Positive integer Can have 0 prefix	0192 282 222 443
4	Card valid date		Yes	mm/yy	12/21
5	Card expired data		Yes	mm/yy	12/24
6	PIN code		Yes	3 digits positive integer	111

8. Output data

Table 8.1-Output data of the invoice

No	Data fields	Description	Display format	Example
1.	Title	Title of a product		DVD Interstellar
2.	Price	Price of the corresponding product	-Comma for thousands separator -Positive integer -Right alignment	123,000
3.	Quantity	Quantity of the corresponding media	-Positive integer	2

4.	Amount	Total money of the corresponding media	-Comma for thousands separator -Positive integer -Right alignment	246,000
5.	Subtotal before VAT	Total price of products in the cart before VAT	-Comma for thousands separator -Positive integer -Right alignment	2,106,000
6.	Subtotal	Total price of products in the cart with VAT		2,316,000
7.	Shipping fee			30,000
8.	Total	Sum of subtotal and shipping fee		2,346,000
9.	Currency			VND
10.	Name			Nguyen Minh Phuong
11.	Email			ngoceded@gmail.com
12.	Phone number			0373629481
13.	Province/City			Hanoi
14.	Address			Den Lu 1, Hoang Van Thu Ward, Hoang Mai District
15.	Shipping instructions			
16.	TransactionID			
17.	Transaction Content			
18.	Transaction Datetime		hh:mm:ss dd/mm/yy	12:30:45 12/2/2024

9. Postconditions

The order is successfully paid, and its information is sent via email to the customer.

3.2 Use case 2 “Cancel Order”

Use Case “Cancel Order”

1. Use case code

UC002

2. Brief Description

This use case describes the process of a user canceling the order.

3. Actors

3.1. Customer

3.2.VNPay

4. Preconditions

- The user has accessed the website.
- The user has already made an order.
- The user has received the order link inside their email.
- The order status is “PENDING”.

5. Basic Flow of Events

1. The customer access the system via the link inside their email account
2. The system displays the info, transaction info and delivery info (Table 7.2)
3. The customer reviews the order and choose to cancel the order
4. The system notifies user about cancel operation (Table 7.1)
5. VNPay refunds the full amount of money to customer.

6. Alternative flows

7. Output data

Table 7.1-Output data of the cancel operation

No	Data fields	Description	Display format	Example
1.	Status	Cancel order status		Fail, Successful

Table 7.2-Output data of info, transaction info and delivery info

No	Data fields	Description	Display format	Example
1.	Title	Title of a product		DVD Interstellar
2.	Price	Price of the corresponding product	-Comma for thousands separator	123,000

				-Positive integer -Right alignment	
3.	Quantity	Quantity of the corresponding media		-Positive integer	2
4.	Amount	Total money of the corresponding media		-Comma for thousands separator -Positive integer -Right alignment	246,000
5.	Subtotal before VAT	Total price of products in the cart before VAT	-Comma for thousands separator -Positive integer -Right alignment		2,106,000
6.	Subtotal	Total price of products in the cart with VAT			2,316,000
7.	Shipping fee				30,000
8.	Total	Sum of subtotal and shipping fee			2,346,000
9.	Currency				VND
10.	Name				Nguyen Minh Phuong
11.	Email				ngoceded@gmail.com
12.	Phone number				0373629481
13.	Province/City				Hanoi
14.	Address				Den Lu 1, Hoang Van Thu Ward, Hoang Mai District
15.	Shipping instructions				

16	TransactionID			
17	Transaction Content			
18	Transaction Datetime		hh:mm:ss dd/mm/yy	12:30:45 12/2/2024

8. Postconditions

3.3 Use case 3 “View product details”

Use Case “View product details”

1. Use case code

UC003

2. Brief Description

This use case describes the interaction between customers or product manager and AIMS when customers wish to view product details

3. Actors

3.1 Customers

3.2 Product manager

4. Preconditions

- The website is online and operational.

5. Basic Flow of Events

1. The actors access to home page of the website
2. The software displays a list of random products
3. The actors choose a product to view details
4. The software displays information of corresponding product (See table 2 for common attributes and table 3 ,4, 5 for specific attributes for each type)

6. Alternative flows

Table 1 - Alternative flows of events for UC View product details

No	Location	Condition	Action	Resume location
1.	At Step 2	If customer performs search and sort products	The software will check the conditions and display corresponding products	Resume at step 2

7. Input data

8. Output data

Table 2 - Common attributes of all types of the media products

No	Data fields	Description	Display format	Example
1	Title	Title of the media product	Text	"The Great Gatsby"
2	Media Type	Type of media (Book, CD, LP, DVD)	Dropdown/Text	"Book"
3	Price	Price of the media product	Right alignment, Vietnamese currency (VND)	123,000 VND
4	Quantity	Quantity of the media product	Positive integer, Right alignment	2
5	Amount	Total amount of the corresponding media	Right alignment, Vietnamese currency (VND)	246,000 VND
6	Subtotal	Total amount of all products in the order	Right alignment, Vietnamese currency (VND)	2,316,600 VND
7	Language	Language of the media product	Text	"English"
8	Genre	Genre of the media product	Text	"Classic Fiction"

Table 3 - Output data of Books

No	Data fields	Description	Display format	Example
1	Author	Name of the author(s)	Text	"F. Scott Fitzgerald"
2	Cover Type	Type of cover (Paperback/Hardcover)	Dropdown	"Hardcover"
3	Publisher	Publisher of the book	Text	"Scribner"
4	Publication Date	Date of publication	Date format	"10-Apr-1925"

5	Pages	Number of pages	Positive integer	180
---	-------	-----------------	------------------	-----

Table 4 -Output data of CD/LP

No	Data fields	Description	Display format	Example
1	Artist	Name of the artist (s)	Text	“The Bearles”
2	Record Label	Reord label of the media	Text	“Apple Records”
3	Tracklist	List of tracks	Text/List	“Hey Jude, Let It Be”

Table 5 -Output data of CD/LP

No	Data fields	Description	Valid condition	Example
1	Director	Director of the DVD	Text	“Christopher Nolan”
2	Runtime	Duration of the movies/series	Time format (HH:MM)	“02:30”
3	Studio	Studio that produced the DVD	Text	“Warner Bros”
4	Disc Type	Type of disc (Blu-ray, HD-DVD)	Dropdown	“Blu-ray”
5	Subtitles	Available subtitles	Text/List	“English, Vietnamese”
6	Release Date	Release data of the media product (optional)	Date format	“15-Jul-2020”

9. Postconditions

3.4 Use case 4 “Add product to cart”

Use Case “Add product to cart”

1. Use case code

UC004

2. Brief Description

This use case describes the interaction between customers and AIMS when customers wish to add product to cart

3. Actors

3.1. Customers

4. Preconditions:

- Customer is navigating

5. Basic Flow of Events:

1. The customer selects a product from the product list
2. The customer enters the desired quantities of product that they want to add (See table 1)
3. The customer clicks “Add to cart” button
4. The software updates the cart with the selected product and its quantities

6. Alternative flows

7. Input data

Table 1-Input data of adding product to cart

No	Data fields	Description	Mandatory	Valid condition	Example
1.	Product's quantities	The amount of product that customer wants to add	Yes	An integer	9

8. Output data

9. Postconditions:

Cart's list of items is successfully updated in database

3.5 Use case 5 “Update cart”

Use Case “Update cart”

1. Use case code

UC005

2. Brief Description

This use case describes the interaction between customers and AIMS when customers wish to remove products or change quantities of products in cart

3. Actors

3.1. Customers

4. Preconditions:

- The website is online and operational.

5. Basic Flow of Events:

1. The customer asks to view the cart
2. The software displays cart information (see Table 3)
3. The software checks the product availability

4. Customers can remove products from the cart or change the quantity of products in the cart (see Table 2)
5. The software updates corresponding product's information in cart in database

6. Alternative flows:

Table 1-Alternative flows of events for UC View product details

No	Location	Condition	Action	Resume location
1.	At Step 3	If there are insufficient products	AIMS software notifies customer and displays the quantity of each product is lacking	Resume at step 4

7. Input data

Table 2-Input data of updating quantities of products

No	Data fields	Description	Mandatory	Valid condition	Example
1.	Product's quantities	The amount of product that customer wants to add	Yes	An integer	9

8. Output data

Table 3 - Output data of cart information

No	Data fields	Description	Display format	Example
1.	Total price	The total price of all products excluding VAT	-Comma for thousands separator -Positive number -Right alignment	315,000 VND

			-Vietnamese currency (VND)	
2.	Title	Title of a media product	Text	Captain America
3.	Price	Price of the corresponding media product	-Comma for thousands separator -Positive number -Right alignment -Vietnamese currency (VND)	123,000 VND
2.	Quantity	Quantity of the corresponding media	- Positive integer - Right alignment	2

9. Postconditions:

- Cart's list of items is successfully updated in database.
- Update total price of cart.

3.6 Use case 6 “Add product to store”

Use Case “Add product to store”

1. Use case code

UC006

2. Brief Description

This use case describes the interaction between a Product Manager and the AIMS system when the customer wishes to add a new product in the AIMS system.

3. Actors

3.1. Product Manager

4. Preconditions

- The Product Manager must be logged into the system.
- The Product Manager has the required privileges to add products.

5. Basic Flow of Events

1. The Product Manager selects “Add Product to Store” from the menu.
2. The system displays the product form
3. The Product Manager fills in the required information (see Table 2)
4. The Product Manager clicks: “Save” to submit the form.
5. The system validates the input data.
6. If valid, the system checks the existence of the product in the archive.
7. If don't exist, the system saves the product and displays a success message.
8. The process is completed.

6. Alternative flows

Table 1 -Alternative flows of events for UC Add/Update product

No	Location	Condition	Action	Resume location
1	At Step 6	If invalid input data	Display error message (input incorrectly format)	At step 3
2	At Step 7	If existed input data	Display error message (the product has existed)	At step 3

7. Input data

Table 2 -Input data of general

No	Data fields	Description	Mandatory	Valid condition	Example
1	Title	Title of the media product		Text	“The Great Gatsby”
2	Media Type	Type of media (Book, CD, LP, DVD)		Dropdown/Text	“Book”
3	Price	Price of the media product		Right alignment, Vietnamese currency (VND)	123,000 VND

4	Quantity	Quantity of the media product		Positive integer, Right alignment	2
5	Amount	Total amount of the corresponding media		Right alignment, Vietnamese currency (VND)	246,000 VND
6	Subtotal	Total amount of all products in the order		Right alignment, Vietnamese currency (VND)	2,316,600 VND
7	Language	Language of the media product		Text	"English"
8	Genre	Genre of the media product		Text	"Classic Fiction"

Table -Input data of Books

No	Data fields	Description	Mandatory	Valid condition	Example
1	Author	Name of the author(s)		Text	"F. Scott Fitzgerald"
2	Cover Type	Type of cover (Paperback/Hardcover)		Dropdown	"Hardcover"
3	Publisher	Publisher of the book		Text	"Scribner"
4	Publication Date	Date of publication		Date format	"10-Apr-1925"
5	Pages	Number of pages		Positive integer	180

Table -Input data of CD/LP

No	Data fields	Description	Mandatory	Valid condition	Example
----	-------------	-------------	-----------	-----------------	---------

1	Artist	Name of the artist (s)		Text	“The Bearles”
2	Record Label	Reord label of the media		Text	“Apple Records”
3	Tracklist	List of tracks		Text/List	“Hey Jude, Let It Be”

Table -Input data of CD/LP

No	Data fields	Description	Mandatory	Valid condition	Example
1	Director	Director of the DVD		Text	“Christopher Nolan”
2	Runtime	Duration of the movies/series		Time format (HH:MM)	“02:30”
3	Studio	Studio that produced the DVD		Text	“Warner Bros”
4	Disc Type	Type of disc (Blu-ray, HD-DVD)		Dropdown	“Blu-ray”
5	Subtitles	Available subtitles		Text/List	“English, Vietnamese”
6	Release Date	Release data of the media product (optional)		Date format	“15-Jul-2020”

8. Output data

9. Postconditions

- The new product is saved in the system.
- The system calculates and stores the final price including VAT.

3.7 Use case 7 “Update Product to Store”

Use Case “Update product to store”

1. Use case code

UC007

2. Brief Description

This use case describes the interaction between a Product Manager and the AIMS system when the customer wishes to update an existing product in the AIMS system.

3. Actors

3.1. Product Manager

4. Preconditions

- The Product Manager must be logged into the system.
- The Product Manager has the required privileges to update products. For updating a product: The product must exist in the system.

5. Basic Flow of Events

1. The Product Manager selects “Update product to Store” from the menu.
2. The system displays list products.
3. The Product Manager selects the product to update.
4. The system loads the selected product’s details in an editable form.
5. The Product Manager modifies the required fields.
6. The Product Manager submits the update information.
7. If valid, the system saves the changes and displays a success message.
8. The process is completed.

6. Alternative flows

Table -Alternative flows of events for UC Update product

No	Location	Condition	Action	Resume location
2	At Step 7	If invalid input	Display error message	At step 5

7. Input data

Table -Input data of additional delivery information

No	Data fields	Description	Mandatory	Valid condition	Example
----	-------------	-------------	-----------	-----------------	---------

1	Product ID	Unique identifier (for update only)		Must exist in system (for update)	P12345
2	Title	Product title		Text	"The Great Gatsby"
3	Media Type	Type of media (Book, CD, LP, DVD)		Dropdown/Text	"Book"
4	Price	Selling price of the product (excluding VAT)		Positive number	250,000

8. Output data

9. Postconditions

The updated product details are successfully stored.

The system calculates and stores the final price including VAT.

a.

3.8 Use case 8 "Process Pending Order"

Use Case "Process Pending Order"

1. Use case code

UC008

2. Brief Description

This use case describes the interaction between a Product Manager when a Product Manager wishes to reviews and approves/rejects customer orders.

3. Actors

3.1. Product Manager

4. Preconditions

- The Product Manager must be logged into the system.
- There are pending orders in the system.
- Orders contain products that may be in stock or out of stock.

5. Basic Flow of Events

1. The Product Manager selects “Pending Order” from the menu.
2. The system displays up to 30 pending orders per page.
3. The Product Manager selects an order from the list
4. The system loads and displays the order details
5. The system checks stock availability for the order.
6. The Product Manager: If stock is available, decides to approve or reject the order.
7. The Product Manager chooses to approve the order.
8. The system updates the order status “Approve”.
9. The system sends an email notification to the customer about the order status.
10. The system displays a confirmation message to the Product Manager.

6. Alternative flows

Table -Alternative flows of events for UC Approve Order

No	Location	Condition	Action	Resume location
1	At Step 5	If insufficient stock	The system rejects the order and notifies the customer	End use case
2	At Step 6	If system failure	The system logs the error and asks the Product Manager to retry	At step 5
3	At Step 7	If Product Manager rejects order	The system asks for a rejection reason, updates the order status “Reject”	At step 9
4	At Step 3	If no pending orders exist	The system displays a message and returns to the main dashboard	End use case

7. Input data

Table -Alternative flows of events for UC Approved order

No	Data fields	Description	Mandatory	Valid condition	Example
1	Order ID	Unique identifier for the order	Yes	Existing order ID	98765
2	Stock Availability	System check to verify if items are in stock	Yes	Approve/Reject	“Approve”
3	Rejection Reason	If rejecting, the manager must provide a reason	No		“Item not found in stock”

8. Output data

Table B-Output data

No	Data Field	Description	Display Format	Example
1	Order Status	Update status of the order	Approved/Rejected	“Rejected - Out of stock”
2	Customer Notification	Email sent to inform the customer about order status	Email format	“Your order #98765 has been approved”
3	Product Manager Confirmation	System message after processing	Text	“Order successfully approved”

9. Postconditions

- If approved, the order is processed for shipping.
- If rejected, the order is canceled, and the customer is notified.

b.

3.9 Use case 9 “Place Rush Order”

Use Case “Place Rush Order”

1. Use case code

UC009

2. Brief Description

This use case describes the interactions between the AIMS software with the customer and VNPay when the customer wants to place a rush order.

3. Actors

Customer

4. Preconditions

The customer chose the rush order option.

5. Basic Flow of Events

1. Customer submits the delivery information and selects the rush order delivery
2. Software checks whether the address supports this service and whether any products are eligible
3. Software requests for additional rush order delivery information
4. Customer enters additional rush order delivery information (see in Table Input Data)
5. Software calculates the total fee with rush order delivery and return back to use case "Place Order"

6. Alternative flows

Table -Alternative flows of events for UC Place Rush order

No	Location	Condition	Action	Resume location
1	At Step 1	If the customer cancels the option at any time		End use case
2	At Step 2	If the location is not in Hanoi	Notifies user the delivery error	At step 1
	At step 2	If the product does not support the rush delivery	Notifies user the delivery error	At step 1

7. Input data

Table Input data of additional delivery information

No	Data fields	Description	Mandatory	Valid condition	Example
1	Delivery time for rush order delivery	Desired time for customer to receive products after a successful order.		<ul style="list-style-type: none">• Hh/mm/ss• Less than 2 hours	1h30m0s
2	Delivery instructions				

8. Output data

9. Postconditions

Calculate delivery costs to continue printing invoice for use case “Place Order”.

3.10 Use case 10 “CRUD Users”

c.

Use Case “CRUD Users”

1. Use case code

UC010

2. Brief Description

This use case describes the interaction when an administrator modifies users.

3. Actors

Administrator

4. Preconditions

Administrator log in managed account.

5. Basic Flow of Events

1. Administrator enters the login form.
2. Software checks the validity of input form.
3. Software shows the login success form.
4. Administrator chooses the option they want to perform (create user or show info or delete user or reset password).
5. Software shows a list of users.
6. Administrator chooses the user and selects options (show information or delete or reset user password).
7. Software performs selected operations (show information or delete or reset user password).
8. Software sends email notifications to users.

6. Alternative flows

Table -Alternative flows of events for UC Place order

No	Location	Condition	Action	Resume location
----	----------	-----------	--------	-----------------

1	At Step 1	If administrator entered the invalid input	Notifies administrator the error	At step 1	
2	At Step 4	If administrator chose the “Create User” option	Shows administrator to the created user form		
<p>7. Input data</p> <p>8. Output data</p> <p>9. Postconditions</p> <p>Software sends email notifications to users.</p>					

3.11 Use Case 11 “Place Order”

d.

<p style="text-align: center;">Use Case “Place Order”</p> <p>1. Use case code UC011</p> <p>2. Brief Description Use case “Place Order” describes the interaction between customers and AIMS software when the customer wishes to place order.</p> <p>3. Actors</p> <p>3.1 Customer</p> <p>3.2 AIMS software</p> <p>4. Preconditions</p> <ul style="list-style-type: none"> - There is at least one item in the cart - The customer must be logged into the system <p>5. Basic Flow of Events</p> <ol style="list-style-type: none"> 1. Customer requests to place order in the cart 2. AIMS software checks the availability of products in the cart 3. AIMS software displays the form of delivery information with order information 4. Customer enters and submits delivery information (see Table 1) 	
--	--

5. AIMS software calculates and updates order information with shipping fees (see Table 2)
6. The customer asks to pay order
7. The AIMS software calls UC “Pay order”
8. The AIMS software creates and saves a new order
9. The AIMS software makes the cart empty
10. The AIMS software sends email about the order notification and information
11. The AIMS software displays the successful order notification, the order and the transaction information (see Table 3)

6. Alternative flows

Table N-Alternative flows of events for UC Place order

No	Location	Condition	Action	Resume location
1.	At Step 3	If the products are not available	▪ The AIMS software notifies that the products in the cart are not available and stay at the use case “View cart”	Use case ends
2.	At Step 5	If the delivery info is invalid	▪ AIMS software notifies that the delivery info is invalid (blank or wrong format)	At Step 3
	At Step 5	If the user chooses to place rush order	AIMS software inserts use case “Place rush order”	At Step 6
	At Step 8	If the order payment is not successful or goes back from payment		At Step 5

7. Input data

Table 1-Input data of delivery information

No	Data fields	Description	Mandatory	Valid condition	Example
1.	Receiver Name		Yes		Duong Phuong Thao
	Phone Number		Yes	10 digits	0987654321

	Province	Choose from a list	Yes		Hanoi
	Address		Yes		12, 34 Alley of Tran Thai Tong street, Cau Giay district
	Shipping instruction		No		

8. Output data

Table 2-Output data of order information and shipping fee

No	Data fields	Description	Display format	Example
1.	Title	Title of a media product		DVD Phim Ma
2.	Price	Price of the corresponding product	-Comma for thousands separator -Positive integer -Right alignment	123,000
3.	Quantity	Quantity of the corresponding media	-Positive integer - Right alignment	2
4.	Amount	Total money of the corresponding media	-Comma for thousands separator -Positive integer -Right alignment	246,000
5.	Subtotal before VAT	Total price of products in the cart before VAT	-Comma for thousands separator -Positive integer -Right alignment	2,106,000
6.	Subtotal	Total price of products in the cart with VAT		2,316,000
7.	Shipping fee			30,000
8.	Total	Sum of subtotal and shipping fee		2,346,000

Table 3-Output data of general information of order and transaction info

No	Data fields	Description	Display format	Example
1.	Customer name			Duong Phuong Thao

2 .	Phone number			0987654321
3.	Province			Hanoi
4 .	Address			12, 34 Alley of Tran Thai Tong street, Cau Giay district
5 .	Total amount		-Right alignment -Vietnamese currency(VND) -Vietnamese locale	2,346,000
6 .	Transaction ID			
7 .	Transaction content			
8 .	Transaction date		dd/mm/yyyy	05/10/2023
9. Postconditions A new order is created, and its information is sent via email to the customer or nothing happens if payment is not successful.				

3.12 Use case 12 “Log in”

e.

Use Case “Log in”	
1. Use case code	UC012
2. Brief Description	This use case describes the process of a user logging into the application.
3. Actors	
3.1 Customer	
3.2 AIMS software	
4. Preconditions	- The customer already had an account.

5. Basic Flow of Events

1. The customer goes to the login pages
2. The customer fills out the login form
3. The customer requests to access the account
4. The AIMS software checks if the account's information is valid
5. The customer accesses the account

6. Alternative flows

Table N-Alternative flows of events for UC Place order

No	Location	Condition	Action	Resume location
1.	At Step 4	If the information that the customer provided is not valid	▪ The software notifies that the login info is invalid	Resumes at Step 2

7. Input data

Table A-Input data of account information

No	Data fields	Description	Mandatory	Valid condition	Example
1.	User name		Yes		thaoduong123
2	Password		Yes		thaoduong123

8. Output data

9. Postconditions

If the account is valid, the customer can access the account.

4 Supplementary specification

4.1 *Functionality*

- **Search Feature:** The system should allow customers to find products by searching with relevant attributes such as title, category, or author. The search results should be presented clearly and well-organized.
- **Order Records:** Customers should have access to a history of their past orders, including details, status updates, and transaction information.

4.2 *Usability*

- **User Interface:** The interface should be intuitive, easy to use, and visually appealing, maintaining a consistent design and navigation across all features.
- **Accessibility:** The system should support users with disabilities by following accessibility standards, including features like keyboard navigation, screen reader compatibility, and a clear visual structure.
- **Help & Documentation:** Users should have access to comprehensive help resources or tutorials to assist them in understanding and using the system's features effectively

4.3 *Reliability*

- **High Availability:** The AIMS system should be operational the vast majority of the time, aiming for minimal service disruptions and downtime.
- **Reliable Data Management:** Strong validation and error-handling processes must be implemented to maintain the integrity and accuracy of product details, order information, and customer records.
- **Resilience & Recovery:** A robust disaster recovery strategy should be in place to swiftly restore system functionality in the rare event of hardware malfunctions or software failures.

4.4 *Performance*

- **System Performance:** The system should deliver a fast and responsive user experience.
- **Product Browsing & Search:** Response time for browsing product listings and performing searches should not exceed 2 seconds.
- **Checkout & Order Processing:** Under normal system load, checkout and order processing should be completed within 5 seconds, aligning with the "Place Order" and "Request Rush Order" use cases.

4.5 Supportability

- **Error Management:** The system should efficiently handle errors by displaying clear, informative messages for both users and administrators. Error logs should be easily accessible for troubleshooting.
- **Code Maintainability:** The codebase should be well-documented, modular, and adhere to best practices to facilitate easy maintenance and future updates.

4.6 Other requirements

None