

target_type

created_at

updated_at

target_type_id

target_type_name

target_type_description

proposal_category

created_at

updated_at

proposal_category_id

proposal_category_name

proposal_category_description

[table]

int4 not null

varchar

varchar

timestamp

timestamp

target [table] bigserial not null target_id auto-incremented varchar obj_id int8 float8(17, 17) ra "dec" float8(17, 17) varchar epoch int4 tract int4 patch target_type_id int4 ∡input_catalog_id int4 fiber_mag_g float8(17, 17) float8(17, 17) fiber_mag_r |fiber_mag_i float8(17, 17) float8(17, 17) fiber_mag_z float8(17, 17) fiber_mag_y fiber_mag_j float8(17, 17) float8(17, 17) psf_mag_g float8(17, 17) psf_mag_r float8(17, 17) psf_mag_i float8(17, 17) psf_mag_z psf_mag_y float8(17, 17) psf_mag_j float8(17, 17) psf_flux_g float8(17, 17) psf_flux_r float8(17, 17) psf_flux_i float8(17, 17) float8(17, 17)/ psf_flux_z float8(17, 17) psf_flux_y psf_flux_j float8(17, 17) float8(17, 17) priority float8(17, 17) effective_exptime is_medium_resolution bool

qa_relative_throughput

qa_reference_lambda

qa_relative_noise

is_cluster

created_at

updated_at

fluxstd

obj_id

"dec"

epoch

parallax

psf_flux_z

psf_flux_y

psf_flux_j

flags_dist

flags_ebv

created_at

updated_at

version

prob_f_star

fluxstd_id

float8(17, 17)

float8(17, 17)\

float8(17, 17)

timestamp

timestamp

bigserial not null

float8(17, 17)

bool

bool

varchar

timestamp

timestamp

varchar

int8

auto-incremented

[table]

bool

[table] int4 not null timestamp timestamp

varchar

varchar

cluster cluster_id int8 not null **⊙∢**target_id int8 not null n_targets int4 ra_cluster float8(17, 17) dec_cluster float8(17, 17) d_ra float8(17, 17) d_dec float8(17, 17) input_catalog_id int4 created_at timestamp updated_at timestamp

[table]

parallax_error float8(17, 17) pmra float8(17, 17) float8(17, 17) pmra_error float8(17, 17) pmdec pmdec_error float8(17, 17) int4 tract patch int4 target_type_id int4 -o**∢**input_catalog_id int4 psf_mag_g float8(17, 17) psf_mag_r float8(17, 17) psf_mag_i float8(17, 17) psf_mag_z float8(17, 17) psf_mag_y float8(17, 17) psf_mag_j float8(17, 17) psf_flux_g float8(17, 17) psf_flux_r float8(17, 17) psf_flux_i float8(17, 17)

input_catalog [table] input_catalog_id int4 not null input_catalog_name varchar input_catalog_description varchar created_at timestamp updated_at timestamp

generated by SchemaCrawler 16.16.14 generated on 2022-04-28 01:39:22