

Quantification of human exposure to antimicrobial resistant *E. coli* using a farm-to-fork model in broiler chicken production.

Subhasish Basak¹, Nunzio Sarnino², Roswitha Merle², Lucie Collineau¹
1. ANSES – Laboratoire de Lyon, France 2. Freie Universität Berlin, Germany

CONTEXT

PROJECT ENVIRE

CONSORTIUM AND FUNDING

- Project duration: 2022-2025
- Germany, France, Lithuania, Poland, Tunisia
- Funded by the European Transnational Programme - **JPIAMR-RED**


OBJECTIVES

- Reduce antimicrobial-resistant (**AMR**) bacteria spread from broiler chickens
- Investigate the potential of various on-farm **intervention** measures
- Reduce transmission and human exposure to ESBL *E. coli* from broiler chicken

WORKFLOW – WP 3

- Quantitative Risk Assessment with pathways:
 - FOOD-BORNE ✓
 - ENVIRONMENTAL
 - OCCUPATIONAL
- Incorporate on-farm intervention measures

MATERIALS & METHODS FOOD-BORNE FARM-TO-FORK PATHWAY ✓



DYNAMICS of ESBL *E. coli* in farm environment

Transmission model Dame-Korevaar et al. (2020)

Horizontal Gene Transfer Fisher et al. (2019)

Susceptible-Infected model Becker et al. (2022)

DYNAMICS of ESBL *E. coli* in processing

Collineau et al. (2020) in ESBL *E. coli* setup

Updated with EU poultry farming practices



Simulates the processing of 1 chicken flock

Flock Risk from 1 chicken portion consumed

- Prob. of ESBL *E. coli* carriage by consumer
- Conditional on P_{prev} , C_{load} after cooking

PDR: **Dose-Response** Furusawa et al. (2024)

RESULTS & PERSPECTIVES




Average risk of ESBL *E. coli* carriage by consumer from 1 chicken portion consumed

$$R_{\theta}^{\text{portion}} = \int P_{DR}(c_{load}) \cdot p_{prev} \cdot p(p_{prev}, c_{load}) \cdot dp_{prev} dc_{load}$$

To estimate: 10k independent flocks simulated with Monte Carlo runs

Average risk in a **baseline** scenario defined by input parameters Θ : **1.4e-4**



**HEAVY
TAILED
Distribution**

Quantile
metrics ?

Difficult to
interpret ?

Food-borne QRA module perspectives

Validation: Simulation results are comparable with Faverjon et al. (2022)

Calibration: Input parameters Θ can be adapted to different EU country protocols

Work in Progress: Integration of ENVIRE experimental data on interventions