

Press **Esc** to exit full screen

1. Program

Question 1

 Revisit Later

How to Attempt?

All Digits Count

Write a function to find the count of ALL digits in a given number N. The number will be passed to the function as an input parameter of type int.

Assumption: The input number will be a positive integer number ≥ 1 and ≤ 25000 .

For e.g.

If the given number is 292, the function should return 3 because there are 3 digits in this number

If the given number is 1015, the function should return 4 because there are 4 digits in this number

JAVA8

Compiler: Java - 1.8

```
1  import java.io.*;
2  import java.util.*;
3
4  // Read only region start
5  class UserMainCode
6  {
7
8      public int allDigitsCount(int input1){
9          // Read only region end
10         // Write code here...
11         String str=Integer.toString(input1);
12         return str.length();
13     }
14 }
```

☐ Use Custom Input



Compile and Test

Submit Code

Mercer

mettl

sujana

LP_Practice_AllDigitsCount / Saved: 60 seconds ago

1. Program

1

Question 1

Revisit Later

How to Attempt?

All Digits Count

Write a function to find the count of ALL digits in a given number N. The number will be passed to the function as an input parameter of type int.

Assumption: The input number will be a positive integer number >= 1 and <= 25000.

For e.g.
If the given number is 292, the function should return 3 because there are 3 digits in this number
If the given number is 1015, the function should return 4 because there are 4 digits in this number

Use Custom Input

Code Execution

0/8 - Graded Tests

Corner 2

Corner 1

Necessary 2

Necessary 1

Basic 4

Basic 3

Basic 2

Basic 1

Mettl Online Assessment © 2021-2031

Need Help? Contact us: +1 (800)

Finish Test

Remaining Time: 01:03:41

Your Test Summary

1 Total Questions

Attempted: 1/1

Marked for Revisit: 0/1

Unattempted: 0/1

Section Summary

#	SECTION NAME	STATUS
1.	Program Untimed Section	<div>1</div> <div>Total: 1 Questions</div>

Yes, End Test!

No, Back to Test