sk11 forward t0 with transform

October 8, 2022

```
[]: import msgpack as mp
     import msgpack_numpy as mpn
     import numpy as np
     import cv2
     import matplotlib.pyplot as plt
     import sys
     import os
     sys.path.append(os.path.join(os.getcwd(), ".."))
     from support.generate_ar_data import *
     from support.pd_support import *
     from support.calculations_support import *
     from support.mecanum_calculations import *
[]: #data path
     _folder_name = "sk11_forward_t0"
     _base_pth = r"C:
     →\Users\Sujith\Documents\Projects\skateboard_gui\recording_programs\test_data\single_cam_oct
     _pth = os.path.join(_base_pth, _folder_name)
[]: #calibration path
     _calib_pth = os.path.join(_base_pth, "calibration7")
     _webcam_calib_pth = os.path.join(_calib_pth, "webcam_calibration.msgpack")
     #rotation matrix path
     _rotmat_pth = r"C:
     →\Users\Sujith\Documents\Projects\skateboard_gui\recording_programs\test_data\single_cam_oct
     _webcam_rotmat_pth = os.path.join(_rotmat_pth, "webcam_rotmat.msgpack")
     _webcam_video_pth = os.path.join(_pth, "webcam_color.msgpack")
     #timestamp path
     _webcam_timestamp_pth = os.path.join(_pth, "webcam_timestamp.msgpack")
     _webcam_calib_pth
```

[]: 'C:\\Users\\Sujith\\Documents\\Projects\\skateboard_gui\\recording_programs\\test_data\\single_cam_oct_7\\calibration7\\webcam_calibration.msgpack'

```
[]: #open the calibration files
     with open(_webcam_calib_pth, "rb") as f:
         webcam_calib = mp.Unpacker(f, object_hook=mpn.decode)
         _temp = next(webcam_calib)
         _webcam_cam_mat = _temp[0]
         _webcam_dist = _temp[1]
     # open rotation matrix and org
     with open(_webcam_rotmat_pth, "rb") as f:
         webcam rotmat = mp.Unpacker(f, object hook=mpn.decode)
         _webcam_rot = next(webcam_rotmat)
         _webcam_org = next(webcam_rotmat)
[]: _w_df = get_ar_pose_data(_webcam_video_pth, _webcam_cam_mat, _webcam_dist,__
      →is_color=False, single_file=True, flip_frame=False)
     _w_df = add_time_from_file(_w_df, _webcam_timestamp_pth)
    returning dataframe
[]: #reading mocap df
     _mocap_pth = os.path.join(_base_pth, "mc_data",_folder_name + ".csv")
     _m_df, st_time = read_df_csv(_mocap_pth)
     #qetting center
     _m_df["x"] = _m_df["LB_x"] + _m_df["RB_x"] + _m_df["LT_x"] + _m_df["RT_x"]
     _{m_df["y"]} = _{m_df["LB_y"]} + _{m_df["RB_y"]} + _{m_df["LT_y"]} + _{m_df["RT_y"]}
     _m_df["z"] = _m_df["LB_z"] + _m_df["RB_z"] + _m_df["LT_z"] + _m_df["RT_z"]
     _{m_df["x"]} = _{m_df["x"]} / 4
     _{m_df["y"]} = _{m_df["y"]} / 4
     _{m_df["z"]} = _{m_df["z"]} / 4
     \# _mdf["x"] = _m_df["LT_x"] + _m_df["RT_x"]
     \# _mdf["y"] = _m_df["LT_y"] + _m_df["RT_y"]
     \# _mdf["z"] = _m_df["LT_z"] + _m_df["RT_z"]
     \# _{m_d} df["x"] = _{m_d} df["x"] / 2
     \# _mdf["y"] = _mdf["y"] / 2
     \# _mdf["z"] = _mdf["z"] / 2
     _m_df = add_datetime_col(_m_df, st_time,_name="seconds")
[]: def transform_coordinates_1(df, rotmat, org):
         df1 = df.copy( deep=True)
         for i in range(len(df)):
             val = df[["x", "y", "z"]].loc[i].values
```

```
val = np.reshape(val, (3,1))
   _temp = val - org
   translation_correction = np.array([0.045, -0.05, 0.045]).reshape(3, 1)
   _val = rotmat.T @ _temp
# _val = _val + translation_correction


df1["x"].replace({df1["x"].loc[i]: _val[0]}, inplace=True)
   df1["y"].replace({df1["y"].loc[i]: _val[1]}, inplace=True)
   df1["z"].replace({df1["z"].loc[i]: _val[2]}, inplace=True)

return df1
```

```
[]: w_df = None
    w_df = transform_coordinates_1(_w_df, _webcam_rot, _webcam_org)


[]: plt.plot(_w_df["time"], w_df["x"], label="webcam x")
    plt.plot(_m_df["time"], _m_df["x"], label="mocap x")
    plt.legend()
```

[]: <matplotlib.legend.Legend at 0x203efebc108>




```
[]: plt.plot(_w_df["time"], w_df["y"], label="webcam y")
    plt.plot(_m_df["time"], _m_df["y"], label="mocap y")
    plt.legend()
```

[]: <matplotlib.legend.Legend at 0x203effcf548>



```
[]: plt.plot(_w_df["time"], w_df["z"].rolling(3).median(), label="webcam z")
plt.plot(_m_df["time"], _m_df["z"], label="mocap z")
plt.legend()
```

[]: <matplotlib.legend.Legend at 0x203eec94988>



```
[]: radius = 47.5/1000
    lx = 79 #half of the distance between the wheels
    ly = 122.5/2


[]: _sk_csv_pth = os.path.join(_pth, "imu01.csv")
    _sk_df = pd.read_csv(_sk_csv_pth)

[]: _sk_df = set_zero(_sk_df)
    _sk_df, _ang_column = get_angular_velocity(_sk_df)
    _sk_df, _ = get_directional_velocity(_sk_df, _ang_column, radius, lx, ly)
    _sk_df, _ = get_position(_sk_df)

[]: _sk_df["sys_time"] = pd.to_datetime(_sk_df["sys_time"])


[]: _plt.plot(_sk_df["sys_time"],_sk_df["x_val"], label="skateboard x")
    plt.plot(_m_df["time"], _m_df["z"], label="mocap z")
    plt.legend()
```

[]: <matplotlib.legend.Legend at 0x203eec258c8>



```
[]: plt.plot(_sk_df["sys_time"],_sk_df["y_val"], label="skateboard x")
plt.plot(_m_df["time"], _m_df["x"], label="mocap x")
plt.legend()
```

[]: <matplotlib.legend.Legend at 0x203f047f348>



[]: