

# Sasha and Swaps

Little Sasha likes to swap elements in his array. Initially, he has an array of  $N$  numbers  $1, 2, \dots, N$  in ascending order. Then, he swaps some elements in it  $K$  times. He really likes this sequence of  $K$  swaps and repeats it  $T$  times. However, Sasha forgot his favorite swap sequence the next day.

Given the resulting permutation, find the swap sequence used by Sasha or say that there is no such sequence.

## Input Format

The first line of input contains three integers  $N$ ,  $K$ , and  $T$ , respectively.  
The second line contains a permutation of numbers  $1, 2, \dots, N$ .

## Constraints

- $2 \leq N \leq 10^5$
- $1 \leq K \leq 10^5$
- $1 \leq T \leq 2 \times 10^9$

## Output Format

Print  $K$  lines. The  $i^{\text{th}}$  line contains two distinct integers  $a_i$ ,  $b_i$  which means that the  $i^{\text{th}}$  swap will be of  $a_i$  and  $b_i$  numbers.  
Otherwise, if there is no such sequence of swaps, print "*no solution*" without quotes.

## Sample Input

```
5 3 2
4 3 2 1 5
```

## Sample Output

```
1 2
2 4
3 4
```

## Explanation

Let's look at the sequence after each swap:

The first series of swaps:

- $2 \ 1 \ 3 \ 4 \ 5 \ (a_1 \rightarrow a_2)$
- $2 \ 4 \ 3 \ 1 \ 5 \ (a_2 \rightarrow a_4)$
- $2 \ 4 \ 1 \ 3 \ 5 \ (a_3 \rightarrow a_4)$

The second series of swaps:

- $4 \ 2 \ 1 \ 3 \ 5 \ (a_1 \rightarrow a_2)$
- $4 \ 3 \ 1 \ 2 \ 5 \ (a_2 \rightarrow a_4)$
- $4 \ 3 \ 2 \ 1 \ 5 \ (a_3 \rightarrow a_4)$

