

Problem Chosen

A

2025
MCM/ICM
Summary Sheet

Team Control Number

2504496

Enjoy a Cozy and Green Bath

Summary

abstract...

Keywords: Keyword one, Keyword two, Keyword three

Contents

1	Introduction	3
1.1	Background	3
1.2	Restatement and Analysis of the Problem	3
1.3	Overview of Our Work	4
2	Assumptions and Justification	4
3	List of Notations	4
4	Data Pre-processing	4
4.1	Outlier and Missing Value Handling	4
5	Task 1	5
5.1	Significance Analysis of Host Effect	5
5.2	Analysis of Key Indices	5
5.2.1	Host effect	5
5.2.2	Event held	6
5.2.3	Definition of Dominant Event	6
5.2.4	Strongpoints	6
5.2.5	Percentage of winners	6
5.2.6	Medal Distribution Concentration	7
5.2.7	historical performance	7
5.3	Prediction of Medal Count for Medal-Winning Countries Using LSTM	7
6	Task 2	7
6.1	Problem Overview	7
6.2	Index Analysis	8
6.2.1	Target variable	8
6.2.2	Athlete growth rate	8
6.2.3	Participation in new events compared to previous years	8
6.3	Prediction model:	8
7	Task 3: xxx	10
8	Task 4: xxx	10
9	Task 5	10
10	Sensitivity Analysis	10
11	Strength and Weakness	10
11.1	Strength	10
11.2	Weakness	10
12	Further Discussion	10
	Memorandum	11
	References	12
	Appendices	12
	Appendix A First appendix	12
	Appendix B Second appendix	12

1 Introduction

1.1 Background

The medal table of the 2024 Paris Olympics shows that the United States and China each won 40 gold medals and tied for the top spot, but the United States led with a total of 126 medals. The host country France ranked fifth in gold medals (16) and fourth in total medals (64). Dominica, Saint Lucia and other countries won their first Olympic medals, while 60 countries still have not broken through for any medals.



Figure 1: The medals of the 2024 Paris Olympics

1.2 Restatement and Analysis of the Problem

Based on the provided historical data-set of the Olympic Games from 1896 to 2024, we are employed to analyze and answer the following questions:

1. Develop a **prediction model** to forecast the number of medals each country will win in 2028, and identify countries that may progress or regress.
2. Provide **prediction intervals** and estimates of **uncertainty** and metrics to measure the model's performance.
3. Estimate the number of countries that will win their **first medal** and the probability of this happening.
4. Analyze the **relationship** between specific Olympic events (in terms of quantity and type) and the number of medals, explore which events are more important, and the impact of the host country's event selection strategy on the outcome.
5. Verify whether the **mobility of coaches** significantly enhances a country's performance in specific sports (such as Lang Ping and Bela Karolyi).
6. Quantify the contribution of **coaching effectiveness** to the number of medals, and recommend key sports for investment and expected returns for the three countries.
7. Extract the less-attended-to patterns from the model and provide strategic **suggestions** for the Olympic Committee.

For Task 1, we selected seven indicators and established an LSTM-based medal quantity prediction model, and provided interval predictions using Bayesian estimation. As for countries that have never won medals, we built an SVM-based "first medal breakthrough" prediction model based on the new events, the number of athletes, and historical participation trends.

1.3 Overview of Our Work

2 Assumptions and Justification

To simplify the problem and make it convenient for us to simulate real-life conditions, we make the following basic assumptions, each of which is properly justified.

- 1. ...
- 2. ...

3 List of Notations

Symbols	Description
$A_C, A_T, A_S, A_H(t)$	Set of country, years, all sports and host country in year t .
$MG_{t,i,j,k}$	Number of gold medals country i won in sport j at event k in year t .
$MS_{t,i,j,k}$	Number of silver medals country i won in sport j at event k in year t .
$MB_{t,i,j,k}$	Number of bronze medals country i won in sport j at event k in year t .
$MT_{t,i,j}$	Number of medals country i won in sport j in year t .
$MT_{t,i}$	Number of total medals country i won in year t .
$N_{athletes}(t, i)$	Total number of athletes from country i in year t .
$N_{award}(t, i)$	Number of athletes who won medals from country i in year t .
$H(t, i)$	Host effect.
$G_{growth}(t, i)$	Growth rate of the number of athletes from country i in year t .
$P_{Medal}(t, i)$	Probability of country i winning a medal in year t .
$P_{Gold}(t, i)$	The probability that country i wins a gold medal in year t .

where we define the main parameters while specific value of those parameters will be found in the data-set attached.

4 Data Pre-processing

4.1 Outlier and Missing Value Handling

As the **1906 Intercalated Games** lacked the medal data of various countries and the competition results were not recognized by the International Olympic Committee, the data of 1906 is not taken into account.

In addition, **Skating** and **Ice Hockey** have been included in the Winter Olympics since 1920, so these two events are not within the scope of consideration. Otherwise, the "." is replaced by the number 0.

It was noticed that **Jeu de Paume** and **Roque** sports in the **summerOly_programs.csv** do not have Codes. Upon researching information from https://en.wikipedia.org/wiki/Jeu_de_

paume and <https://en.wikipedia.org/wiki/Roque>, it was found that only a few people are still engaged in these two sports, which have even not been held for 26 consecutive years in the Summer Olympics. Therefore, these two sports have been excluded.

5 Task 1

5.1 Significance Analysis of Host Effect

Host Effect refers to the phenomenon where a host country tends to perform better in large-scale international events (such as the Olympic Games or the World Cup) due to the advantages associated with competing on home soil. This often manifests in a significant increase in the host country's medal count, competition results, and overall performance.

To assess the significance of the host effect, we employed a paired samples **t-Test**. First, we selected the medal count of the host country for each year, denoted as MT_t , as the first sample. To eliminate the influence of overall growth trends in medal counts, we used the average medal count from the two preceding Olympic Games as the second sample, as shown in equation (1),

$$MT_t^H = \frac{MT_{t-1} + MT_{t+1}}{2} \quad (1)$$

where $t \in A_T^H = A_T \setminus \{1896, 2024\}$, $i \in A_C$.

The data set $\{MT_t, MT_t^s\}$ then forms a paired sample with a size of 30.

Define $d_t = MT_t - MT_t^s$, and assume that

$$H_0 : \mu_d = 0, \quad vs \quad H_1 : \mu_d \neq 0.$$

Select the t-test statistic as

$$T = \frac{\bar{d}}{s_d / \sqrt{30}} \sim (29) \quad (2)$$

where $\bar{d} = \frac{1}{30} \sum_{t \in A_T^H} d_t$ is the mean of paired samples, and $s_d = \frac{1}{29} \sum_{t \in A_T^H} (d_t - \bar{d})^2$ is the sample variance of the differences of paired data,

For a given significance level α , the rejection domain for the hypothesis test is

$$W_\alpha = \{|T| \geq t_{1-\frac{\alpha}{2}}(29)\} \quad (3)$$

By following the described procedure, the results of the t-test were obtained and are summarized in Table ??.

5.2 Analysis of Key Indices

5.2.1 Host effect

Define Logical Variable $H_{t,i}$ as equation (4),

$$H(t, i) = \begin{cases} 1, & \text{Country } i \text{ is host in year } t, \\ 0, & \text{others.} \end{cases} \quad (4)$$

where $t \in A_T$, $i \in A_C$.

5.2.2 Event held

The event vector $V(t)$ is defined as:

$$V(t) = (v_1(t), v_2(t), \dots, v_M(t))^T,$$

where: $v_i(t) = 1$ if event i is held in year t , $v_i(t) = 0$ if event i is not held in year t . Here, M represents the total number of distinct Olympic events considered up to year t ($t \in \overline{1, 32}$) and the elements of $V(t)$ are binary values indicating the participation of each event in year t .

5.2.3 Definition of Dominant Event

Let $I_j(t)$ represent the dominance of event j in year t , where the dominance is calculated based on the medal count over the past three years and the total number of medals in year t .

$$I_j(t) = \frac{\sum_{q=t-3}^{t-1} MT_{q,i,k,j}}{\sum_{q=t-3}^{t-1} V_j(q) \cdot MT_{q,i,j,k}}$$

Next, define $I(t) = (I_1(t), I_2(t), \dots, I_M(t))^T$ as the dominance vector.

To get the modified dominance vector $I'(t)$, we set the components corresponding to the three largest values of $I(t)$ to 1, and all other components to 0:

$$I'(t) = \begin{cases} 1 & \text{if } j \in \text{Top3}(I(t)) \\ 0 & \text{otherwise} \end{cases}$$

$$I'(t) = \mathbf{1}_{\{j \in \text{Top3}(I(t))\}},$$

where $\text{Top3}(I(t))$ refers to the indices corresponding to the three largest values in the vector $I(t)$, and $\mathbf{1}$ is the indicator function.

5.2.4 Strongpoints

Let $I'(t)$ and $V(t)$ be the dominance vector and the event vector for year t , respectively. The number of strongpoints $S(t)$ can be defined as:

$$S(t) = \sum_{i=1}^M \mathbf{1}_{\{I_i(t)=1 \text{ and } v_i(t)=1\}},$$

where $\mathbf{1}_{\{\cdot\}}$ is the indicator function, which is 1 if the condition inside the curly brackets is true and 0 otherwise.

In this context, $I_i(t) = 1$ means that event i has a dominant position in year t , and $v_i(t) = 1$ indicates that event i is held in year t .

5.2.5 Percentage of winners

$$R(t, i) = \frac{N_{\text{award}}(t, i)}{N_{\text{athletes}}(t, i)}$$

5.2.6 Medal Distribution Concentration

$$\text{HHI}(t, i) = \sum_{j=1}^M \left(\frac{MT_{t,i,j}(t)}{MT_{t,i}(t)} \right)^2$$

where the closer the **HHI** is to 1, the more concentrated the distribution of medals is in a small number of sports, and the closer it is to 0, the more widely distributed the medals are.

5.2.7 historical performance

$$\widetilde{MT}(t, i) = \frac{1}{3} \sum_{q=t-3}^{t-1} MT_{q,i}$$

5.3 Prediction of Medal Count for Medal-Winning Countries Using LSTM

Algorithm 1 LSTM Medal Prediction with Uncertainty Quantification

- 1: **Input:** Historical sequence $X = [H(t, i), S(t), R(t, i), \text{HHI}(t, i), \widetilde{MT}(t, i), N_{\text{athletes}}(t, i)]$
 - 2: **Initialize:** Parameters $\theta = \{W_f, W_i, W_o, W_c, b_f, b_i, b_o, b_c\}$
 - 3: Initialize hidden state $h_0 \leftarrow \mathbf{0}$, cell state $c_0 \leftarrow \mathbf{0}$
 - 4: Set dropout rate $p = 0.4$, Monte Carlo samples $M = 100$
 - 5: **for** each $t = 1$ to T **do**
 - 6: Compute forget gate $f_t = \sigma(W_f[h_{t-1}, x_t] + b_f)$
 - 7: Compute input gate $i_t = \sigma(W_i[h_{t-1}, x_t] + b_i)$
 - 8: Compute candidate state $\tilde{c}_t = \tanh(W_c[h_{t-1}, x_t] + b_c)$
 - 9: Update cell state $c_t = f_t \odot c_{t-1} + i_t \odot \tilde{c}_t$
 - 10: Compute output gate $o_t = \sigma(W_o[h_{t-1}, x_t] + b_o)$
 - 11: Update hidden state $h_t = o_t \odot \tanh(c_t)$
 - 12: **end for**
 - 13: **for** each $m = 1$ to M **do**
 - 14: Enable dropout masks $\xi^{(m)} \sim \text{Bernoulli}(p)$
 - 15: Compute prediction $\hat{y}^{(m)} \leftarrow \text{LSTM}(X; \theta, \xi^{(m)})$
 - 16: **end for**
 - 17: Compute prediction mean $\mu_y = \frac{1}{M} \sum_{m=1}^M \hat{y}^{(m)}$
 - 18: Compute standard deviation $\sigma_y = \sqrt{\frac{1}{M} \sum_{m=1}^M (\hat{y}^{(m)} - \mu_y)^2}$
 - 19: Compute 95% confidence interval $\text{CI}_{95\%} = [\mu_y - 1.96\sigma_y, \mu_y + 1.96\sigma_y]$
 - 20: Compute loss $\mathcal{L} = \frac{1}{N} \sum_{i=1}^N (\hat{y}_i - y_i^{\text{true}})^2$
 - 21: Backpropagate gradients $\nabla_{\theta} \mathcal{L}$ via BPTT
 - 22: Update parameters $\theta \leftarrow \theta - \eta \nabla_{\theta} \mathcal{L}$ (where η is the learning rate)
 - 23: **Return:** $\mu_y, \text{CI}_{95\%}$
-

6 Task 2

6.1 Problem Overview

The objective of this model is to predict whether countries that have never won a medal in the past (i.e., "first-time winning countries") will be able to win a medal in future Olympic Games. For these countries, traditional medal prediction models (which usually rely on historical medal data) may not effectively predict their future performance. Therefore, we need to consider other

Table 1: LSTM Model Parameters Specification

Parameter	Description	Dimensions	Activation
W_f	Forget gate weight matrix	$[h_{t-1} + x_t]$	Sigmoid
W_i	Input gate weight matrix	$[h_{t-1} + x_t]$	Sigmoid
W_o	Output gate weight matrix	$[h_{t-1} + x_t]$	Sigmoid
W_c	Candidate cell state weights	$[h_{t-1} + x_t]$	Tanh
b_f, b_i, b_o, b_c	Bias vectors	$[1]$	–
h_t	Hidden state output	$[N]$	–
c_t	Cell state output	$[N]$	–
y_{pred}	Predicted medal count	Scalar	Linear
y_{true}	Actual medal count	Scalar	–
Init	Xavier initialization	$[N]$	–

potential factors, such as the host country effect, athlete participation growth, and the addition of new events.

6.2 Index Analysis

6.2.1 Target variable

$$y(t, i) = \begin{cases} 1 & \text{if country } i \text{ wins a medal in year } t \\ 0 & \text{if country } i \text{ does not win a medal in year } t \end{cases}$$

6.2.2 Athlete growth rate

The growth rate of athletes from country i in year t , calculated by the following formula:

$$G_{\text{growth}}(t, i) = \frac{N_{\text{participate}}(t, i) - N_{\text{participate}}(t - 1, i)}{N_{\text{participate}}(t - 1, i)}$$

where $N_{\text{participate}}(t, i)$ is the number of athletes from country i in year t .

6.2.3 Participation in new events compared to previous years

Algorithm 2 Participation in new events compared to previous years

```

1: Input: Year  $t$ , Country  $i$ , Matrices  $N_{\text{new}}, P_{\text{new}}$ 
2: for each  $k \in \{t - 2, t - 1, t\}$  do
3:   if  $N_{\text{new}}[k][i] > 0$  and  $P_{\text{new}}[t][i] > 0$  then
4:     Return  $\min(N_{\text{new}}[t][i], P_{\text{new}}[t][i])$ 
5:   end if
6: end for
7: Return 0

```

where $N_{\text{new}}(t, i)$ represents the number of new events that country i participated in during year t , and $P_{\text{new}}(t, i)$ indicates the quantity of new events in which country i participated during year t . We define $\tilde{N}_{\text{new}} = \min(N_{\text{new}}[t][i], P_{\text{new}}[t][i])$.

6.3 Prediction model:

We use a Random Forest (RF) classifier to predict whether first-time winning countries will win medals. The model's input is the feature vector of the country $X(t, i)$:

$$X(t, i) = [G_{\text{growth}}(t, i), H(t, i), \tilde{N}_{\text{new}}(t, i)]$$

The RF classifier consists of multiple decision trees, where each tree makes a prediction, and the final prediction is determined by majority voting from all the trees:

$$P(\text{Medal}(t, i)) = \frac{1}{T} \sum_{t=1}^T f_t(X(t, i), \theta_t)$$

where T is the number of trees in the forest, $f_t(\cdot)$ is the decision function of the t -th tree, and θ_t is the parameter learned during training for the t -th tree.

Prediction of first-time medal probability: If country i has never won a medal (i.e., no historical medals), we use the RF classifier to calculate the probability of winning a medal. If the probability exceeds a certain threshold, we predict that the country may win a medal in the future, especially a first-time medal:

$$P_{\text{first medal}}(t, i) = P(\text{Medal}(t, i)) > \text{Threshold}$$

where the threshold is determined based on the results of model evaluation.

Algorithm 3 Prediction with Random Forest for First-Time Medal

- 1: **Input:** Year t , Country i , Matrices \tilde{N}_{new} , P_{new} , Feature vector $X(t, i)$, RF with T trees.
 - 2: **Output:** First-time medal prediction probability $P_{\text{first medal}}(t, i)$
 - 3: Calculate feature vector $X(t, i) = [G_{\text{growth}}(t, i), H(t, i), \tilde{N}_{\text{new}}(t, i)]$
 - 4: Initialize prediction sum: $P_{\text{sum}} = 0$
 - 5: **for** each tree $t \in \{1, \dots, T\}$ **do**
 - 6: Get prediction from tree t : $p_t = f_t(X(t, i), \theta_t)$
 - 7: Update prediction sum: $P_{\text{sum}} = P_{\text{sum}} + p_t$
 - 8: **end for**
 - 9: Calculate average prediction: $P(\text{Medal}(t, i)) = \frac{P_{\text{sum}}}{T}$
 - 10: **if** $P(\text{Medal}(t, i)) > \text{Threshold}$ **then**
 - 11: **Return** 1 (Predicted to win first medal)
 - 12: **else**
 - 13: **Return** 0 (Predicted not to win first medal)
 - 14: **end if**
-

7 Task 3: xxx

8 Task 4: xxx

9 Task 5

10 Sensitivity Analysis

11 Strength and Weakness

11.1 Strength

11.2 Weakness

12 Further Discussion

Memo

Enjoy Your Bath Time!

Sincerely yours,

Your friends

Reference

Appendices

Appendix A First appendix

Appendix B Second appendix

Report on Use of AI

1. OpenAI ChatGPT (Nov 5, 2023 version, ChatGPT-4,)

Query1: <insert the exact wording you input into the AI tool>

Output: <insert the complete output from the AI tool>

2. OpenAI ChatGPT (Nov 5, 2023 version, ChatGPT-4,)

Query1: <insert the exact wording you input into the AI tool>

Output: <insert the complete output from the AI tool>