## Module 2

Implementing and managing Azure networking

#### **Module Overview**

- Overview of Azure networking
- Implementing and managing virtual networks
- Configuring an Azure virtual network
- Configuring virtual network connectivity

### Lesson 1: Overview of Azure networking


- Demonstration: Preparing the lab environment
- Azure networking components
- Overview of Azure virtual networks
- Overview of network interfaces
- Overview of private IP addresses
- Overview of load balancers
- Overview of Azure DNS

## Demonstration: Preparing the lab environment

In this demonstration, you will learn how to prepare the lab environment

**Note**: To prepare the lab environment for this module, you must complete this task

### Azure networking components



## Azure networking components

- Virtual networks and subnets
- Network interfaces
- IP addresses (private and public)
- Virtual network-based DNS and Azure DNS
- Azure Load Balancer
- Application Gateway
- Traffic Manager
- Network security groups
- Service endpoints
- User-defined routes
- Forced tunneling
- Virtual network connectivity
- Virtual network gateways



#### Overview of Azure virtual networks

- An IP address space with one or more subnets:
  - Private:
    - 10.x.x.x
    - 172.16.x.x 172.31.x.x
    - 192.168.x.x
  - Public (supported, but rarely used)
- IP addresses
  - Private allocated to VM NICs or internal load balancers
  - Public assigned to VM NICs or load balancers
- DNS name resolution
  - Default Internet names and names within the virtual network
  - Custom cross-premises, cross-virtual networks, custom domains (Active Directory)

## Virtual network connectivity

- Cross-premises:
  - Point-to-Site
  - Site-to-Site
  - ExpressRoute
- Cross-virtual network (the same or different Azure regions:
  - VNet peering (different Azure regions in public preview)
  - VNet-to-VNet
- Virtual gateways:
  - VPN gateways
  - ExpressRoute gateways

#### Overview of network interfaces

- Multi-network adapter VMs:
  - Network adapters can be added during or post VM deployment
    - Azure PowerShell or Azure CLI
  - Max limit depends on the VM size (ranges from 2 to 8)
  - All VMs must be on the same virtual network
  - Primary network adapter: Default gateway
  - Secondary network adapters: By default, no routing beyond local subnet
- IP address configurations:
  - Multiple IP configurations per network adapter are supported
  - Each IP configuration consists of:
    - A mandatory private static or dynamic IP address
    - An optional public static or dynamic IP address

### Overview of private IP addresses

- Private IP address allocation:
  - Dynamic
  - Static
- Adding a static private IP address:
  - Azure PowerShell:
  - \$vnet = Get-AzureRmVirtualNetwork -ResourceGroupName AdatumRG
     -Name AdatumVNet
  - \$nic = New-AzureRmNetworkInterface -Name AdatumNIC -ResourceGroupName AdatumRG -Location centralus -SubnetId \$vnet.Subnets[0].Id -PrivateIpAddress 192.168.0.10
  - 3. Add-AzureRmVMNetworkInterface -VM \$vm -Id \$nic.Id
  - Azure CLI:

```
az network nic create --resource-group AdatumRG --name AdatumNIC \
--location centralus --subnet default --private-ip-address 192.168.0.10 \
--vnet-name AdatumVNet
```

#### Overview of load balancers

- Azure Load Balancer (layer 4):
  - Internal or internet-facing
  - Basic SKU:
    - across 100 VM instances: a standalone VM, Azure VMs in the same availability set, or a VM scale set
    - single subnet
  - Standard SKU:
    - across 1000 VM instances: any combination of standalone VMs, Azure VMs, and VM scale sets
    - multiple subnets in the same virtual network
- Application Gateway (layer 7):
  - Internal or internet-facing
  - Azure VMs, Cloud Service instances, Azure web apps
- Traffic Manager (DNS-based):
  - Internet facing
  - Any public IP address with a DNS name

#### Overview of Azure DNS

#### Creating an Azure DNS zone and a DNS record:

- Select the subscription:
   Select-AzureRmSubscription SubscriptionName < Name of your subscription>
- 2. Create a new resource group:

  New-AzureRMResourceGroup –Name AdatumRG –Location centralus
- 3. Create a DNS Zone:
  New-AzureRmDnsZone -Name adatum.com -ResourceGroupName AdatumRG
- 4. Retrieve SOA and NS records for the zone:

  Get-AzureRmDnsRecordSet -ZoneName adatum.com -ResourceGroupName
  AdatumRG
- 5. Create a record set:
  New-AzureRmDnsRecordSet -Name "www" -RecordType "A" -ZoneName "adatum.com" -ResourceGroupName "AdatumRG" -Ttl 60
- 6. Create a resource record:

  Add-AzureRmDnsRecordConfig -RecordSet \$AdatumRs -Ipv4Address 110.15.15.110



## Overview of Azure DNS

Record type	Full Name	Function	
A (IPv4) AAAA (IPv6)	Address	Maps a host name such as www.adatum.com to an IP address, such as 131.107.10.10.	
CNAME	Canonical name	Assigns a custom name, such as ftp.adatum.com, to a host record, such as host1.adatumcom	
MX	Mail exchange	Points to the host that accepts email for the domain. MX records must point to an A record, and not to a CNAME record.	
NS	Name server	Contains the name of a server hosting a copy of the DNS zone.	
SOA	Start of Authority	Provides information about the writable copy of the DNS zone, including its location and version number.	
SRV	Service	Points to hosts that are providing specific services, such as the Session Initiation Protocol (SIP) or Active Directory Domain Services	
TXT	Text	Contains custom text	



## Lesson 2: Implementing and managing virtual networks

- Planning for Azure virtual networks
- Using the Azure portal to create virtual networks
- Using Azure PowerShell to create virtual networks
- Using Azure CLI to create virtual networks
- Using Azure PowerShell to create a virtual network based on an Azure Resource Manager template
- Demonstration: Deploying a virtual network by using an Azure Resource Manager template

## Planning for Azure virtual networks

- Choose one or more IP address spaces:
  - Private or public
  - Non-overlapping (recommended)
- Divide an IP address space into one or more subnets:
  - The first three IP addresses and the last IP address within each subnet are reserved by the platform
  - The smallest subnets you can specify use 29-bit subnet masks, with three usable IP addresses
- Moving VMs between subnets:
  - Supported within the same virtual network
  - Not supported across virtual networks

### Using the Azure portal to create virtual networks

- In the hub menu, click + Create a resource, select Networking, and then click Virtual Network
- On the Create virtual network blade, in the Name text box, type a name of the VNet
- 3. In the **Address space** box, specify an IP address space in CIDR notation
- 4. In the **Subscription** box, select the right Azure subscription in which you want to create a virtual network
- 5. In the **Resource group** box, either create a new resource group or select an existing one
- 6. In the **Location** box, select the Azure region where the VNet will reside
- 7. In the **Subnet** section, in the **Name** text box, type a name for the first VNet subnet
- 8. In the **Subnet** section, in the **address range** box, type the IP address range for the subnet using CIDR notation
- 9. Enable or disable **Service endpoints** for the subnet.
- 10. Click **Create**


## Using Azure PowerShell to create virtual networks

- Start Azure PowerShell session and sign in to your subscription
- 2. Select the subscription in which you plan to create a virtual network
- 3. Create a new resource group
- 4. Create a new VNet and address space
- 5. Add a subnet to the virtual network
- 6. Update the configuration of the virtual network

## Using Azure CLI to create virtual networks

- Start an Azure CLI session and sign in to your subscription
- 2. Select the subscription in which you plan to create a virtual network
- 3. Create a new resource group
- 4. Create a new VNet and subnet

## Using Azure PowerShell to create a virtual network based on an Azure Resource Manager template



# Demonstration: Deploying a virtual network by using an Azure Resource Manager template

In this demonstration, you will see how to implement a VNet by using an Azure Resource Manager template

## Lab A: Using a deployment template and Azure PowerShell to implement Azure virtual networks

- Exercise 1: Creating an Azure virtual network by using a deployment template
- Exercise 2: Creating a virtual network by using Azure PowerShell
- Exercise 3: Creating a virtual network by using Azure CLI

**Logon Information** 

Virtual machine: 20533E-MIA-CL1

User name: Student

Password: **Pa55w.rd** 

**Estimated Time: 30 minutes** 

#### Lab Scenario

Adatum Corporation plans to create several virtual networks in their Azure subscription. They will all reside in the same Azure region. You want to test the deployment of Azure virtual networks by using both imperative and declarative methods.

#### Lab Review

 What are the methods that you can use to create an Azure virtual network?

## Lesson 3: Configuring an Azure virtual network

- Configuring name resolution in an Azure virtual network
- Configuring user-defined routes
- Configuring forced tunneling
- Configuring network security groups
- Demonstration: Configuring network security groups


## Configuring name resolution in an Azure virtual network

Scenario	Location	Name resolution provision
Between Azure VMs	Same VNet	Use Azure provided name resolution or a custom DNS
Between Azure VMs and on-premises computers	Azure VNets and on- premises	Use a custom DNS server
Between VMs	Different VNets	Use a custom DNS server
Reverse lookups of internal IP addresses	Azure VNet	Use a custom DNS server
Private DNS domain names	Azure VNet	Use a custom DNS server

## Configuring user-defined routes

- System routes contain the following rules:
  - Local VNet rule
  - On-premises rule
  - Internet rule
- User defined routes contain the following information:
  - Address prefix
  - Next hop type:
    - Virtual network
    - Virtual gateway
    - Internet
    - Virtual appliance
    - None
  - Next hop value

## Configuring forced tunneling



**Virtual Network** 

## Configuring network security groups

## Network security group rules consist of:

- Name
- Direction
- Priority
- Source
- Source port range
- Destination
- Destination port range
- Protocol
- Action


## Demonstration: Configuring network security groups

In this demonstration, you will see how to create a network security group and associate it with a subnet of a virtual network

## Lesson 4: Configuring virtual network connectivity

- Azure virtual network connectivity options
- Configuring P2S VPN connectivity
- Configuring a site-to-site VPN
- Configuring a VNet-to-VNet VPN
- Configuring VNet Peering

## Azure virtual network connectivity options



## Configuring P2S VPN connectivity

#### Configure point-to-site VPN with certificate-based authentication

- 1. Create a virtual network and gateway subnet
- Generate root and client certificates
- 3. Create a VPN gateway
- 4. Upload the root certificate to the VPN gateway
- 5. Distribute client certificates to VPN clients
- 6. Generate the VPN client configuration package
- 7. Install the VPN client configuration package

#### Configure point-to-site VPN with RADIUS-based authentication

- 1. Create a virtual network and gateway subnet
- 2. Set up the RADIUS server
- 3. Create a VPN gateway
- 4. Configure the VPN gateway as a RADIUS client
- 5. Generate the VPN client configuration package
- 6. Install the VPN client configuration package

## Configuring a site-to-site VPN

- 1. Connect to your Azure subscription
- 2. Create a new custom VNet and gateway subnet
- 3. Add a local site
- 4. Request a public IP address for the VPN device
- 5. Create a virtual gateway
- 6. Configure a VPN device
- 7. Create a VPN connection
- 8. Verify the VPN connection

## Configuring a VNet-to-VNet VPN

- 1. Connect to your Azure subscription
- 2. Create the first virtual network
- 3. Request a public IP address, and create the gateway configuration
- 4. Create the gateway
- 5. Create the second virtual network and its gateway
- 6. Connect the VPN gateways

## **Configuring VNet Peering**

- 1. Connect to your Azure subscription
- 2. Create the first virtual network
- 3. Create the second virtual network
- Configure VNet peering in the first virtual network
- 5. Configure VNet peering with the matching settings in the second virtual network
- 6. Verify the VNet peering status

## Lab B: Configuring VNet Peering

- Exercise 1: Using the Azure portal to configure VNet Peering
- Exercise 2: Configuring VNet Peering—based service chaining
- Exercise 3: Validating virtual network connectivity

Logon Information

Virtual machine: 20533E-MIA-CL1

User name: **Student** 

Password: **Pa55w.rd** 

**Estimated Time: 35 minutes** 

#### Lab Scenario

Now that Adatum Corporation has deployed Azure Resource Manager VNets, the company wants to be able to provide direct connectivity between them. Your plan is to implement VNet Peering to provide the optimal performance with minimum cost.

#### Lab Review

 What do you consider to be the most important advantages of VNet Peering?

## Module Review and Takeaways

- Review Question
- Best Practices
- Common Issues and Troubleshooting Tips