

# Assignment 1A - Question 2

## Classification

In [1]:

```
import pandas
import numpy
import matplotlib.pyplot as plt
from sklearn.model_selection import GridSearchCV, RandomizedSearchCV
from sklearn.model_selection import train_test_split
from sklearn.ensemble import RandomForestClassifier
from sklearn.neighbors import KNeighborsClassifier
from sklearn.metrics import plot_confusion_matrix
from sklearn.svm import SVC, NuSVC
from sklearn.multiclass import OneVsRestClassifier, OneVsOneClassifier
from scipy.stats import norm
from sklearn import tree
```

## Import files

Files imported using pandas.read\_csv

Check values using .head()

In [2]:

```
train = pandas.read_csv('CAB420_Assessment_1A_Data/Data/Q2/training.csv')
test = pandas.read_csv('CAB420_Assessment_1A_Data/Data/Q2/testing.csv')
train.head()
```

Out[2]:

	class	b1	b2	b3	b4	b5	b6	b7	b8	b9	...	pred_minus_obs_H_b9	pred_minus_ot
0	d	39	36	57	91	59	101	93	27	60	...		-2.36
1	h	84	30	57	112	51	98	92	26	62	...		-2.26
2	s	53	25	49	99	51	93	84	26	58	...		-1.46
3	s	59	26	49	103	47	92	82	25	56	...		2.68
4	d	57	49	66	103	64	106	114	28	59	...		-2.94

5 rows × 28 columns

In [3]:

```
test.head()
```

Out[3]:

	class	b1	b2	b3	b4	b5	b6	b7	b8	b9	...	pred_minus_obs_H_b9	pred_minus_ot
0	d	67	51	68	115	69	111	136	31	67	...	-9.17	
1	s	67	28	51	99	50	97	82	26	59	...	-2.25	
2	s	63	26	50	95	49	91	81	26	57	...	-0.44	
3	d	63	42	63	97	66	108	111	28	59	...	-2.34	
4	s	46	27	50	83	51	90	76	26	56	...	1.25	

5 rows × 28 columns

## Plot data for train and test to Box Plot and standardised Box Plot

Code taken from Week 3 Example 1

In [4]:


```
# get the data, we'll just grab 2 dimensions
X = train.iloc[:, 1:5].to_numpy()
train.iloc[:, 0] = train.iloc[:, 0].astype("category")
Y = train.iloc[:, 0].cat.codes.to_numpy()

# plot box plot for the data
fig = plt.figure(figsize=[25, 8])
ax = fig.add_subplot(1, 2, 1)
ax.boxplot(X)
ax.set_title('Raw Data')

# standardise data
mu = numpy.mean(X, 0)
sigma = numpy.std(X, 0)
X = (X - mu) / sigma

# box plot after standardisation
ax = fig.add_subplot(1, 2, 2)
ax.boxplot(X)
ax.set_title('Data after standardisation');

X_train = X
Y_train = Y
```




In [5]:

```
# get the data, we'll just grab 2 dimensions
X = test.iloc[:, 1:5].to_numpy()
test.iloc[:, 0] = test.iloc[:, 0].astype("category")
Y = test.iloc[:, 0].cat.codes.to_numpy()

# plot box plot for the data
fig = plt.figure(figsize=[25, 8])
ax = fig.add_subplot(1, 2, 1)
ax.boxplot(X)
ax.set_title('Raw Data')

# standardise data
mu = numpy.mean(X, 0)
sigma = numpy.std(X, 0)
X = (X - mu) / sigma

# box plot after standardisation
ax = fig.add_subplot(1, 2, 2)
ax.boxplot(X)
ax.set_title('Data after standardisation');
```



## Split test data into testing and validation sets

Split testing set (50%) and validation set (50%)

Code taken from Week 3 Example 1

In [6]:

```
X_test, X_val, Y_test, Y_val = train_test_split(X, Y, test_size=0.5, random_state=0)
```

## Check train and test data to confirm size

In [7]:

```
X_train.shape
```

Out[7]:

```
(198, 4)
```

In [8]:

X\_test.shape

Out[8]:

(162, 4)

## Evaluate models using confusion matrix

Code taken from Week 3 Example 2

In [9]:



```
# function to do our eval for us, this is quite simple and will
# - create a figure
# - draw a confusion matrix for the training data in a sub-fig on the left
# - draw a confusion matrix for the testing data in a sub-fig on the right
# - compute the overall classification accuracy on the testing data
# this has simply been created as we're going to do this for each test that we run
def eval_model(model, X_train, Y_train, X_test, Y_test):
    fig = plt.figure(figsize=[25, 8])
    ax = fig.add_subplot(1, 2, 1)
    conf = plot_confusion_matrix(model, X_train, Y_train, normalize=None, xticks_rotation='vertical', ax=ax)
    pred = model.predict(X_train)
    conf.ax_.set_title('Training Set Performance: ' + str(sum(pred == Y_train)/len(Y_train)));
    ax = fig.add_subplot(1, 2, 2)
    conf = plot_confusion_matrix(model, X_test, Y_test, normalize=None, xticks_rotation='vertical', ax=ax)
    pred = model.predict(X_test)
    conf.ax_.set_title('Testing Set Performance: ' + str(sum(pred == Y_test)/len(Y_test)));
)
```

## Evaluate basic SVC model

Code taken from Week 3 Example 2

In [10]:

```
svm = SVC()
svm.fit(X_train, Y_train)
eval_model(svm, X_train, Y_train, X_test, Y_test)
```



## **Set param grid to find best values**

Code taken from Week 3 Example 2

## **used training data**

In [11]:

```
param_grid = [
    {'C': [0.1, 1, 10, 100, 1000], 'kernel': ['linear'], 'class_weight':['balanced', 'None']},
    {'C': [0.1, 1, 10, 100, 1000], 'gamma': [0.12, 0.11, 0.1, 0.01, 0.001, 0.0001], 'kernel': ['rbf'], 'class_weight':['balanced', 'None']},
    {'C': [0.1, 1, 10, 100, 1000], 'degree': [3, 4, 5, 6], 'kernel': ['poly'], 'class_weight':['balanced', 'None']},
]
svm = SVC()

grid_search = GridSearchCV(svm, param_grid)
grid_search.fit(X_train, Y_train)
grid_search.cv_results_
```

```
rs\>User\AppData\Local\Programs\Python\Python38-32\lib\site-packages\sklear  
n\svm\_base.py", line 173, in fit  
    y = self._validate_targets(y)  
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-p  
ackages\sklearn\svm\_base.py", line 555, in _validate_targets  
    self.class_weight_ = compute_class_weight(self.class_weight,  
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-p  
ackages\sklearn\utils\validation.py", line 63, in inner_f  
    return f(*args, **kwargs)  
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-p  
ackages\sklearn\utils\class_weight.py", line 63, in compute_class_weight  
    raise ValueError("class_weight must be dict, 'balanced', or None,"  
ValueError: class_weight must be dict, 'balanced', or None, got: 'None'  
  
    warnings.warn("Estimator fit failed. The score on this train-test"  
C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-packages  
\sklearn\model_selection\_validation.py:610: FitFailedWarning: Estimator f  
it failed. The score on this train-test partition for these parameters wil  
l be set to nan. Details:  
Traceback (most recent call last):  
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-p  
ackages\sklearn\model_selection\_validation.py", line 593, in _fit_and_sco  
re  
    estimator.fit(X_train, y_train, **fit_params)  
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-p  
ackages\sklearn\svm\_base.py", line 173, in fit  
    y = self._validate_targets(y)  
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-p  
ackages\sklearn\svm\_base.py", line 555, in _validate_targets  
    self.class_weight_ = compute_class_weight(self.class_weight,  
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-p  
ackages\sklearn\utils\validation.py", line 63, in inner_f  
    return f(*args, **kwargs)  
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-p  
ackages\sklearn\utils\class_weight.py", line 63, in compute_class_weight  
    raise ValueError("class_weight must be dict, 'balanced', or None,"  
ValueError: class_weight must be dict, 'balanced', or None, got: 'None'  
  
    warnings.warn("Estimator fit failed. The score on this train-test"  
C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-packages  
\sklearn\model_selection\_validation.py:610: FitFailedWarning: Estimator f  
it failed. The score on this train-test partition for these parameters wil  
l be set to nan. Details:  
Traceback (most recent call last):  
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-p  
ackages\sklearn\model_selection\_validation.py", line 593, in _fit_and_sco  
re  
    estimator.fit(X_train, y_train, **fit_params)  
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-p  
ackages\sklearn\svm\_base.py", line 173, in fit  
    y = self._validate_targets(y)  
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-p  
ackages\sklearn\svm\_base.py", line 555, in _validate_targets  
    self.class_weight_ = compute_class_weight(self.class_weight,  
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-p  
ackages\sklearn\utils\validation.py", line 63, in inner_f  
    return f(*args, **kwargs)  
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-p  
ackages\sklearn\utils\class_weight.py", line 63, in compute_class_weight  
    raise ValueError("class_weight must be dict, 'balanced', or None,"  
ValueError: class_weight must be dict, 'balanced', or None, got: 'None'
```

```
    warnings.warn("Estimator fit failed. The score on this train-test"
C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-packages
\sklearn\model_selection\_validation.py:610: FitFailedWarning: Estimator f
it failed. The score on this train-test partition for these parameters wil
l be set to nan. Details:
Traceback (most recent call last):
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-p
ackages\sklearn\model_selection\_validation.py", line 593, in _fit_and_sco
re
    estimator.fit(X_train, y_train, **fit_params)
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-p
ackages\sklearn\svm\_base.py", line 173, in fit
    y = self._validate_targets(y)
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-p
ackages\sklearn\svm\_base.py", line 555, in _validate_targets
    self.class_weight_ = compute_class_weight(self.class_weight,
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-p
ackages\sklearn\utils\validation.py", line 63, in inner_f
    return f(*args, **kwargs)
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-p
ackages\sklearn\utils\class_weight.py", line 63, in compute_class_weight
    raise ValueError("class_weight must be dict, 'balanced', or None,"
ValueError: class_weight must be dict, 'balanced', or None, got: 'None'

    warnings.warn("Estimator fit failed. The score on this train-test"
C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-packages
\sklearn\model_selection\_validation.py:610: FitFailedWarning: Estimator f
it failed. The score on this train-test partition for these parameters wil
l be set to nan. Details:
Traceback (most recent call last):
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-p
ackages\sklearn\model_selection\_validation.py", line 593, in _fit_and_sco
re
    estimator.fit(X_train, y_train, **fit_params)
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-p
ackages\sklearn\svm\_base.py", line 173, in fit
    y = self._validate_targets(y)
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-p
ackages\sklearn\svm\_base.py", line 555, in _validate_targets
    self.class_weight_ = compute_class_weight(self.class_weight,
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-p
ackages\sklearn\utils\validation.py", line 63, in inner_f
    return f(*args, **kwargs)
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-p
ackages\sklearn\utils\class_weight.py", line 63, in compute_class_weight
    raise ValueError("class_weight must be dict, 'balanced', or None,"
ValueError: class_weight must be dict, 'balanced', or None, got: 'None'

    warnings.warn("Estimator fit failed. The score on this train-test"
C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-packages
\sklearn\model_selection\_validation.py:610: FitFailedWarning: Estimator f
it failed. The score on this train-test partition for these parameters wil
l be set to nan. Details:
Traceback (most recent call last):
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-p
ackages\sklearn\model_selection\_validation.py", line 593, in _fit_and_sco
re
    estimator.fit(X_train, y_train, **fit_params)
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-p
ackages\sklearn\svm\_base.py", line 173, in fit
```

```
y = self._validate_targets(y)
File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-packages\sklearn\svm\_base.py", line 555, in _validate_targets
    self.class_weight_ = compute_class_weight(self.class_weight,
File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-packages\sklearn\utils\validation.py", line 63, in inner_f
    return f(*args, **kwargs)
File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-packages\sklearn\utils\class_weight.py", line 63, in compute_class_weight
    raise ValueError("class_weight must be dict, 'balanced', or None,"
ValueError: class_weight must be dict, 'balanced', or None, got: 'None'

warnings.warn("Estimator fit failed. The score on this train-test"
C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-packages
\sklearn\model_selection\_validation.py:610: FitFailedWarning: Estimator f
it failed. The score on this train-test partition for these parameters wil
l be set to nan. Details:
Traceback (most recent call last):
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-p
ackages\sklearn\model_selection\_validation.py", line 593, in _fit_and_sco
re
    estimator.fit(X_train, y_train, **fit_params)
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-p
ackages\sklearn\svm\_base.py", line 173, in fit
    y = self._validate_targets(y)
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-p
ackages\sklearn\svm\_base.py", line 555, in _validate_targets
    self.class_weight_ = compute_class_weight(self.class_weight,
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-p
ackages\sklearn\utils\validation.py", line 63, in inner_f
    return f(*args, **kwargs)
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-p
ackages\sklearn\utils\class_weight.py", line 63, in compute_class_weight
    raise ValueError("class_weight must be dict, 'balanced', or None,"
ValueError: class_weight must be dict, 'balanced', or None, got: 'None'

warnings.warn("Estimator fit failed. The score on this train-test"
C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-packages
\sklearn\model_selection\_validation.py:610: FitFailedWarning: Estimator f
it failed. The score on this train-test partition for these parameters wil
l be set to nan. Details:
Traceback (most recent call last):
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-p
ackages\sklearn\model_selection\_validation.py", line 593, in _fit_and_sco
re
    estimator.fit(X_train, y_train, **fit_params)
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-p
ackages\sklearn\svm\_base.py", line 173, in fit
    y = self._validate_targets(y)
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-p
ackages\sklearn\svm\_base.py", line 555, in _validate_targets
    self.class_weight_ = compute_class_weight(self.class_weight,
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-p
ackages\sklearn\utils\validation.py", line 63, in inner_f
    return f(*args, **kwargs)
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-p
ackages\sklearn\utils\class_weight.py", line 63, in compute_class_weight
    raise ValueError("class_weight must be dict, 'balanced', or None,"
ValueError: class_weight must be dict, 'balanced', or None, got: 'None'

warnings.warn("Estimator fit failed. The score on this train-test"
```

```
C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-packages\numpy\linalg\__init__.py:35: UserWarning: mkl_fft is not available, falling back to basic FFT
  warnings.warn("mkl_fft is not available, falling back to basic FFT")
C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-packages\sklearn\model_selection\_validation.py:610: FitFailedWarning: Estimator fit failed. The score on this train-test partition for these parameters will be set to nan. Details:
Traceback (most recent call last):
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-packages\sklearn\model_selection\_validation.py", line 593, in _fit_and_score
    estimator.fit(X_train, y_train, **fit_params)
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-packages\sklearn\svm\_base.py", line 173, in fit
    y = self._validate_targets(y)
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-packages\sklearn\svm\_base.py", line 555, in _validate_targets
    self.class_weight_ = compute_class_weight(self.class_weight,
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-packages\sklearn\utils\validation.py", line 63, in inner_f
    return f(*args, **kwargs)
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-packages\sklearn\utils\class_weight.py", line 63, in compute_class_weight
    raise ValueError("class_weight must be dict, 'balanced', or None,"
ValueError: class_weight must be dict, 'balanced', or None, got: 'None'

  warnings.warn("Estimator fit failed. The score on this train-test"
C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-packages\numpy\linalg\__init__.py:35: UserWarning: mkl_fft is not available, falling back to basic FFT
  warnings.warn("mkl_fft is not available, falling back to basic FFT")
C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-packages\sklearn\model_selection\_validation.py:610: FitFailedWarning: Estimator fit failed. The score on this train-test partition for these parameters will be set to nan. Details:
Traceback (most recent call last):
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-packages\sklearn\model_selection\_validation.py", line 593, in _fit_and_score
    estimator.fit(X_train, y_train, **fit_params)
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-packages\sklearn\svm\_base.py", line 173, in fit
    y = self._validate_targets(y)
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-packages\sklearn\svm\_base.py", line 555, in _validate_targets
    self.class_weight_ = compute_class_weight(self.class_weight,
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-packages\sklearn\utils\validation.py", line 63, in inner_f
    return f(*args, **kwargs)
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-packages\sklearn\utils\class_weight.py", line 63, in compute_class_weight
    raise ValueError("class_weight must be dict, 'balanced', or None,"
ValueError: class_weight must be dict, 'balanced', or None, got: 'None'

  warnings.warn("Estimator fit failed. The score on this train-test"
C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-packages\numpy\linalg\__init__.py:35: UserWarning: mkl_fft is not available, falling back to basic FFT
  warnings.warn("mkl_fft is not available, falling back to basic FFT")
C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-packages\sklearn\model_selection\_validation.py:610: FitFailedWarning: Estimator fit failed. The score on this train-test partition for these parameters will be set to nan. Details:
Traceback (most recent call last):
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-packages\sklearn\model_selection\_validation.py", line 593, in _fit_and_score
    estimator.fit(X_train, y_train, **fit_params)
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-packages\sklearn\svm\_base.py", line 173, in fit
    y = self._validate_targets(y)
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-packages\sklearn\svm\_base.py", line 555, in _validate_targets
    self.class_weight_ = compute_class_weight(self.class_weight,
```

```
ackages\sklearn\svm\_base.py", line 555, in _validate_targets
    self.class_weight_ = compute_class_weight(self.class_weight,
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-p
ackages\sklearn\utils\validation.py", line 63, in inner_f
    return f(*args, **kwargs)
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-p
ackages\sklearn\utils\class_weight.py", line 63, in compute_class_weight
    raise ValueError("class_weight must be dict, 'balanced', or None,"
ValueError: class_weight must be dict, 'balanced', or None, got: 'None'

    warnings.warn("Estimator fit failed. The score on this train-test"
C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-packages
\sklearn\model_selection\_validation.py:610: FitFailedWarning: Estimator f
it failed. The score on this train-test partition for these parameters wil
l be set to nan. Details:
Traceback (most recent call last):
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-p
ackages\sklearn\model_selection\_validation.py", line 593, in _fit_and_sco
re
    estimator.fit(X_train, y_train, **fit_params)
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-p
ackages\sklearn\svm\_base.py", line 173, in fit
    y = self._validate_targets(y)
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-p
ackages\sklearn\svm\_base.py", line 555, in _validate_targets
    self.class_weight_ = compute_class_weight(self.class_weight,
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-p
ackages\sklearn\utils\validation.py", line 63, in inner_f
    return f(*args, **kwargs)
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-p
ackages\sklearn\utils\class_weight.py", line 63, in compute_class_weight
    raise ValueError("class_weight must be dict, 'balanced', or None,"
ValueError: class_weight must be dict, 'balanced', or None, got: 'None'

    warnings.warn("Estimator fit failed. The score on this train-test"
C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-packages
\sklearn\model_selection\_validation.py:610: FitFailedWarning: Estimator f
it failed. The score on this train-test partition for these parameters wil
l be set to nan. Details:
Traceback (most recent call last):
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-p
ackages\sklearn\model_selection\_validation.py", line 593, in _fit_and_sco
re
    estimator.fit(X_train, y_train, **fit_params)
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-p
ackages\sklearn\svm\_base.py", line 173, in fit
    y = self._validate_targets(y)
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-p
ackages\sklearn\svm\_base.py", line 555, in _validate_targets
    self.class_weight_ = compute_class_weight(self.class_weight,
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-p
ackages\sklearn\utils\validation.py", line 63, in inner_f
    return f(*args, **kwargs)
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-p
ackages\sklearn\utils\class_weight.py", line 63, in compute_class_weight
    raise ValueError("class_weight must be dict, 'balanced', or None,"
ValueError: class_weight must be dict, 'balanced', or None, got: 'None'

    warnings.warn("Estimator fit failed. The score on this train-test"
C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-packages
\sklearn\model_selection\_validation.py:610: FitFailedWarning: Estimator f
```

```
it failed. The score on this train-test partition for these parameters will be set to nan. Details:  
Traceback (most recent call last):  
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-packages\sklearn\model_selection\_validation.py", line 593, in _fit_and_score  
    estimator.fit(X_train, y_train, **fit_params)  
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-packages\sklearn\svm\_base.py", line 173, in fit  
    y = self._validate_targets(y)  
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-packages\sklearn\svm\_base.py", line 555, in _validate_targets  
    self.class_weight_ = compute_class_weight(self.class_weight,  
      File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-packages\sklearn\utils\validation.py", line 63, in inner_f  
    return f(*args, **kwargs)  
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-packages\sklearn\utils\class_weight.py", line 63, in compute_class_weight  
    raise ValueError("class_weight must be dict, 'balanced', or None,"  
ValueError: class_weight must be dict, 'balanced', or None, got: 'None'  
  
  warnings.warn("Estimator fit failed. The score on this train-test"  
C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-packages  
\sklearn\model_selection\_search.py:918: UserWarning: One or more of the test scores are non-finite: [0.88384615           nan  0.88384615           nan 0.  
87871795           nan  
  0.87358974           nan  0.87358974           nan  0.86884615  0.85884615  
  0.84884615  0.27730769  0.25717949  0.25717949           nan           nan  
           nan           nan           nan           nan  0.86884615  0.86884615  
  0.87384615  0.85884615  0.28782051  0.27769231           nan           nan  
           nan           nan           nan           nan  0.90384615  0.89884615  
  0.90384615  0.88384615  0.85884615  0.29294872           nan           nan  
           nan           nan           nan           nan  0.88384615  0.88871795  
  0.88871795  0.88397436  0.88384615  0.86397436           nan           nan  
           nan           nan           nan           nan  0.87346154  0.87846154  
  0.87846154  0.86846154  0.88884615  0.88897436           nan           nan  
           nan           nan           nan           nan  0.62179487  0.485  
  0.51576923  0.48538462           nan           nan           nan           nan  
  0.83371795  0.7124359   0.66717949  0.59615385           nan           nan  
           nan           nan           nan           nan  0.87410256  0.75320513  
           nan           nan           nan           nan  0.79833333  0.69692308  
  0.86871795  0.7225641   nan           nan           nan           nan  
  0.88871795  0.76782051  0.86871795  0.77769231           nan           nan  
           nan           nan]  
warnings.warn(
```

Out[11]:





```

{'C': 1000, 'class_weight': 'balanced', 'degree': 6, 'kernel': 'poly'},
{'C': 1000, 'class_weight': 'None', 'degree': 3, 'kernel': 'poly'},
{'C': 1000, 'class_weight': 'None', 'degree': 4, 'kernel': 'poly'},
{'C': 1000, 'class_weight': 'None', 'degree': 5, 'kernel': 'poly'},
{'C': 1000, 'class_weight': 'None', 'degree': 6, 'kernel': 'poly'}],
'split0_test_score': array([0.875, nan, 0.85, nan, 0.875, nan, 0.9,
   nan, 0.9,
   nan, 0.8, 0.8, 0.775, 0.35, 0.3, 0.3, nan, nan,
   nan, nan, nan, 0.85, 0.85, 0.875, 0.8, 0.3,
   0.3, nan, nan, nan, nan, nan, nan, 0.9, 0.9,
   0.9, 0.85, 0.8, 0.3, nan, nan, nan, nan, nan,
   nan, 0.875, 0.925, 0.925, 0.875, 0.85, 0.8, nan, nan,
   nan, nan, nan, 0.825, 0.85, 0.85, 0.875, 0.875,
   0.85, nan, nan, nan, nan, nan, 0.65, 0.5,
   0.5, 0.45, nan, nan, nan, 0.85, 0.725, 0.75,
   0.65, nan, nan, nan, 0.875, 0.725, 0.85, 0.75,
   nan, nan, nan, 0.9, 0.775, 0.875, 0.725, nan,
   nan, nan, 0.875, 0.725, 0.9, 0.775, nan, nan,
   nan, nan]),
'split1_test_score': array([0.85, nan, 0.85, nan, 0.85, nan, 0.8,
   nan, 0.8,
   nan, 0.825, 0.8, 0.8, 0.275, 0.25, 0.25, nan, nan,
   nan, nan, nan, 0.8, 0.8, 0.8, 0.825, 0.275,
   0.25, nan, nan, nan, nan, nan, 0.9, 0.875,
   0.9, 0.85, 0.825, 0.275, nan, nan, nan, nan, nan,
   nan, 0.85, 0.85, 0.85, 0.825, 0.85, 0.825, nan, nan,
   nan, nan, nan, 0.9, 0.9, 0.9, 0.85, 0.85,
   0.85, nan, nan, nan, nan, nan, 0.55, 0.45,
   0.45, 0.425, nan, nan, nan, 0.75, 0.725, 0.6,
   0.55, nan, nan, nan, 0.8, 0.675, 0.675, 0.725,
   nan, nan, nan, 0.825, 0.75, 0.825, 0.675, nan,
   nan, nan, 0.9, 0.725, 0.825, 0.75, nan, nan,
   nan, nan]),
'split2_test_score': array([0.925, nan, 0.95, nan, 0.925, nan, 0.95,
   nan, 0.95,
   nan, 0.925, 0.9, 0.3, 0.3, 0.3, nan, nan,
   nan, nan, nan, 0.925, 0.925, 0.925, 0.9, 0.3,
   0.3, nan, nan, nan, nan, nan, 0.95, 0.95,
   0.95, 0.95, 0.9, 0.3, nan, nan, nan, nan, nan,
   nan, 0.925, 0.925, 0.925, 0.925, 0.95, 0.9, nan, nan,
   nan, nan, nan, 0.95, 0.95, 0.95, 0.925, 0.95,
   0.95, nan, nan, nan, nan, nan, 0.55, 0.475,
   0.475, 0.475, nan, nan, nan, 0.825, 0.625, 0.55,
   0.55, nan, nan, nan, 0.875, 0.725, 0.8, 0.625,
   nan, nan, nan, 0.9, 0.85, 0.9, 0.7, nan,
   nan, nan, 0.925, 0.825, 0.875, 0.825, nan, nan,
   nan, nan]),
'split3_test_score': array([0.94871795, nan, 0.94871795, na,
   n, 0.94871795,
   nan, 0.94871795, nan, 0.94871795, nan,
   0.94871795, 0.94871795, 0.94871795, 0.20512821, 0.17948718,
   0.17948718, nan, nan, nan, nan,
   nan, nan, 0.94871795, 0.94871795, 0.94871795,
   0.94871795, 0.30769231, 0.28205128, nan, nan,
   nan, nan, nan, 0.97435897,
   0.97435897, 0.97435897, 0.94871795, 0.94871795, 0.33333333,
   nan, nan, nan, nan, nan,
   nan, 0.97435897, 0.97435897, 0.97435897, 0.97435897,
   0.94871795, 0.97435897, nan, nan, nan,
   nan, nan, 0.92307692, 0.92307692, 0.94871795, 0.97435897, na,
   0.92307692, 0.92307692, 0.94871795, 0.97435897, na])

```

```

        nan,           nan,           nan,           nan,           nan,
0.666666667, 0.58974359, 0.58974359, 0.56410256,           nan,
           nan,           nan, 0.92307692, 0.79487179,
0.76923077, 0.64102564,           nan,           nan,           nan,
           nan, 0.97435897, 0.87179487, 0.87179487, 0.84615385,
           nan,           nan,           nan,           nan, 0.97435897,
0.84615385, 0.92307692, 0.76923077,           nan,           nan,
           nan,           nan, 0.97435897, 0.79487179, 0.94871795,
0.74358974,           nan,           nan,           nan,           nan]),
'split4_test_score': array([0.82051282,           nan, 0.82051282,           na
n, 0.79487179,
           nan, 0.76923077,           nan, 0.76923077,           nan,
0.82051282, 0.82051282, 0.82051282, 0.25641026, 0.25641026,
0.25641026,           nan,           nan,           nan,           nan,
           nan,           nan, 0.82051282, 0.82051282, 0.82051282,
0.82051282, 0.25641026, 0.25641026,           nan,           nan,
           nan,           nan,           nan,           nan, 0.79487179,
0.79487179, 0.79487179, 0.82051282, 0.82051282, 0.25641026,
           nan,           nan,           nan,           nan,           nan,
           nan, 0.79487179, 0.76923077, 0.76923077, 0.82051282,
0.82051282, 0.82051282,           nan,           nan,           nan,
           nan,           nan,           nan, 0.76923077, 0.76923077,
0.76923077, 0.76923077, 0.82051282, 0.82051282,           nan,
           nan,           nan,           nan,           nan,           nan,
0.69230769, 0.41025641, 0.56410256, 0.51282051,           nan,
           nan,           nan,           nan, 0.82051282, 0.69230769,
0.66666667, 0.58974359,           nan,           nan,           nan,
           nan, 0.84615385, 0.76923077, 0.79487179, 0.53846154,
           nan,           nan,           nan,           nan, 0.82051282,
0.79487179, 0.82051282, 0.74358974,           nan,           nan,
           nan,           nan, 0.76923077, 0.76923077, 0.79487179,
0.79487179,           nan,           nan,           nan,           nan]),
'mean_test_score': array([0.88384615,           nan, 0.88384615,           na
n, 0.87871795,
           nan, 0.87358974,           nan, 0.87358974,           nan,
0.86884615, 0.85884615, 0.84884615, 0.27730769, 0.25717949,
0.25717949,           nan,           nan,           nan,           nan,
           nan,           nan, 0.86884615, 0.86884615, 0.87384615,
0.85884615, 0.28782051, 0.27769231,           nan,           nan,
           nan,           nan,           nan,           nan, 0.90384615,
0.89884615, 0.90384615, 0.88384615, 0.85884615, 0.29294872,
           nan,           nan,           nan,           nan,           nan,
           nan, 0.88384615, 0.88871795, 0.88871795, 0.88397436,
0.88384615, 0.86397436,           nan,           nan,           nan,
           nan,           nan,           nan, 0.87346154, 0.87846154,
0.87846154, 0.86846154, 0.88884615, 0.88897436,           na
n,
           nan,           nan,           nan,           nan,           na
n,
0.62179487, 0.485 , 0.51576923, 0.48538462,           na
n,
           nan,           nan,           na
n, 0.83371795, 0.7124359 ,
0.66717949, 0.59615385,           na
n,           na
n,           na
n,
           na
n, 0.87410256, 0.75320513, 0.79833333, 0.69692308,
           na
n,           na
n,           na
n, 0.88397436,
0.80320513, 0.86871795, 0.7225641 ,           na
n,           na
n,
           na
n, 0.88871795, 0.76782051, 0.86871795,
0.77769231,           na
n,           na
n,           na
n,           na
n]),
'std_test_score': array([0.04719516,           na
n, 0.0545654 ,           na
n, 0.05460906,
           na
n, 0.07548049,           na
n, 0.07548049,           na
n,
0.06627796, 0.06457314, 0.06516605, 0.04785607, 0.04417109,
0.04417109,           na
n,           na
n,           na
n,           na
n,
           na
n, 0.05824747, 0.05824747, 0.0574831 ,

```

```

    0.05630001, 0.01919655, 0.02113791,      nan,      nan,
    nan,      nan,      nan,      nan, 0.06165587,
0.06276869, 0.06165587, 0.0545654 , 0.05630001, 0.02602911,
    nan,      nan,      nan,      nan,      nan,
    nan, 0.06168705, 0.07175434, 0.07175434, 0.05905652,
0.0545654 , 0.06478153,      nan,      nan,      nan,
    nan,      nan,      nan, 0.06668836, 0.06373948,
0.06373948, 0.05728833, 0.05233471, 0.06122033,      nan,
    nan,      nan,      nan,      nan,      nan,
0.06014993, 0.06017944, 0.05299945, 0.04889879,      nan,
    nan,      nan,      nan, 0.05569417, 0.05506645,
0.08428295, 0.04292862,      nan,      nan,      nan,
    nan, 0.05714067, 0.06637386, 0.06825235, 0.10597951,
    nan,      nan,      nan,      nan, 0.05690055,
0.03931949, 0.04051647, 0.03285505,      nan,      nan,
    nan,      nan, 0.06818127, 0.03916745, 0.05437379,
0.02990067,      nan,      nan,      nan,      nan]),
'rank_test_score': array([ 11,  89,  13,  88,  16,  87,  21,  86,  21,  8
5,  24,  31,  34,
53,  54,  54,  84,  90,  83,  81,  80,  79,  24,  24,  20,  32,
51,  52,  78,  77,  76,  82,  91,  92,  1,  3,  1,  13,  32,
50,  93,  108,  107,  106,  105,  104,  11,  6,  6,  9,  13,  30,
103, 102,  74,  100,  99,  98,  23,  17,  17,  29,  5,  4,  97,
96,  95,  94,  75,  109,  45,  49,  47,  48,  59,  58,  60,  56,
35,  42,  44,  46,  73,  64,  65,  68,  19,  40,  37,  43,  70,
61,  71,  69,  9,  36,  27,  41,  66,  63,  62,  72,  6,  39,
27,  38,  67,  57,  101,  110], dtype=int32)}

```

## Use best values found from param grid as values for SVC

Code taken from Week 3 Example 2


In [12]:

```

best_system = numpy.argmin(grid_search.cv_results_['rank_test_score'])
params = grid_search.cv_results_['params'][best_system]
print(params)
svm = SVC().set_params(**params)
svm.fit(X_train, Y_train)
eval_model(svm, X_train, Y_train, X_test, Y_test)

```

{'C': 10, 'class\_weight': 'balanced', 'gamma': 0.12, 'kernel': 'rbf'}







## validate using the validation set

In [13]:

```
eval_model(svm, X_train, Y_train, X_val, Y_val)

svm2 = SVC()
svm2.fit(X_train, Y_train)
eval_model(svm2, X_train, Y_train, X_val, Y_val)
```





## Evaluate model using NuSVC

Code taken from Week 3 Example 2

In [14]:

```
nu_svm = NuSVC()
nu_svm.fit(X_train, Y_train)
eval_model(nu_svm, X_train, Y_train, X_test, Y_test)
```



In [42]:

```
param_grid = [  
    {'nu':[0.1,0.15,0.2,0.25], 'kernel': ['linear'],'class_weight':['balanced','None']},  
    {'nu':[0.1,0.15,0.2,0.25], 'gamma': [0.15, 0.125, 0.1, 0.075, 0.05, 0.0025], 'kernel'  
     : ['rbf'], 'class_weight':['balanced','None']},  
    {'nu':[0.1,0.15,0.2,0.25], 'degree': [3, 4, 5, 6], 'kernel': ['poly'], 'class_weight':  
     ['balanced','None']}],  
]  
svm = NuSVC()  
  
grid_search = GridSearchCV(svm, param_grid)  
grid_search.fit(X_train, Y_train)  
grid_search.cv_results_
```

```
(most recent call last):
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-packages\sklearn\model_selection\_validation.py", line 593, in _fit_and_score
    estimator.fit(X_train, y_train, **fit_params)
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-packages\sklearn\svm\_base.py", line 173, in fit
    y = self._validate_targets(y)
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-packages\sklearn\svm\_base.py", line 555, in _validate_targets
    self.class_weight_ = compute_class_weight(self.class_weight,
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-packages\sklearn\utils\validation.py", line 63, in inner_f
    return f(*args, **kwargs)
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-packages\sklearn\utils\class_weight.py", line 63, in compute_class_weight
    raise ValueError("class_weight must be dict, 'balanced', or None,"
ValueError: class_weight must be dict, 'balanced', or None, got: 'None'

  warnings.warn("Estimator fit failed. The score on this train-test"
C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-packages
\sklearn\model_selection\_validation.py:610: FitFailedWarning: Estimator f
it failed. The score on this train-test partition for these parameters wil
l be set to nan. Details:
Traceback (most recent call last):
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-p
ackages\sklearn\model_selection\_validation.py", line 593, in _fit_and_sco
re
    estimator.fit(X_train, y_train, **fit_params)
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-p
ackages\sklearn\svm\_base.py", line 173, in fit
    y = self._validate_targets(y)
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-p
ackages\sklearn\svm\_base.py", line 555, in _validate_targets
    self.class_weight_ = compute_class_weight(self.class_weight,
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-p
ackages\sklearn\utils\validation.py", line 63, in inner_f
    return f(*args, **kwargs)
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-p
ackages\sklearn\utils\class_weight.py", line 63, in compute_class_weight
    raise ValueError("class_weight must be dict, 'balanced', or None,"
ValueError: class_weight must be dict, 'balanced', or None, got: 'None'

  warnings.warn("Estimator fit failed. The score on this train-test"
C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-packages
\sklearn\model_selection\_validation.py:610: FitFailedWarning: Estimator f
it failed. The score on this train-test partition for these parameters wil
l be set to nan. Details:
Traceback (most recent call last):
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-p
ackages\sklearn\model_selection\_validation.py", line 593, in _fit_and_sco
re
    estimator.fit(X_train, y_train, **fit_params)
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-p
ackages\sklearn\svm\_base.py", line 173, in fit
    y = self._validate_targets(y)
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-p
ackages\sklearn\svm\_base.py", line 555, in _validate_targets
    self.class_weight_ = compute_class_weight(self.class_weight,
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-p
ackages\sklearn\utils\validation.py", line 63, in inner_f
```

```
    return f(*args, **kwargs)
File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-packages\sklearn\utils\class_weight.py", line 63, in compute_class_weight
    raise ValueError("class_weight must be dict, 'balanced', or None,"
ValueError: class_weight must be dict, 'balanced', or None, got: 'None'

    warnings.warn("Estimator fit failed. The score on this train-test"
C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-packages\sklearn\model_selection\_validation.py:610: FitFailedWarning: Estimator fit failed. The score on this train-test partition for these parameters will be set to nan. Details:
Traceback (most recent call last):
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-packages\sklearn\model_selection\_validation.py", line 593, in _fit_and_score
    estimator.fit(X_train, y_train, **fit_params)
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-packages\sklearn\svm\_base.py", line 173, in fit
    y = self._validate_targets(y)
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-packages\sklearn\svm\_base.py", line 555, in _validate_targets
    self.class_weight_ = compute_class_weight(self.class_weight,
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-packages\sklearn\utils\validation.py", line 63, in inner_f
    return f(*args, **kwargs)
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-packages\sklearn\utils\class_weight.py", line 63, in compute_class_weight
    raise ValueError("class_weight must be dict, 'balanced', or None,"
ValueError: class_weight must be dict, 'balanced', or None, got: 'None'

    warnings.warn("Estimator fit failed. The score on this train-test"
C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-packages\sklearn\model_selection\_validation.py:610: FitFailedWarning: Estimator fit failed. The score on this train-test partition for these parameters will be set to nan. Details:
Traceback (most recent call last):
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-packages\sklearn\model_selection\_validation.py", line 593, in _fit_and_score
    estimator.fit(X_train, y_train, **fit_params)
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-packages\sklearn\svm\_base.py", line 173, in fit
    y = self._validate_targets(y)
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-packages\sklearn\svm\_base.py", line 555, in _validate_targets
    self.class_weight_ = compute_class_weight(self.class_weight,
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-packages\sklearn\utils\validation.py", line 63, in inner_f
    return f(*args, **kwargs)
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-packages\sklearn\utils\class_weight.py", line 63, in compute_class_weight
    raise ValueError("class_weight must be dict, 'balanced', or None,"
ValueError: class_weight must be dict, 'balanced', or None, got: 'None'

    warnings.warn("Estimator fit failed. The score on this train-test"
C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-packages\sklearn\model_selection\_validation.py:610: FitFailedWarning: Estimator fit failed. The score on this train-test partition for these parameters will be set to nan. Details:
Traceback (most recent call last):
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-p
```

```
ackages\sklearn\model_selection\_validation.py", line 593, in _fit_and_score
    estimator.fit(X_train, y_train, **fit_params)
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-packages\sklearn\svm\_base.py", line 173, in fit
    y = self._validate_targets(y)
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-packages\sklearn\svm\_base.py", line 555, in _validate_targets
    self.class_weight_ = compute_class_weight(self.class_weight,
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-packages\sklearn\utils\validation.py", line 63, in inner_f
    return f(*args, **kwargs)
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-packages\sklearn\utils\class_weight.py", line 63, in compute_class_weight
    raise ValueError("class_weight must be dict, 'balanced', or None,"
ValueError: class_weight must be dict, 'balanced', or None, got: 'None'

    warnings.warn("Estimator fit failed. The score on this train-test"
C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-packages
\sklearn\model_selection\_validation.py:610: FitFailedWarning: Estimator f
it failed. The score on this train-test partition for these parameters wil
l be set to nan. Details:
Traceback (most recent call last):
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-p
ackages\sklearn\model_selection\_validation.py", line 593, in _fit_and_sco
re
    estimator.fit(X_train, y_train, **fit_params)
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-p
ackages\sklearn\svm\_base.py", line 173, in fit
    y = self._validate_targets(y)
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-p
ackages\sklearn\svm\_base.py", line 555, in _validate_targets
    self.class_weight_ = compute_class_weight(self.class_weight,
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-p
ackages\sklearn\utils\validation.py", line 63, in inner_f
    return f(*args, **kwargs)
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-p
ackages\sklearn\utils\class_weight.py", line 63, in compute_class_weight
    raise ValueError("class_weight must be dict, 'balanced', or None,"
ValueError: class_weight must be dict, 'balanced', or None, got: 'None'

    warnings.warn("Estimator fit failed. The score on this train-test"
C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-packages
\sklearn\model_selection\_validation.py:610: FitFailedWarning: Estimator f
it failed. The score on this train-test partition for these parameters wil
l be set to nan. Details:
Traceback (most recent call last):
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-p
ackages\sklearn\model_selection\_validation.py", line 593, in _fit_and_sco
re
    estimator.fit(X_train, y_train, **fit_params)
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-p
ackages\sklearn\svm\_base.py", line 173, in fit
    y = self._validate_targets(y)
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-p
ackages\sklearn\svm\_base.py", line 555, in _validate_targets
    self.class_weight_ = compute_class_weight(self.class_weight,
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-p
ackages\sklearn\utils\validation.py", line 63, in inner_f
    return f(*args, **kwargs)
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-p
```

```
ackages\sklearn\utils\class_weight.py", line 63, in compute_class_weight
    raise ValueError("class_weight must be dict, 'balanced', or None,"
ValueError: class_weight must be dict, 'balanced', or None, got: 'None'

    warnings.warn("Estimator fit failed. The score on this train-test"
C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-packages
\sklearn\model_selection\_validation.py:610: FitFailedWarning: Estimator f
it failed. The score on this train-test partition for these parameters wil
l be set to nan. Details:
Traceback (most recent call last):
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-p
ackages\sklearn\model_selection\_validation.py", line 593, in _fit_and_sco
re
    estimator.fit(X_train, y_train, **fit_params)
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-p
ackages\sklearn\svm\_base.py", line 173, in fit
    y = self._validate_targets(y)
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-p
ackages\sklearn\svm\_base.py", line 555, in _validate_targets
    self.class_weight_ = compute_class_weight(self.class_weight,
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-p
ackages\sklearn\utils\validation.py", line 63, in inner_f
    return f(*args, **kwargs)
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-p
ackages\sklearn\utils\class_weight.py", line 63, in compute_class_weight
    raise ValueError("class_weight must be dict, 'balanced', or None,"
ValueError: class_weight must be dict, 'balanced', or None, got: 'None'

    warnings.warn("Estimator fit failed. The score on this train-test"
C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-packages
\sklearn\model_selection\_validation.py:610: FitFailedWarning: Estimator f
it failed. The score on this train-test partition for these parameters wil
l be set to nan. Details:
Traceback (most recent call last):
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-p
ackages\sklearn\model_selection\_validation.py", line 593, in _fit_and_sco
re
    estimator.fit(X_train, y_train, **fit_params)
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-p
ackages\sklearn\svm\_base.py", line 173, in fit
    y = self._validate_targets(y)
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-p
ackages\sklearn\svm\_base.py", line 555, in _validate_targets
    self.class_weight_ = compute_class_weight(self.class_weight,
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-p
ackages\sklearn\utils\validation.py", line 63, in inner_f
    return f(*args, **kwargs)
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-p
ackages\sklearn\utils\class_weight.py", line 63, in compute_class_weight
    raise ValueError("class_weight must be dict, 'balanced', or None,"
ValueError: class_weight must be dict, 'balanced', or None, got: 'None'

    warnings.warn("Estimator fit failed. The score on this train-test"
C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-packages
\sklearn\model_selection\_validation.py:610: FitFailedWarning: Estimator f
it failed. The score on this train-test partition for these parameters wil
l be set to nan. Details:
Traceback (most recent call last):
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-p
ackages\sklearn\model_selection\_validation.py", line 593, in _fit_and_sco
re
```

```
estimator.fit(X_train, y_train, **fit_params)
File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-packages\sklearn\svm\_base.py", line 173, in fit
    y = self._validate_targets(y)
File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-packages\sklearn\svm\_base.py", line 555, in _validate_targets
    self.class_weight_ = compute_class_weight(self.class_weight,
File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-packages\sklearn\utils\validation.py", line 63, in inner_f
    return f(*args, **kwargs)
File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-packages\sklearn\utils\class_weight.py", line 63, in compute_class_weight
    raise ValueError("class_weight must be dict, 'balanced', or None,"
ValueError: class_weight must be dict, 'balanced', or None, got: 'None'

warnings.warn("Estimator fit failed. The score on this train-test"
C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-packages\sklearn\model_selection\_validation.py:610: FitFailedWarning: Estimator fit failed. The score on this train-test partition for these parameters will be set to nan. Details:
Traceback (most recent call last):
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-packages\sklearn\model_selection\_validation.py", line 593, in _fit_and_score
    estimator.fit(X_train, y_train, **fit_params)
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-packages\sklearn\svm\_base.py", line 173, in fit
    y = self._validate_targets(y)
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-packages\sklearn\svm\_base.py", line 555, in _validate_targets
    self.class_weight_ = compute_class_weight(self.class_weight,
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-packages\sklearn\utils\validation.py", line 63, in inner_f
    return f(*args, **kwargs)
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-packages\sklearn\utils\class_weight.py", line 63, in compute_class_weight
    raise ValueError("class_weight must be dict, 'balanced', or None,"
ValueError: class_weight must be dict, 'balanced', or None, got: 'None'

warnings.warn("Estimator fit failed. The score on this train-test"
C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-packages\sklearn\model_selection\_validation.py:610: FitFailedWarning: Estimator fit failed. The score on this train-test partition for these parameters will be set to nan. Details:
Traceback (most recent call last):
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-packages\sklearn\model_selection\_validation.py", line 593, in _fit_and_score
    estimator.fit(X_train, y_train, **fit_params)
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-packages\sklearn\svm\_base.py", line 173, in fit
    y = self._validate_targets(y)
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-packages\sklearn\svm\_base.py", line 555, in _validate_targets
    self.class_weight_ = compute_class_weight(self.class_weight,
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-packages\sklearn\utils\validation.py", line 63, in inner_f
    return f(*args, **kwargs)
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-packages\sklearn\utils\class_weight.py", line 63, in compute_class_weight
    raise ValueError("class_weight must be dict, 'balanced', or None,"
ValueError: class_weight must be dict, 'balanced', or None, got: 'None'
```

```
ValueError: class_weight must be dict, 'balanced', or None, got: 'None'

    warnings.warn("Estimator fit failed. The score on this train-test"
C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-packages
\sklearn\model_selection\_validation.py:610: FitFailedWarning: Estimator f
it failed. The score on this train-test partition for these parameters wil
l be set to nan. Details:
Traceback (most recent call last):
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-p
ackages\sklearn\model_selection\_validation.py", line 593, in _fit_and_sco
re
    estimator.fit(X_train, y_train, **fit_params)
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-p
ackages\sklearn\svm\_base.py", line 173, in fit
    y = self._validate_targets(y)
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-p
ackages\sklearn\svm\_base.py", line 555, in _validate_targets
    self.class_weight_ = compute_class_weight(self.class_weight,
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-p
ackages\sklearn\utils\validation.py", line 63, in inner_f
    return f(*args, **kwargs)
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-p
ackages\sklearn\utils\class_weight.py", line 63, in compute_class_weight
    raise ValueError("class_weight must be dict, 'balanced', or None,"
ValueError: class_weight must be dict, 'balanced', or None, got: 'None'

    warnings.warn("Estimator fit failed. The score on this train-test"
C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-packages
\sklearn\model_selection\_search.py:918: UserWarning: One or more of the t
est scores are non-finite: [0.74807692 0.72769231 0.77282051 0.79333333
nan      nan
      nan      nan 0.88358974 0.88371795 0.87358974 0.88371795
0.88346154 0.87858974 0.88371795 0.87871795 0.88333333 0.87358974
0.88371795 0.88384615 0.87833333 0.87358974 0.87871795 0.87871795
0.85346154 0.87371795 0.86371795 0.87871795 0.70794872 0.82358974
0.82282051 0.82807692      nan      nan      nan      nan
      nan      nan      nan      nan      nan      nan
      nan      nan      nan      nan      nan      nan
      nan      nan 0.83807692 0.87384615 0.87897436 0.86897436
0.73782051 0.78294872 0.80820513 0.82846154 0.82833333 0.86371795
0.86871795 0.86897436 0.56435897 0.69730769 0.78294872 0.77807692
      nan      nan      nan      nan      nan      nan
      nan      nan      nan      nan      nan      nan
      nan      nan      nan      nan]
warnings.warn()
```

Out[42]:

```
linear', 'rbf', 'rbf', 'rbf',
        'rbf', 'rbf', 'rbf', 'rbf', 'rbf', 'rbf', 'rbf'],
mask=[False, False, False, False, False, False, False, False,
      False, False, False, False, False, False, False, False],
fill_value='?',
dtype=object),
'param_nu': masked_array(data=[0.1, 0.15, 0.2, 0.25, 0.1, 0.15, 0.2, 0.25,
      0.1, 0.15, 0.2, 0.25, 0.1, 0.15, 0.2, 0.25, 0.1, 0.15,
      0.2, 0.25, 0.1, 0.15, 0.2, 0.25, 0.1, 0.15, 0.2, 0.25,
      0.1, 0.15, 0.2, 0.25, 0.1, 0.15, 0.2, 0.25, 0.1, 0.15,
      0.2, 0.25, 0.1, 0.15, 0.2, 0.25, 0.1, 0.15, 0.2, 0.25,
      0.1, 0.15, 0.2, 0.25, 0.1, 0.15, 0.2, 0.25, 0.1, 0.15,
      0.2, 0.25, 0.1, 0.15, 0.2, 0.25, 0.1, 0.15, 0.2, 0.25,
      0.1, 0.15, 0.2, 0.25, 0.1, 0.15, 0.2, 0.25, 0.1, 0.15,
      0.2, 0.25, 0.1, 0.15, 0.2, 0.25, 0.1, 0.15, 0.2, 0.25],
mask=[False, False, False, False, False, False, False, False,
      False, False, False, False, False, False, False, False,
```

```
e,
    False, False, False, False, False, False, False, Fals
e,
    False, False, False, False, False, False, False, Fals
e,
    False, False, False, False, False, False, False, Fals
e,
    False, False, False, False, False, False, False, Fals
e,
    False, False, False, False, False, False, False, Fals
e,
    False, False, False, False, False, False, False, Fals
e,
    False, False, False, False, False, False, False, Fals
e,
    False, False, False, False, False, False, False, Fals
e],
    fill_value='?',
    dtype=object),
'param_gamma': masked_array(data=[--, --, --, --, --, --, --, --, 0.15,
0.15, 0.15, 0.15,
0.12, 0.12, 0.12, 0.12, 0.1, 0.1, 0.1, 0.1, 0.07, 0.0
7,
0.07, 0.07, 0.05, 0.05, 0.05, 0.05, 0.0025, 0.0025,
0.0025, 0.0025, 0.15, 0.15, 0.15, 0.15, 0.12, 0.12,
0.12, 0.12, 0.1, 0.1, 0.1, 0.1, 0.07, 0.07, 0.0
7,
0.05, 0.05, 0.05, 0.05, 0.0025, 0.0025, 0.0025, 0.002
5,
--, --, --, --, --, --, --, --, --, --, --, --, --, --
--, --, --, --, --, --, --, --, --, --, --, --, --, --
--, --, --, --],
mask=[ True,  True,  True,  True,  True,  True,  True,  Tru
e,
False, False, False, False, False, False, False, Fals
e,
False, False, False, False, False, False, False, Fals
e,
False, False, False, False, False, False, False, Fals
e,
False, False, False, False, False, False, False, Fals
e,
False, False, False, False, False, False, False, Fals
e,
True,  True,  True,  True,  True,  True,  True,  Tru
e,
True,  True,  True,  True,  True,  True,  True,  Tru
e,
True,  True,  True,  True,  True,  True,  True,  Tru
e,
True,  True,  True,  True,  True,  True,  True,  Tru
e],
    fill_value='?',
    dtype=object),
'param_degree': masked_array(data=[--, --, --, --, --, --, --, --, --, --,
```

```
-, --, --, --, --, --,
    --, --, --, --, --, --, --, --, --, --, --
-, 
    --, --, --, --, --, --, --, --, --, --, --
-, 
    --, --, --, --, --, --, --, --, --, --, --
-, 
    3, 3, 3, 3, 4, 4, 4, 4, 5, 5, 5, 5, 6, 6, 6, 6, 3, 3,
    3, 3, 4, 4, 4, 4, 5, 5, 5, 5, 6, 6, 6, 6, 6],
mask=[ True,  True,  True,  True,  True,  True,  True,  Tru
e,
    True,  True,  True,  True,  True,  True,  True,  Tru
e,
    True,  True,  True,  True,  True,  True,  True,  Tru
e,
    True,  True,  True,  True,  True,  True,  True,  Tru
e,
    True,  True,  True,  True,  True,  True,  True,  Tru
e,
    True,  True,  True,  True,  True,  True,  True,  Tru
e,
    True,  True,  True,  True,  True,  True,  True,  Tru
e,
    False, False, False, False, False, False, False, Fals
e,
    False, False, False, False, False, False, False, Fals
e,
    False, False, False, False, False, False, False, Fals
e,
    False, False, False, False, False, False, False, Fals
e],
    fill_value='?',
    dtype=object),
'params': [{ 'class_weight': 'balanced', 'kernel': 'linear', 'nu': 0.1},
{ 'class_weight': 'balanced', 'kernel': 'linear', 'nu': 0.15},
{ 'class_weight': 'balanced', 'kernel': 'linear', 'nu': 0.2},
{ 'class_weight': 'balanced', 'kernel': 'linear', 'nu': 0.25},
{ 'class_weight': 'None', 'kernel': 'linear', 'nu': 0.1},
{ 'class_weight': 'None', 'kernel': 'linear', 'nu': 0.15},
{ 'class_weight': 'None', 'kernel': 'linear', 'nu': 0.2},
{ 'class_weight': 'None', 'kernel': 'linear', 'nu': 0.25},
{ 'class_weight': 'balanced', 'gamma': 0.15, 'kernel': 'rbf', 'nu': 0.1},
{ 'class_weight': 'balanced', 'gamma': 0.15, 'kernel': 'rbf', 'nu': 0.1
5},
{ 'class_weight': 'balanced', 'gamma': 0.15, 'kernel': 'rbf', 'nu': 0.2},
{ 'class_weight': 'balanced', 'gamma': 0.15, 'kernel': 'rbf', 'nu': 0.2
5},
{ 'class_weight': 'balanced', 'gamma': 0.12, 'kernel': 'rbf', 'nu': 0.1},
{ 'class_weight': 'balanced', 'gamma': 0.12, 'kernel': 'rbf', 'nu': 0.1
5},
{ 'class_weight': 'balanced', 'gamma': 0.12, 'kernel': 'rbf', 'nu': 0.2},
{ 'class_weight': 'balanced', 'gamma': 0.12, 'kernel': 'rbf', 'nu': 0.2
5},
{ 'class_weight': 'balanced', 'gamma': 0.1, 'kernel': 'rbf', 'nu': 0.1},
{ 'class_weight': 'balanced', 'gamma': 0.1, 'kernel': 'rbf', 'nu': 0.15},
{ 'class_weight': 'balanced', 'gamma': 0.1, 'kernel': 'rbf', 'nu': 0.2},
{ 'class_weight': 'balanced', 'gamma': 0.1, 'kernel': 'rbf', 'nu': 0.25},
{ 'class_weight': 'balanced', 'gamma': 0.07, 'kernel': 'rbf', 'nu': 0.1},
{ 'class_weight': 'balanced', 'gamma': 0.07, 'kernel': 'rbf', 'nu': 0.1
5},
{ 'class_weight': 'balanced', 'gamma': 0.07, 'kernel': 'rbf', 'nu': 0.2},
```

```
{'class_weight': 'balanced', 'gamma': 0.07, 'kernel': 'rbf', 'nu': 0.2},  
5},  
{'class_weight': 'balanced', 'gamma': 0.05, 'kernel': 'rbf', 'nu': 0.1},  
{'class_weight': 'balanced', 'gamma': 0.05, 'kernel': 'rbf', 'nu': 0.1},  
5},  
{'class_weight': 'balanced', 'gamma': 0.05, 'kernel': 'rbf', 'nu': 0.2},  
{'class_weight': 'balanced', 'gamma': 0.05, 'kernel': 'rbf', 'nu': 0.2},  
5},  
{'class_weight': 'balanced', 'gamma': 0.0025, 'kernel': 'rbf', 'nu': 0.1},  
1},  
{'class_weight': 'balanced', 'gamma': 0.0025, 'kernel': 'rbf', 'nu': 0.1},  
5},  
{'class_weight': 'balanced', 'gamma': 0.0025, 'kernel': 'rbf', 'nu': 0.2},  
2},  
{'class_weight': 'balanced', 'gamma': 0.0025, 'kernel': 'rbf', 'nu': 0.2},  
5},  
{'class_weight': 'None', 'gamma': 0.15, 'kernel': 'rbf', 'nu': 0.1},  
{'class_weight': 'None', 'gamma': 0.15, 'kernel': 'rbf', 'nu': 0.15},  
{'class_weight': 'None', 'gamma': 0.15, 'kernel': 'rbf', 'nu': 0.2},  
{'class_weight': 'None', 'gamma': 0.15, 'kernel': 'rbf', 'nu': 0.25},  
{'class_weight': 'None', 'gamma': 0.12, 'kernel': 'rbf', 'nu': 0.1},  
{'class_weight': 'None', 'gamma': 0.12, 'kernel': 'rbf', 'nu': 0.15},  
{'class_weight': 'None', 'gamma': 0.12, 'kernel': 'rbf', 'nu': 0.2},  
{'class_weight': 'None', 'gamma': 0.12, 'kernel': 'rbf', 'nu': 0.25},  
{'class_weight': 'None', 'gamma': 0.1, 'kernel': 'rbf', 'nu': 0.1},  
{'class_weight': 'None', 'gamma': 0.1, 'kernel': 'rbf', 'nu': 0.15},  
{'class_weight': 'None', 'gamma': 0.1, 'kernel': 'rbf', 'nu': 0.2},  
{'class_weight': 'None', 'gamma': 0.1, 'kernel': 'rbf', 'nu': 0.25},  
{'class_weight': 'None', 'gamma': 0.07, 'kernel': 'rbf', 'nu': 0.1},  
{'class_weight': 'None', 'gamma': 0.07, 'kernel': 'rbf', 'nu': 0.15},  
{'class_weight': 'None', 'gamma': 0.07, 'kernel': 'rbf', 'nu': 0.2},  
{'class_weight': 'None', 'gamma': 0.07, 'kernel': 'rbf', 'nu': 0.25},  
{'class_weight': 'None', 'gamma': 0.05, 'kernel': 'rbf', 'nu': 0.1},  
{'class_weight': 'None', 'gamma': 0.05, 'kernel': 'rbf', 'nu': 0.15},  
{'class_weight': 'None', 'gamma': 0.05, 'kernel': 'rbf', 'nu': 0.2},  
{'class_weight': 'None', 'gamma': 0.05, 'kernel': 'rbf', 'nu': 0.25},  
{'class_weight': 'None', 'gamma': 0.0025, 'kernel': 'rbf', 'nu': 0.1},  
{'class_weight': 'None', 'gamma': 0.0025, 'kernel': 'rbf', 'nu': 0.15},  
{'class_weight': 'None', 'gamma': 0.0025, 'kernel': 'rbf', 'nu': 0.2},  
{'class_weight': 'None', 'gamma': 0.0025, 'kernel': 'rbf', 'nu': 0.25},  
{'class_weight': 'balanced', 'degree': 3, 'kernel': 'poly', 'nu': 0.1},  
{'class_weight': 'balanced', 'degree': 3, 'kernel': 'poly', 'nu': 0.15},  
{'class_weight': 'balanced', 'degree': 3, 'kernel': 'poly', 'nu': 0.2},  
{'class_weight': 'balanced', 'degree': 3, 'kernel': 'poly', 'nu': 0.25},  
{'class_weight': 'balanced', 'degree': 4, 'kernel': 'poly', 'nu': 0.1},  
{'class_weight': 'balanced', 'degree': 4, 'kernel': 'poly', 'nu': 0.15},  
{'class_weight': 'balanced', 'degree': 4, 'kernel': 'poly', 'nu': 0.2},  
{'class_weight': 'balanced', 'degree': 4, 'kernel': 'poly', 'nu': 0.25},  
{'class_weight': 'balanced', 'degree': 5, 'kernel': 'poly', 'nu': 0.1},  
{'class_weight': 'balanced', 'degree': 5, 'kernel': 'poly', 'nu': 0.15},  
{'class_weight': 'balanced', 'degree': 5, 'kernel': 'poly', 'nu': 0.2},  
{'class_weight': 'balanced', 'degree': 5, 'kernel': 'poly', 'nu': 0.25},  
{'class_weight': 'balanced', 'degree': 6, 'kernel': 'poly', 'nu': 0.1},  
{'class_weight': 'balanced', 'degree': 6, 'kernel': 'poly', 'nu': 0.15},  
{'class_weight': 'balanced', 'degree': 6, 'kernel': 'poly', 'nu': 0.2},  
{'class_weight': 'balanced', 'degree': 6, 'kernel': 'poly', 'nu': 0.25},  
{'class_weight': 'None', 'degree': 3, 'kernel': 'poly', 'nu': 0.1},  
{'class_weight': 'None', 'degree': 3, 'kernel': 'poly', 'nu': 0.15},  
{'class_weight': 'None', 'degree': 3, 'kernel': 'poly', 'nu': 0.2},  
{'class_weight': 'None', 'degree': 3, 'kernel': 'poly', 'nu': 0.25},  
{'class_weight': 'None', 'degree': 4, 'kernel': 'poly', 'nu': 0.1},
```

```

{'class_weight': 'None', 'degree': 4, 'kernel': 'poly', 'nu': 0.15},
{'class_weight': 'None', 'degree': 4, 'kernel': 'poly', 'nu': 0.2},
{'class_weight': 'None', 'degree': 4, 'kernel': 'poly', 'nu': 0.25},
{'class_weight': 'None', 'degree': 5, 'kernel': 'poly', 'nu': 0.1},
{'class_weight': 'None', 'degree': 5, 'kernel': 'poly', 'nu': 0.15},
{'class_weight': 'None', 'degree': 5, 'kernel': 'poly', 'nu': 0.2},
{'class_weight': 'None', 'degree': 5, 'kernel': 'poly', 'nu': 0.25},
{'class_weight': 'None', 'degree': 6, 'kernel': 'poly', 'nu': 0.1},
{'class_weight': 'None', 'degree': 6, 'kernel': 'poly', 'nu': 0.15},
{'class_weight': 'None', 'degree': 6, 'kernel': 'poly', 'nu': 0.2},
{'class_weight': 'None', 'degree': 6, 'kernel': 'poly', 'nu': 0.25}],
'split0_test_score': array([0.675, 0.675, 0.7 , 0.825, nan, nan, n
an, nan, 0.875,
 0.925, 0.875, 0.9 , 0.875, 0.9 , 0.875, 0.9 , 0.875,
 0.9 , 0.875, 0.9 , 0.9 , 0.875, 0.875, 0.875, 0.875, 0.825,
 0.875, 0.675, 0.675, 0.85 , 0.85 , nan, nan, nan, nan,
  nan, nan, nan, nan, nan, nan, nan, nan, nan, nan,
  nan, nan, nan, nan, nan, nan, nan, nan, nan, nan,
  nan, nan, 0.875, 0.875, 0.875, 0.875, 0.65 , 0.775, 0.775,
 0.775, 0.875, 0.875, 0.875, 0.725, 0.75 , 0.775, 0.825,
  nan, nan, nan, nan, nan, nan, nan, nan, nan, nan,
  nan, nan, nan, nan, nan, nan, nan, nan, nan]),
'split1_test_score': array([0.75 , 0.75 , 0.825, 0.675, nan, nan, n
an, nan, 0.9 ,
 0.85 , 0.85 , 0.85 , 0.9 , 0.875, 0.875, 0.85 , 0.9 , 0.875,
 0.85 , 0.85 , 0.875, 0.85 , 0.85 , 0.85 , 0.825, 0.85 ,
 0.85 , 0.825, 0.875, 0.775, 0.775, nan, nan, nan, nan,
  nan, nan, nan, nan, nan, nan, nan, nan, nan,
  nan, nan, nan, nan, nan, nan, nan, nan, nan, nan,
  nan, nan, 0.9 , 0.825, 0.85 , 0.825, 0.775, 0.7 , 0.775,
 0.8 , 0.775, 0.85 , 0.825, 0.8 , 0.475, 0.5 , 0.75 , 0.725,
  nan, nan, nan, nan, nan, nan, nan, nan, nan, nan,
  nan, nan, nan, nan, nan, nan, nan, nan, nan]),
'split2_test_score': array([0.7 , 0.675, 0.775, 0.8 , nan, nan, n
an, nan, 0.925,
 0.9 , 0.925, 0.925, 0.95 , 0.9 , 0.925, 0.925, 0.95 , 0.9 ,
 0.925, 0.925, 0.95 , 0.9 , 0.925, 0.925, 0.85 , 0.925, 0.9 ,
 0.925, 0.45 , 0.85 , 0.925, 0.9 , nan, nan, nan, nan,
  nan, nan, nan, nan, nan, nan, nan, nan, nan,
  nan, nan, nan, nan, nan, nan, nan, nan, nan, nan,
  nan, nan, 0.8 , 0.9 , 0.875, 0.85 , 0.7 , 0.85 , 0.85 ,
 0.875, 0.825, 0.85 , 0.9 , 0.875, 0.75 , 0.775, 0.8 , 0.725,
  nan, nan, nan, nan, nan, nan, nan, nan, nan, nan,
  nan, nan, nan, nan, nan, nan, nan, nan, nan]),
'split3_test_score': array([0.87179487, 0.79487179, 0.84615385, 0.8205128
2, nan,
  nan, nan, nan, 0.92307692, 0.94871795,
 0.94871795, 0.94871795, 0.8974359 , 0.94871795, 0.97435897,
 0.94871795, 0.8974359 , 0.94871795, 0.97435897, 0.97435897,
 0.84615385, 0.94871795, 0.97435897, 0.97435897, 0.92307692,
 0.97435897, 0.97435897, 0.97435897, 0.82051282, 0.8974359 ,
 0.82051282, 0.84615385, nan, nan, nan,
  nan, nan, nan, nan, nan, nan, nan,
  nan, nan, nan, nan, nan, nan, nan, nan, nan,
  nan, 0.84615385, 0.94871795, 0.97435897, 0.94871795,
 0.82051282, 0.82051282, 0.84615385, 0.8974359 , 0.84615385,
 0.94871795, 0.92307692, 0.94871795, 0.43589744, 0.71794872,
 0.82051282, 0.87179487, nan, nan, nan,
  nan, nan, nan, nan, nan])

```

```

        nan,          nan,          nan,          nan,          nan,
        nan,          nan,          nan]),
'split4_test_score': array([0.74358974, 0.74358974, 0.71794872, 0.8461538
5,          nan,
          nan,          nan,          nan, 0.79487179, 0.79487179,
0.76923077, 0.79487179, 0.79487179, 0.76923077, 0.76923077,
0.79487179, 0.76923077, 0.76923077, 0.76923077, 0.79487179,
0.82051282, 0.76923077, 0.76923077, 0.76923077, 0.76923077,
0.76923077, 0.76923077, 0.76923077, 0.76923077, 0.82051282,
0.74358974, 0.76923077,          nan,          nan,          nan,
          nan,          nan,          nan,          nan,          nan,
          nan, 0.76923077, 0.82051282, 0.82051282, 0.84615385,
0.74358974, 0.76923077, 0.79487179, 0.79487179, 0.82051282,
0.79487179, 0.82051282, 0.84615385, 0.43589744, 0.74358974,
0.76923077, 0.74358974,          nan,          nan,          nan,
          nan,          nan,          nan,          nan,          nan,
          nan,          nan,          nan,          nan,          nan,
          nan,          nan]),

'mean_test_score': array([0.74807692, 0.72769231, 0.77282051, 0.79333333,
nan,
          nan,          nan, 0.88358974, 0.88371795,
0.87358974, 0.88371795, 0.88346154, 0.87858974, 0.88371795,
0.87871795, 0.88333333, 0.87358974, 0.88371795, 0.88384615,
0.87833333, 0.87358974, 0.87871795, 0.87871795, 0.85346154,
0.87371795, 0.86371795, 0.87871795, 0.70794872, 0.82358974,
0.82282051, 0.82807692,          nan,          nan,          nan,
          nan,          nan,          nan,          nan,          nan,
          nan, 0.83807692, 0.87384615, 0.87897436, 0.86897436,
0.73782051, 0.78294872, 0.80820513, 0.82846154, 0.82833333,
0.86371795, 0.86871795, 0.86897436, 0.56435897, 0.69730769,
0.78294872, 0.77807692,          nan,          nan,          nan,
          nan,          nan,          nan,          nan,          nan,
          nan,          nan,          nan,          nan,          nan,
          nan,          nan]),

'std_test_score': array([0.06779615, 0.04651108, 0.05730439, 0.06095692,
nan,
          nan,          nan, 0.04793329, 0.05518125,
0.06282758, 0.05518125, 0.05062788, 0.05967752, 0.06808718,
0.05460906, 0.0603627 , 0.05871375, 0.06989896, 0.06168705,
0.04471107, 0.06080546, 0.06944814, 0.06944814, 0.04985779,
0.07218188, 0.06953116, 0.06944814, 0.13982155, 0.07859027,
0.06284746, 0.04951839,          nan,          nan,          nan,
          nan,          nan,          nan,          nan,          nan,
          nan, 0.04785951, 0.04800319, 0.05174375, 0.04291828,
0.05898551, 0.05106621, 0.03337621, 0.04841437, 0.03290004,
0.04993684, 0.04051647, 0.048394 , 0.14230804, 0.1003105 ,
0.02465275, 0.05968 ,          nan,          nan,          nan,
          nan,          nan,          nan,          nan,          nan,
          nan,          nan,          nan]),

'rank_test_score': array([39, 41, 38, 34, 61, 62, 63, 64, 6, 2, 18, 2,
7, 14, 2, 10, 8,

```

```

19,  2,  1,  15, 19, 10, 10, 26, 17, 24, 10, 42, 31, 32, 30, 65, 6
6,
67, 68, 69, 70, 71, 72, 74, 87, 75, 59, 77, 78, 79, 80, 81, 82, 8
3,
84, 85, 86, 60, 73, 27, 16, 9, 21, 40, 35, 33, 28, 29, 24, 23, 2
1,
44, 43, 35, 37, 55, 56, 50, 57, 54, 53, 52, 51, 58, 49, 48, 47, 4
6,
45, 76, 88], dtype=int32)}

```


In [43]:

```

best_system = numpy.argmin(grid_search.cv_results_['rank_test_score'])
params = grid_search.cv_results_['params'][best_system]
print(params)
svm = NuSVC().set_params(**params)
svm.fit(X_train, Y_train)
eval_model(svm, X_train, Y_train, X_test, Y_test)

```





```
{'class_weight': 'balanced', 'gamma': 0.1, 'kernel': 'rbf', 'nu': 0.25}
```



In [17]:

```
eval_model(svm, X_train, Y_train, X_val, Y_val)

svm2 = NuSVC(nu=0.15)
svm2.fit(X_train, Y_train)
eval_model(svm2, X_train, Y_train, X_val, Y_val)
```





## Evaluate K Nearest Neighbours model

Code taken from Week 3 Example 2

In [34]:

```
cknn = KNeighborsClassifier()
cknn.fit(X_train, Y_train)
eval_model(cknn, X_train, Y_train, X_test, Y_test)
```



## Find best values for K Nearest Neighbours

Code taken from Week 3 Example 2

In [35]:

```
param_grid = [
    {'n_neighbors' : list(range(1,21)), 'weights' : ['uniform', 'distance']}
]
cknn = KNeighborsClassifier()

grid_search = GridSearchCV(cknn, param_grid)
grid_search.fit(X_train, Y_train)
grid_search.cv_results_
```

Out[35]:

```
'uniform', 'distance', 'uniform', 'distance',
'uniform', 'distance', 'uniform', 'distance'],
mask=[False, False, False, False, False, False, False,
      False, False, False, False, False, False, False,
      False, False, False, False, False, False, False,
      False, False, False, False, False, False, False],
fill_value='?',
dtype=object),
'params': [{n_neighbors': 1, 'weights': 'uniform'},
{n_neighbors': 1, 'weights': 'distance'},
{n_neighbors': 2, 'weights': 'uniform'},
{n_neighbors': 2, 'weights': 'distance'},
{n_neighbors': 3, 'weights': 'uniform'},
{n_neighbors': 3, 'weights': 'distance'},
{n_neighbors': 4, 'weights': 'uniform'},
{n_neighbors': 4, 'weights': 'distance'},
{n_neighbors': 5, 'weights': 'uniform'},
{n_neighbors': 5, 'weights': 'distance'},
{n_neighbors': 6, 'weights': 'uniform'},
{n_neighbors': 6, 'weights': 'distance'},
{n_neighbors': 7, 'weights': 'uniform'},
{n_neighbors': 7, 'weights': 'distance'},
{n_neighbors': 8, 'weights': 'uniform'},
{n_neighbors': 8, 'weights': 'distance'},
{n_neighbors': 9, 'weights': 'uniform'},
{n_neighbors': 9, 'weights': 'distance'},
{n_neighbors': 10, 'weights': 'uniform'},
{n_neighbors': 10, 'weights': 'distance'},
{n_neighbors': 11, 'weights': 'uniform'},
{n_neighbors': 11, 'weights': 'distance'},
{n_neighbors': 12, 'weights': 'uniform'},
{n_neighbors': 12, 'weights': 'distance'},
{n_neighbors': 13, 'weights': 'uniform'},
{n_neighbors': 13, 'weights': 'distance'},
{n_neighbors': 14, 'weights': 'uniform'},
{n_neighbors': 14, 'weights': 'distance'},
{n_neighbors': 15, 'weights': 'uniform'},
{n_neighbors': 15, 'weights': 'distance'},
{n_neighbors': 16, 'weights': 'uniform'},
{n_neighbors': 16, 'weights': 'distance'},
{n_neighbors': 17, 'weights': 'uniform'},
{n_neighbors': 17, 'weights': 'distance'},
{n_neighbors': 18, 'weights': 'uniform'},
{n_neighbors': 18, 'weights': 'distance'},
{n_neighbors': 19, 'weights': 'uniform'},
{n_neighbors': 19, 'weights': 'distance'},
{n_neighbors': 20, 'weights': 'uniform'},
{n_neighbors': 20, 'weights': 'distance'}],
```

```

'split0_test_score': array([0.9 , 0.9 , 0.875, 0.9 , 0.875, 0.875, 0.8
75, 0.9 , 0.825,
 0.85 , 0.85 , 0.85 , 0.85 , 0.825, 0.85 , 0.8 , 0.8 ,
 0.8 , 0.825, 0.825, 0.8 , 0.775, 0.775, 0.775, 0.775,
 0.775, 0.775, 0.775, 0.775, 0.8 , 0.775, 0.8 , 0.8 ,
 0.8 , 0.775, 0.775, 0.775]),
'split1_test_score': array([0.875, 0.875, 0.8 , 0.875, 0.825, 0.825, 0.8
25, 0.825, 0.825,
 0.825, 0.8 , 0.825, 0.825, 0.825, 0.825, 0.825, 0.825,
 0.825, 0.8 , 0.8 , 0.825, 0.825, 0.825, 0.8 , 0.825,
 0.8 , 0.8 , 0.8 , 0.8 ]),
'split2_test_score': array([0.85 , 0.85 , 0.85 , 0.85 , 0.9 , 0.875, 0.9
25, 0.9 , 0.9 ,
 0.925, 0.925, 0.9 , 0.925, 0.925, 0.925, 0.925, 0.925,
 0.95 , 0.925, 0.95 , 0.925, 0.95 , 0.925, 0.925, 0.925, 0.9 ,
 0.925, 0.9 , 0.9 , 0.925, 0.925, 0.95 , 0.925, 0.925, 0.925,
 0.925, 0.925, 0.95 , 0.925]),
'split3_test_score': array([0.92307692, 0.92307692, 0.92307692, 0.9230769
2, 0.92307692,
 0.92307692, 0.94871795, 0.92307692, 0.94871795, 0.94871795,
 0.94871795, 0.94871795, 0.94871795, 0.94871795, 0.94871795,
 0.94871795, 0.94871795, 0.94871795, 0.94871795, 0.94871795,
 0.94871795, 0.94871795, 0.94871795, 0.94871795, 0.94871795,
 0.94871795, 0.94871795, 0.94871795, 0.94871795, 0.94871795,
 0.94871795, 0.94871795, 0.94871795, 0.94871795, 0.94871795]),
'split4_test_score': array([0.79487179, 0.79487179, 0.79487179, 0.7948717
9, 0.79487179,
 0.79487179, 0.79487179, 0.79487179, 0.84615385, 0.84615385,
 0.82051282, 0.84615385, 0.84615385, 0.84615385, 0.82051282,
 0.84615385, 0.84615385, 0.84615385, 0.84615385, 0.84615385,
 0.84615385, 0.84615385, 0.84615385, 0.84615385, 0.84615385,
 0.84615385, 0.84615385, 0.84615385, 0.84615385, 0.84615385,
 0.84615385, 0.84615385, 0.84615385, 0.82051282, 0.84615385]),
'mean_test_score': array([0.86858974, 0.86858974, 0.84858974, 0.86858974,
 0.86358974,
 0.85858974, 0.87371795, 0.86858974, 0.86897436, 0.87897436,
 0.86884615, 0.87397436, 0.87897436, 0.87897436, 0.86384615,
 0.87897436, 0.86897436, 0.86897436, 0.87397436, 0.87397436,
 0.87897436, 0.86897436, 0.86397436, 0.86397436, 0.86397436,
 0.86397436, 0.85397436, 0.86397436, 0.85397436, 0.85397436,
 0.85897436, 0.86397436, 0.87397436, 0.86397436, 0.86397436,
 0.86897436, 0.86397436, 0.85897436, 0.85371795, 0.85897436]),
'std_test_score': array([0.04421869, 0.04421869, 0.04794666, 0.04421869,
 0.04734121,
 0.04446445, 0.05804592, 0.04955091, 0.048394 , 0.04860547,
 0.05824747, 0.04474634, 0.04860547, 0.04860547, 0.06067314,
 0.04860547, 0.05780985, 0.05780985, 0.06326322, 0.05246175,
 0.057987 , 0.05780985, 0.07336022, 0.06427848, 0.06427848,
 0.06427848, 0.06372762, 0.06427848, 0.06372762, 0.06372762,
 0.06798137, 0.06427848, 0.06326322, 0.06427848, 0.06230347,
 0.05780985, 0.06230347, 0.06798137, 0.06966436, 0.06798137]),
'rank_test_score': array([17, 17, 40, 17, 31, 35, 10, 17, 11, 1, 16, 9,
 1, 1, 30, 1, 11,
 11, 6, 6, 1, 11, 21, 21, 21, 36, 21, 36, 36, 32, 21, 6, 2
1,
 21, 11, 21, 32, 39, 32], dtype=int32)}

```


## Evaluate K Nearest Neighbours using best values

Code taken from Week 3 Example 2

In [38]:

```
best_system = numpy.argmin(grid_search.cv_results_['rank_test_score'])
params = grid_search.cv_results_['params'][best_system]
print(params)
cknn = KNeighborsClassifier().set_params(**params)
cknn.fit(X_train, Y_train)
eval_model(cknn, X_train, Y_train, X_test, Y_test)
```

{'n\_neighbors': 5, 'weights': 'distance'}







## validate

In [39]:

```
eval_model(cknn, X_train, Y_train, X_val, Y_val)
```

```
cknn2 = KNeighborsClassifier()
cknn2.fit(X_train, Y_train)
eval_model(cknn2, X_train, Y_train, X_val, Y_val)
```





## Default RFC

Code taken from Week 3 Example 2

In [29]:

```
rf = RandomForestClassifier()  
rf.fit(X_train, Y_train)  
eval_model(rf, X_train, Y_train, X_test, Y_test)
```



## Find optimal values

In [27]:

```
rf = RandomForestClassifier()
params = { 'n_estimators' : [1,10,50,100,250], 'max_depth' : list(range(1,21)), 'class_weight': ['balanced', 'balanced_subsample', 'None']}
grid_search = GridSearchCV(rf, params)
grid_search.fit(X_val, Y_val)
grid_search.cv_results_
```

```
1\Programs\Python\Python38-32\lib\site-packages\sklearn\ensemble\_forest.py", line 331, in fit
    y, expanded_class_weight = self._validate_y_class_weight(y)
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-packages\sklearn\ensemble\_forest.py", line 582, in _validate_y_class_weight
    raise ValueError('Valid presets for class_weight include '
ValueError: Valid presets for class_weight include "balanced" and "balanced_subsample". Given "None".
```

warnings.warn("Estimator fit failed. The score on this train-test"  
C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-packages\sklearn\model\_selection\\_validation.py:610: FitFailedWarning: Estimator fit failed. The score on this train-test partition for these parameters will be set to nan. Details:  
Traceback (most recent call last):  
 File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-packages\sklearn\model\_selection\\_validation.py", line 593, in \_fit\_and\_score  
 estimator.fit(X\_train, y\_train, \*\*fit\_params)  
 File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-packages\sklearn\ensemble\\_forest.py", line 331, in fit  
 y, expanded\_class\_weight = self.\_validate\_y\_class\_weight(y)  
 File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-packages\sklearn\ensemble\\_forest.py", line 582, in \_validate\_y\_class\_weight  
 raise ValueError('Valid presets for class\_weight include '
ValueError: Valid presets for class\_weight include "balanced" and "balanced\_subsample". Given "None".

warnings.warn("Estimator fit failed. The score on this train-test"  
C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-packages\sklearn\model\_selection\\_validation.py:610: FitFailedWarning: Estimator fit failed. The score on this train-test partition for these parameters will be set to nan. Details:  
Traceback (most recent call last):  
 File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-packages\sklearn\model\_selection\\_validation.py", line 593, in \_fit\_and\_score  
 estimator.fit(X\_train, y\_train, \*\*fit\_params)  
 File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-packages\sklearn\ensemble\\_forest.py", line 331, in fit  
 y, expanded\_class\_weight = self.\_validate\_y\_class\_weight(y)  
 File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-packages\sklearn\ensemble\\_forest.py", line 582, in \_validate\_y\_class\_weight  
 raise ValueError('Valid presets for class\_weight include '
ValueError: Valid presets for class\_weight include "balanced" and "balanced\_subsample". Given "None".

warnings.warn("Estimator fit failed. The score on this train-test"  
C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-packages\sklearn\model\_selection\\_validation.py:610: FitFailedWarning: Estimator fit failed. The score on this train-test partition for these parameters will be set to nan. Details:  
Traceback (most recent call last):  
 File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-packages\sklearn\model\_selection\\_validation.py", line 593, in \_fit\_and\_score  
 estimator.fit(X\_train, y\_train, \*\*fit\_params)  
 File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-p

```
ackages\sklearn\ensemble\_forest.py", line 331, in fit
    y, expanded_class_weight = self._validate_y_class_weight(y)
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-p
ackages\sklearn\ensemble\_forest.py", line 582, in _validate_y_class_weigh
t
    raise ValueError('Valid presets for class_weight include '
ValueError: Valid presets for class_weight include "balanced" and "balance
d_subsample".Given "None".

    warnings.warn("Estimator fit failed. The score on this train-test"
C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-packages
\sklearn\model_selection\_validation.py:610: FitFailedWarning: Estimator f
it failed. The score on this train-test partition for these parameters wil
l be set to nan. Details:
Traceback (most recent call last):
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-p
ackages\sklearn\model_selection\_validation.py", line 593, in _fit_and_sco
re
    estimator.fit(X_train, y_train, **fit_params)
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-p
ackages\sklearn\ensemble\_forest.py", line 331, in fit
    y, expanded_class_weight = self._validate_y_class_weight(y)
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-p
ackages\sklearn\ensemble\_forest.py", line 582, in _validate_y_class_weigh
t
    raise ValueError('Valid presets for class_weight include '
ValueError: Valid presets for class_weight include "balanced" and "balance
d_subsample".Given "None".

    warnings.warn("Estimator fit failed. The score on this train-test"
C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-packages
\sklearn\model_selection\_validation.py:610: FitFailedWarning: Estimator f
it failed. The score on this train-test partition for these parameters wil
l be set to nan. Details:
Traceback (most recent call last):
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-p
ackages\sklearn\model_selection\_validation.py", line 593, in _fit_and_sco
re
    estimator.fit(X_train, y_train, **fit_params)
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-p
ackages\sklearn\ensemble\_forest.py", line 331, in fit
    y, expanded_class_weight = self._validate_y_class_weight(y)
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-p
ackages\sklearn\ensemble\_forest.py", line 582, in _validate_y_class_weigh
t
    raise ValueError('Valid presets for class_weight include '
ValueError: Valid presets for class_weight include "balanced" and "balance
d_subsample".Given "None".

    warnings.warn("Estimator fit failed. The score on this train-test"
C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-packages
\sklearn\model_selection\_validation.py:610: FitFailedWarning: Estimator f
it failed. The score on this train-test partition for these parameters wil
l be set to nan. Details:
Traceback (most recent call last):
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-p
ackages\sklearn\model_selection\_validation.py", line 593, in _fit_and_sco
re
    estimator.fit(X_train, y_train, **fit_params)
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-p
ackages\sklearn\ensemble\_forest.py", line 331, in fit
```

```
y, expanded_class_weight = self._validate_y_class_weight(y)
File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-packages\sklearn\ensemble\_forest.py", line 582, in _validate_y_class_weight
    raise ValueError('Valid presets for class_weight include '
ValueError: Valid presets for class_weight include "balanced" and "balanced_subsample".Given "None".

    warnings.warn("Estimator fit failed. The score on this train-test"
C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-packages
\sklearn\model_selection\_validation.py:610: FitFailedWarning: Estimator f
it failed. The score on this train-test partition for these parameters wil
l be set to nan. Details:
Traceback (most recent call last):
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-p
ackages\sklearn\model_selection\_validation.py", line 593, in _fit_and_sco
re
    estimator.fit(X_train, y_train, **fit_params)
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-p
ackages\sklearn\ensemble\_forest.py", line 331, in fit
    y, expanded_class_weight = self._validate_y_class_weight(y)
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-p
ackages\sklearn\ensemble\_forest.py", line 582, in _validate_y_class_weigh
t
    raise ValueError('Valid presets for class_weight include '
ValueError: Valid presets for class_weight include "balanced" and "balance
d_subsample".Given "None".

    warnings.warn("Estimator fit failed. The score on this train-test"
C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-packages
\sklearn\model_selection\_validation.py:610: FitFailedWarning: Estimator f
it failed. The score on this train-test partition for these parameters wil
l be set to nan. Details:
Traceback (most recent call last):
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-p
ackages\sklearn\model_selection\_validation.py", line 593, in _fit_and_sco
re
    estimator.fit(X_train, y_train, **fit_params)
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-p
ackages\sklearn\ensemble\_forest.py", line 331, in fit
    y, expanded_class_weight = self._validate_y_class_weight(y)
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-p
ackages\sklearn\ensemble\_forest.py", line 582, in _validate_y_class_weigh
t
    raise ValueError('Valid presets for class_weight include '
ValueError: Valid presets for class_weight include "balanced" and "balance
d_subsample".Given "None".

    warnings.warn("Estimator fit failed. The score on this train-test"
C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-packages
\sklearn\model_selection\_validation.py:610: FitFailedWarning: Estimator f
it failed. The score on this train-test partition for these parameters wil
l be set to nan. Details:
Traceback (most recent call last):
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-p
ackages\sklearn\model_selection\_validation.py", line 593, in _fit_and_sco
re
    estimator.fit(X_train, y_train, **fit_params)
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-p
ackages\sklearn\ensemble\_forest.py", line 331, in fit
    y, expanded_class_weight = self._validate_y_class_weight(y)
```

```
File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-packages\sklearn\ensemble\_forest.py", line 582, in _validate_y_class_weight
    raise ValueError('Valid presets for class_weight include '
ValueError: Valid presets for class_weight include "balanced" and "balanced_subsample".Given "None".

    warnings.warn("Estimator fit failed. The score on this train-test"
C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-packages\sklearn\model_selection\_validation.py:610: FitFailedWarning: Estimator fit failed. The score on this train-test partition for these parameters will be set to nan. Details:
Traceback (most recent call last):
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-packages\sklearn\model_selection\_validation.py", line 593, in _fit_and_score
    estimator.fit(X_train, y_train, **fit_params)
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-packages\sklearn\ensemble\_forest.py", line 331, in fit
    y, expanded_class_weight = self._validate_y_class_weight(y)
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-packages\sklearn\ensemble\_forest.py", line 582, in _validate_y_class_weight
    raise ValueError('Valid presets for class_weight include '
ValueError: Valid presets for class_weight include "balanced" and "balanced_subsample".Given "None".

    warnings.warn("Estimator fit failed. The score on this train-test"
C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-packages\sklearn\model_selection\_validation.py:610: FitFailedWarning: Estimator fit failed. The score on this train-test partition for these parameters will be set to nan. Details:
Traceback (most recent call last):
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-packages\sklearn\model_selection\_validation.py", line 593, in _fit_and_score
    estimator.fit(X_train, y_train, **fit_params)
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-packages\sklearn\ensemble\_forest.py", line 331, in fit
    y, expanded_class_weight = self._validate_y_class_weight(y)
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-packages\sklearn\ensemble\_forest.py", line 582, in _validate_y_class_weight
    raise ValueError('Valid presets for class_weight include '
ValueError: Valid presets for class_weight include "balanced" and "balanced_subsample".Given "None".

    warnings.warn("Estimator fit failed. The score on this train-test"
C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-packages\sklearn\model_selection\_validation.py:610: FitFailedWarning: Estimator fit failed. The score on this train-test partition for these parameters will be set to nan. Details:
Traceback (most recent call last):
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-packages\sklearn\model_selection\_validation.py", line 593, in _fit_and_score
    estimator.fit(X_train, y_train, **fit_params)
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-packages\sklearn\ensemble\_forest.py", line 331, in fit
    y, expanded_class_weight = self._validate_y_class_weight(y)
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-packages\sklearn\ensemble\_forest.py", line 582, in _validate_y_class_weight
    raise ValueError('Valid presets for class_weight include '
ValueError: Valid presets for class_weight include "balanced" and "balanced_subsample".Given "None".
```

```
ackages\sklearn\ensemble\_forest.py", line 582, in _validate_y_class_weight
    raise ValueError('Valid presets for class_weight include '
ValueError: Valid presets for class_weight include "balanced" and "balance
d_subsample".Given "None".

    warnings.warn("Estimator fit failed. The score on this train-test"
C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-packages
\sklearn\model_selection\_validation.py:610: FitFailedWarning: Estimator f
it failed. The score on this train-test partition for these parameters wil
l be set to nan. Details:
Traceback (most recent call last):
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-p
ackages\sklearn\model_selection\_validation.py", line 593, in _fit_and_sco
re
    estimator.fit(X_train, y_train, **fit_params)
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-p
ackages\sklearn\ensemble\_forest.py", line 331, in fit
    y, expanded_class_weight = self._validate_y_class_weight(y)
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-p
ackages\sklearn\ensemble\_forest.py", line 582, in _validate_y_class_weigh
t
    raise ValueError('Valid presets for class_weight include '
ValueError: Valid presets for class_weight include "balanced" and "balance
d_subsample".Given "None".

    warnings.warn("Estimator fit failed. The score on this train-test"
C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-packages
\sklearn\model_selection\_validation.py:610: FitFailedWarning: Estimator f
it failed. The score on this train-test partition for these parameters wil
l be set to nan. Details:
Traceback (most recent call last):
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-p
ackages\sklearn\model_selection\_validation.py", line 593, in _fit_and_sco
re
    estimator.fit(X_train, y_train, **fit_params)
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-p
ackages\sklearn\ensemble\_forest.py", line 331, in fit
    y, expanded_class_weight = self._validate_y_class_weight(y)
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-p
ackages\sklearn\ensemble\_forest.py", line 582, in _validate_y_class_weigh
t
    raise ValueError('Valid presets for class_weight include '
ValueError: Valid presets for class_weight include "balanced" and "balance
d_subsample".Given "None".

    warnings.warn("Estimator fit failed. The score on this train-test"
C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-packages
\sklearn\model_selection\_validation.py:610: FitFailedWarning: Estimator f
it failed. The score on this train-test partition for these parameters wil
l be set to nan. Details:
Traceback (most recent call last):
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-p
ackages\sklearn\model_selection\_validation.py", line 593, in _fit_and_sco
re
    estimator.fit(X_train, y_train, **fit_params)
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-p
ackages\sklearn\ensemble\_forest.py", line 331, in fit
    y, expanded_class_weight = self._validate_y_class_weight(y)
  File "C:\Users\User\AppData\Local\Programs\Python\Python38-32\lib\site-p
ackages\sklearn\ensemble\_forest.py", line 582, in _validate_y_class_weigh
```

```
warnings.warn()
```



Out[27]:

```
0.53125, 0.84375,
0.84375, 0.84375, 0.84375, 0.78125, 0.875 , 0.84375, 0.84375,
0.84375, 0.8125 , 0.84375, 0.84375, 0.875 , 0.875 , 0.8125 ,
0.84375, 0.875 , 0.84375, 0.84375, 0.78125, 0.8125 , 0.84375,
0.84375, 0.84375, 0.8125 , 0.84375, 0.84375, 0.84375, 0.875 ,
0.875 , 0.8125 , 0.84375, 0.84375, 0.84375, 0.78125, 0.84375,
0.8125 , 0.84375, 0.84375, 0.71875, 0.8125 , 0.84375, 0.84375,
0.84375, 0.71875, 0.78125, 0.84375, 0.84375, 0.8125 , 0.78125,
0.84375, 0.84375, 0.84375, 0.84375, 0.8125 , 0.84375, 0.875 ,
0.8125 , 0.84375, 0.84375, 0.6875 , 0.8125 , 0.84375, 0.84375,
0.6875 , 0.8125 , 0.84375, 0.8125 , 0.84375, 0.8125 , 0.875 ,
0.84375, 0.8125 , 0.84375, 0.84375, 0.875 , 0.84375, 0.875 ,
0.84375, 0.875 , 0.8125 , 0.84375, 0.84375, 0.84375, 0.78125,
0.84375, 0.84375, 0.84375, 0.84375, 0.8125 , 0.84375, 0.78125,
0.84375, 0.84375, 0.84375, 0.84375, 0.78125, 0.78125, 0.8125 ,
0.84375, 0.84375, 0.25 , 0.8125 , 0.84375, 0.8125 , 0.8125 ,
0.5625 , 0.8125 , 0.84375, 0.84375, 0.84375, 0.8125 , 0.8125 ,
0.84375, 0.84375, 0.84375, 0.78125, 0.75 , 0.875 , 0.875 ,
0.875 , 0.84375, 0.875 , 0.875 , 0.84375, 0.8125 , 0.8125 ,
0.84375, 0.84375, 0.84375, 0.84375, 0.84375, 0.875 , 0.84375,
0.875 , 0.84375, 0.8125 , 0.78125, 0.84375, 0.84375, 0.84375,
0.78125, 0.875 , 0.84375, 0.84375, 0.84375, 0.78125, 0.78125,
0.875 , 0.8125 , 0.84375, 0.875 , 0.75 , 0.84375, 0.875 ,
0.84375, 0.90625, 0.8125 , 0.84375, 0.8125 , 0.84375, 0.78125,
0.78125, 0.875 , 0.8125 , 0.84375, 0.78125, 0.84375, 0.8125 ,
0.84375, 0.84375, 0.71875, 0.8125 , 0.84375, 0.84375, 0.84375,
0.8125 , 0.84375, 0.84375, 0.84375, 0.84375, 0.71875, 0.84375,
0.8125 , 0.84375, 0.84375, 0.78125, 0.75 , 0.84375, 0.84375,
0.84375, 0.84375, 0.8125 , 0.84375, 0.84375, 0.75 , 0.84375,
0.8125 , 0.875 , 0.84375, 0.84375, 0.84375, 0.84375, 0.84375,
0.8125 , 0.78125, 0.78125, 0.78125, 0.78125, 0.78125, 0.78125,
```

```
'split4_test_score': array([0.65625, 0.78125, 0.71875, 0.71875, 0.71875,
0.5625 , 0.75 ,
0.78125, 0.78125, 0.75 , 0.75 , 0.78125, 0.75 , 0.75 ,
0.75 , 0.71875, 0.71875, 0.75 , 0.78125, 0.75 , 0.71875,
0.71875, 0.75 , 0.71875, 0.75 , 0.8125 , 0.8125 , 0.75 ,
0.75 , 0.75 , 0.75 , 0.75 , 0.75 , 0.75 , 0.75 ,
0.6875 , 0.8125 , 0.71875, 0.75 , 0.75 , 0.75 , 0.75 , 0.75 ,
0.75 , 0.71875, 0.71875, 0.78125, 0.75 , 0.71875, 0.71875,
0.71875, 0.75 , 0.71875, 0.75 , 0.78125, 0.78125, 0.84375, 0.75 ,
0.75 , 0.71875, 0.75 , 0.71875, 0.75 , 0.75 , 0.75 , 0.8125 ,
0.75 , 0.71875, 0.75 , 0.625 , 0.78125, 0.75 , 0.75 , 0.75 ,
0.75 , 0.78125, 0.75 , 0.75 , 0.71875, 0.75 , 0.75 ,
0.75 , 0.75 , 0.75 , 0.75 , 0.71875, 0.75 , 0.75 , 0.71875,
0.75 , 0.78125, 0.78125, 0.78125, 0.78125, 0.78125, 0.78125,
0.75 , 0.75 , 0.71875, 0.75 , 0.84375, 0.75 , 0.71875,
0.75 , 0.71875, 0.25 , 0.59375, 0.6875 , 0.6875 , 0.6875 ,
0.71875, 0.75 , 0.6875 , 0.78125, 0.75 , 0.6875 , 0.75 ,
0.75 , 0.75 , 0.75 , 0.78125, 0.6875 , 0.75 , 0.75 , 0.75 ,
```

0.75 , 0.625 , 0.75 , 0.75 , 0.75 , 0.75 , 0.75 , 0.65625,  
0.75 , 0.71875, 0.71875, 0.75 , 0.75 , 0.75 , 0.75 ,  
0.71875, 0.71875, 0.8125 , 0.75 , 0.75 , 0.75 , 0.71875, 0.71875,  
0.75 , 0.78125, 0.75 , 0.75 , 0.75 , 0.75 , 0.71875, 0.78125,  
0.71875, 0.75 , 0.78125, 0.75 , 0.71875, 0.78125, 0.71875,  
0.75 , 0.625 , 0.75 , 0.75 , 0.75 , 0.75 , 0.71875, 0.75 ,  
0.8125 , 0.75 , 0.71875, 0.71875, 0.8125 , 0.71875, 0.71875,  
0.78125, 0.71875, 0.65625, 0.71875, 0.71875, 0.71875, 0.71875,  
0.59375, 0.78125, 0.75 , 0.75 , 0.78125, 0.71875, 0.71875,  
0.71875, 0.71875, 0.71875, 0.6875 , 0.78125, 0.71875, 0.75 ,  
0.75 , 0.6875 , 0.71875, 0.78125, 0.78125, 0.71875, 0.75 ,  
0.6875 , 0.71875, 0.75 , 0.71875, nan, nan, nan,  
nan, nan, nan, nan, nan, nan, nan],),  
'mean\_test\_score': array([0.46609848, 0.69450758, 0.76685606, 0.76079545,  
0.76685606,  
0.56420455, 0.76117424, 0.78560606, 0.79166667, 0.77935606,  
0.72443182, 0.77973485, 0.77935606, 0.77329545, 0.78541667,  
0.74261364, 0.76704545, 0.80359848, 0.82215909, 0.80984848,  
0.76079545, 0.77310606, 0.78560606, 0.80340909, 0.79147727,  
0.79147727, 0.80984848, 0.79753788, 0.80359848, 0.80965909,  
0.74886364, 0.79147727, 0.78541667, 0.78522727, 0.80378788,  
0.74886364, 0.77348485, 0.79734848, 0.80965909, 0.80359848,  
0.71837121, 0.76136364, 0.77916667, 0.78522727, 0.79128788,  
0.71212121, 0.76098485, 0.78522727, 0.77916667, 0.78522727,  
0.73617424, 0.77291667, 0.78541667, 0.78541667, 0.78522727,  
0.73693182, 0.77935606, 0.78522727, 0.80359848, 0.77916667,  
0.73693182, 0.79810606, 0.81590909, 0.79109848, 0.80359848,  
0.74204545, 0.79185606, 0.80359848, 0.77310606, 0.78522727,  
0.71780303, 0.78541667, 0.78541667, 0.78522727, 0.79128788,  
0.74280303, 0.77954545, 0.79147727, 0.78522727, 0.80359848,  
0.74280303, 0.79166667, 0.80340909, 0.79753788, 0.80984848,  
0.75549242, 0.77935606, 0.80359848, 0.80984848, 0.79734848,  
0.74848485, 0.80359848, 0.80359848, 0.77916667, 0.79147727,  
0.73712121, 0.75473485, 0.77897727, 0.79147727, 0.78522727,  
0.25151515, 0.66912879, 0.75473485, 0.73030303, 0.76060606,  
0.65625 , 0.74886364, 0.76685606, 0.77954545, 0.77935606,  
0.73636364, 0.76704545, 0.77935606, 0.78541667, 0.78541667,  
0.72462121, 0.77234848, 0.80378788, 0.79166667, 0.80378788,  
0.71193182, 0.80378788, 0.80984848, 0.80984848, 0.79147727,  
0.73011364, 0.80359848, 0.78522727, 0.77916667, 0.79753788,  
0.76117424, 0.80378788, 0.77329545, 0.77935606, 0.79734848,  
0.77954545, 0.79715909, 0.79753788, 0.79128788, 0.79734848,  
0.74867424, 0.79791667, 0.79753788, 0.79753788, 0.80965909,  
0.76060606, 0.77916667, 0.79753788, 0.79128788, 0.80378788,  
0.76742424, 0.74829545, 0.78560606, 0.79147727, 0.79753788,  
0.71837121, 0.75492424, 0.8157197 , 0.79128788, 0.79734848,  
0.73655303, 0.76723485, 0.79166667, 0.78503788, 0.79128788,  
0.71268939, 0.79128788, 0.79109848, 0.80984848, 0.79128788,







In [31]:

```
best_system = numpy.argmin(grid_search.cv_results_['rank_test_score'])
params = grid_search.cv_results_['params'][best_system]
print(params)
rf = RandomForestClassifier().set_params(**params)
rf.fit(X_train, Y_train)
eval_model(rf, X_train, Y_train, X_test, Y_test)

{'class_weight': 'balanced', 'max_depth': 4, 'n_estimators': 100}
```







## verify using validation

In [33]:

```
eval_model(rf, X_train, Y_train, X_val, Y_val)

rf2 = RandomForestClassifier()
rf2.fit(X_train, Y_train)
eval_model(rf2, X_train, Y_train, X_val, Y_val)
```



In [ ]: