

Treball Final de Màster

Estudi: Màster en Ciència de Dades

Títol: Ajustament d'un model generatiu de llenguatge per a la creació de xatbots personalitzats per administracions públiques

Document: Memòria

Alumne: Martí Mas Fullana

Tutor: Josep Suy Franch
Tutor: Miquel Tarragona Margarit

Departament: Departament d'Informàtica, Matemàtica Aplicada i Estadística
Àrea: Intel·ligència Artificial

Convocatòria (mes/any): Setembre 2024

TREBALL FINAL DE MÀSTER

Ajustament d'un model generatiu de llenguatge per a la creació de xatbots personalitzats per administracions públiques

Autor:

Martí MAS FULLANA

Setembre 2024

Màster en Ciència de Dades

Tutors:

Josep SUY FRANCH

Miquel TARRAGONA MARGARIT

Resum

Agraïments

Per començar vull agrair molt especialment a ...

Índex

1	Introducció	1
1.1	Antecedents	1
1.1.1	Introduction to Dialogue Systems	1
1.1.2	Towards Language Models	1
1.1.3	GPT and its Contribution	1
1.1.4	Retrieval Augmented Generation (RAG)	2
1.1.5	Applications and Benefits of RAG-based Chatbots	2
1.2	Objectives	2
1.3	Methodology	3
1.3.1	Data Collection and Preparation	3
1.3.2	RAG Implementation	4
1.3.3	User Interface Design	4
2	Estat de l'art	5
2.1	Secció	5
2.1.1	Subsecció	5
3	Preliminars	7
4	Planificació i Metodologia	9
5	Contribució Metodològica	11
6	Resultats	13
7	Conclusions i treball futur	15
	Bibliografia	17

Índex de figures

Índex de taules

Índex

CAPÍTOL 1

Introducció

1.1 Antecedents

1.1.1 Introduction to Dialogue Systems

Dialogue systems, also known as chatbots, have experienced a significant step-change in the last few years. Initially these systems were based on predefined rules and decision trees [1, 2], limiting their capacity for understanding and answering user queries in a natural and flexible manner. These rudimentary systems, commonly referenced as rule-based chatbots, might have been enough for simple tasks, but could not have managed the full complexity and variability of natural language.

1.1.2 Towards Language Models

As the first machine learning-based language models appeared, such as the Sequence-to-Sequence (Seq2Seq) model [3], and more recently the transformer-based models such as GPT (Generative Pre-trained Transformer) [4, 5], the capacity of chatbots to understand and generate natural language has improved significantly. These models are trained on large datasets of text, learning the complex patterns and structures of language, and are able to generate text that is coherent and contextually relevant.

1.1.3 GPT and its Contribution

The GPT model [5], developed by OpenAI, has been one of the most notable advances in this field. GPT uses the transformer architecture [4], which is a type of neural network that is particularly well-suited for processing sequences of data, such as text. Its capacity for generating coherent and contextually relevant responses has been leveraged in a wide range of applications, from virtual assistance to automated content generation.

1.1.4 Retrieval Augmented Generation (RAG)

One of the most recent advances in the integration of language models has been the use of retrieval augmented generation (RAG) [6]. RAG combines the strengths of information retrieval from databases with the generative capacity of language models. In this context, when a user query is received, the system first retrieves relevant information from a database, and then the language model generates a coherent and precise response based on this information. This approach has been shown to improve the accuracy and relevance of the responses generated by chatbots [6].

1.1.5 Applications and Benefits of RAG-based Chatbots

RAG-based chatbots offer a variety of benefits compared with more traditional systems. They are able to generate responses that are more coherent and contextually relevant. In this way users are both less frustrated and more satisfied. These systems also allow the chatbots to have access to newer, more up to date information than the data the model was originally trained on, as the data provided to the information retrieval component can be updated by simply adding new entries to the database. This makes the chatbot more adaptable and flexible, and allows it to provide more accurate and relevant information to users, reducing the necessity of performing full or partial retraining of the model, which can be prohibitively expensive.

1.2 Objectives

The main goal of this project is to develop an advanced chatbot system that uses GPT (Generative Pre-trained Transformer) technology and RAG (Retrieval Augmented Generation) to provide responses to user queries based off of the content of a database. This general goal can be broken down into the following specific objectives:

1. Pick an appropriate GPT Model

- Choose a GPT model that is well-suited for the task of generating responses to user queries based on the content of a database.

2. Integrate RAG Technology

- **Information Retrieval:** Develop and implement a system for retrieving relevant information from a database based on user queries.

- **Combine Retrieval and Generation:** Integrate the information retrieval system with the GPT model to generate coherent and contextually relevant responses to user queries.

3. Facilitate User-Chatbot Interaction

- **UI Design** Develop a user interface that allows users to interact with the chatbot in a natural and intuitive way.
- **UX Design** Ensure that the user experience is smooth and seamless, and that users are able to easily access the information they need.

4. Accessibility

- **Multilingual Support** Implement support for multiple languages to make the chatbot accessible to a wider range of users.
- **Accessibility Features** The system must be designed to be accessible to users with visual or motor impairments. As such, it should support voice input. The voice input feature must be able to be activated through a voice command.

5. Evaluate and Validate the System

- **User Testing** Conduct user testing to assess the usability and effectiveness of the chatbot system.
- **Results Analysis** Analyze the results of the different tests to identify areas for improvement and optimization.

1.3 Methodology

1.3.1 Data Collection and Preparation

- **Data Collection:** We are given a set of files documenting the laws related to social rights in Catalonia. These files are in PDF format, and contain a variety of information, including the text of the laws, the dates they were enacted, and the organizations responsible for enforcing them.
- **Data Preparation:** We will extract the text from the PDF files and convert it into a format that can be used by the information retrieval system. This will involve cleaning the text and removing any extraneous characters. This will be done using the LlamaIndex Python library.

1.3.2 RAG Implementation

- **Information Retrieval:** Develop a system capable of retrieving relevant information from a database based on user queries. This will involve creating an index of the laws related to social rights in Catalonia, and implementing a search algorithm that can return the most relevant laws based on the user query. In practise this will be done using the LlamaIndex Python library, which chunks the text into smaller pieces and indexes them.
- **Combining Retrieval and Generation:** Integrate the retrieval system with the GPT model to generate coherent and contextually relevant responses to user queries. This will involve passing the retrieved information to the GPT model, which will generate a response based on this information.

1.3.3 User Interface Design

- **UI Design:** Develop a user interface that allows users to interact with the chatbot in a natural and intuitive way. This will involve creating a chat interface that allows users to input queries and receive responses from the chatbot.
- **UX Design:** Ensure that the user experience is smooth and seamless, and that users are able to easily access the information they need. This will involve testing the user interface with a group of users to identify any areas for improvement, as well as demoing the system to the stakeholders.

CAPÍTOL 2

Estat de l'art

2.1 Secció

2.1.1 Subsecció

CAPÍTOL 3

Preliminars

CAPÍTOL 4

Planificació i Metodologia

CAPÍTOL 5

Contribució Metodològica

CAPÍTOL 6

Resultats

CAPÍTOL 7

Conclusions i treball futur

Bibliografía

- [1] J. Weizenbaum, “Eliza—a computer program for the study of natural language communication between man and machine,” *Commun. ACM*, vol. 9, p. 36–45, jan 1966. (Cited on page [1](#).)
- [2] B. Abushawar and E. Atwell, “Alice chatbot: Trials and outputs,” *Computación y Sistemas*, vol. 19, 12 2015. (Cited on page [1](#).)
- [3] I. Sutskever, O. Vinyals, and Q. V. Le, “Sequence to sequence learning with neural networks,” 2014. (Cited on page [1](#).)
- [4] A. Vaswani, N. Shazeer, N. Parmar, J. Uszkoreit, L. Jones, A. N. Gomez, L. Kaiser, and I. Polosukhin, “Attention is all you need,” 2023. (Cited on page [1](#).)
- [5] A. Radford and K. Narasimhan, “Improving language understanding by generative pre-training,” 2018. (Cited on page [1](#).)
- [6] P. Lewis, E. Perez, A. Piktus, F. Petroni, V. Karpukhin, N. Goyal, H. Küttler, M. Lewis, W. tau Yih, T. Rocktäschel, S. Riedel, and D. Kiela, “Retrieval-augmented generation for knowledge-intensive nlp tasks,” 2021. (Cited on page [2](#).)