Gradiance Online Accelerated Learning

Suraj

- Home Page

- Assignments Due

- Progress Report

- Handouts

- Tutorials

- Homeworks

- Lab Projects

- Log Out

Help

Submission number:	95086
Submission certificate:	BG444458
Submission time:	2022-04-06 22:52:16 PST (GMT - 8:00)

Number of questions:	4
Positive points per question:	3.0
Negative points per question:	1.0
Your score:	12

Questions about regular expressions.

1. Suppose that in some language a real number is represented by the following elements, which must be in order, if they occur at all (i.e., are not optional):

   1. An optional minus sign (-).
   2. One or more digits (0 through 9).
   3. A decimal point.
   4. Zero or more digits.
   5. An optional exponent, consisting of:
      - An "E" in upper or lower case.
      - An optional minus sign.
      - One or more digits.

   Write a regular expression for real numbers in the form described above. There are several options, of course. Identify from the list below, one of the possible regular expressions that denotes all these real numbers and nothing else.

   a) $-?[0\text{-}9]^+.[0\text{-}9]^*(E|e)\text{-}?[0\text{-}9]^+$

   b) $-?[0\text{-}9][0\text{-}9]^*.[0\text{-}9]^*(E|e)\text{-}?[0\text{-}9][0\text{-}9]^*$

   c) $[-]?[0\text{-}9]^+.[0\text{-}9]^*[Ee][-]?[0\text{-}9]^+$

   d) $-?[0\text{-}9]^+.[0\text{-}9]^*([Ee]\text{-}?[0\text{-}9]^+)?$

   Answer submitted: **d)**

   You have answered the question correctly.

2. The UNIX-style regular expression [a-e]*f?bc* generates which of the following strings?
   a) the empty string
   b) dcebfbcc
   c) aCdBfbcc
   d) a-ea-efbc

   Answer submitted: **b)**

   You have answered the question correctly.

3. Identify from the list below the regular expression that generates all and only the strings over alphabet {0,1} that end in 1.

   a) $(0+1)*1^+$

   b) $(0^+1^+)*1$

   c) $(0+1)*10?$

   d) $(00+01+10+11)*1$

Answer submitted: **a)**

You have answered the question correctly.

4. Apply the McNaughton-Yamada-Thompson construction in Section 3.7.4 (p. 159) to convert the regular expression $(0+1)*(0+\varepsilon)$ to an epsilon-NFA. Count

    1. The number of states.
    2. The number of states that have more than one out-arc.
    3. The number of states that have more than one in-arc.
    4. The number of arcs labeled ε

Then, identify the true statement about your epsilon-NFA from the list below:

   a) There is 1 arc labeled ε.

   b) There are 12 states with more than one arc in.

   c) There are 3 states with more than one arc out.

   d) There are 14 arcs labeled ε.

Answer submitted: **d)**

You have answered the question correctly.