

USN

--	--	--	--	--	--	--	--	--	--

**R. V. COLLEGE OF ENGINEERING**  
**Autonomous Institution affiliated to VTU**  
**III Semester B. E. Fast Track Examinations July-16**  
**Computer Science and Engineering**  
**COMPUTER ORGANIZATION AND ARCHITECTURE**

**Time: 03 Hours****Maximum Marks: 100****Instructions to candidates:**

1. Answer all questions from Part A. Part A questions should be answered in first three pages of the answer book only.
2. Answer FIVE full questions from Part B.

**PART-A**

1	1.1	_____ and _____ registers facilitate communication with the memory during a program execution.	01
	1.2	Give an example for <i>CISC</i> and <i>RISC</i> processor models.	01
	1.3	Represent $(64)_{10}$ in single precision floating point format structure.	02
	1.4	_____ algorithm generates a $2n$ bit product and treats both positive and negative 2's complement $n$ -bit operands uniformly.	01
	1.5	_____ assembly directive is used to load the program from the specified memory location.	01
	1.6	Write an example for 3 and 2 address instruction sequencing.	01
	1.7	The exchange of information between a calling program subroutine is known as _____.	01
	1.8	The _____ enables the device to recognize its address when the address appears on the address lines.	01
	1.9	Distinguish between synchronous and asynchronous bus data transfer.	02
	1.10	_____ bus is designed to support a variety of microprocessor-based configurations including both single and multi processor systems.	01
	1.11	Draw the memory cell organization of <i>DRAM</i> .	01
	1.12	Write the control sequence steps to execute the instruction: <i>MOV R<sub>2</sub>, (R<sub>1</sub>)</i> .	02
	1.13	What is pipelining?	01
	1.14	A system, in which two or more processing components can execute simultaneously, is known as _____.	01
	1.15	Define Symmetric Multiprocessor.	01
	1.16	The effective address of base with index and offset addressing is _____.	01
	1.17	All general purpose registers are combined into a single block called as _____.	01

## PART-B

2	a	With a neat diagram, explain the operating steps required to execute an instruction.	08
	b	Write a short note on superscalar processor.	04
	c	List the merits and demerits of single-bus structure.	04
<b>OR</b>			
3	a	Perform fast multiplication between the following pairs of numbers: -8 and 6.	06
	b	What are the differences between restoring and non restoring division algorithm? Explain.	06
	c	Represent $(1259.125)_{10}$ in double precision floating point format structure.	04
4	a	Write an assembly program to multiply two memory array elements and store their result in a third memory array. $c(i) = a(i) * b(i)$	06
	b	What are the differences between Big-endian and Little-endian addressing techniques? Give examples for each.	06
	c	Write a note on register transfer notation and give examples.	04
<b>OR</b>			
5	a	Registers $R1$ and $R2$ of a computer contain the decimal values 1400 and 5000. What is the effective address of the memory operand in each of the following instructions? Assume that the computer has 32 bit word length. i) Load $200(R1), R3$ ; ii) Move $\#2000, R3$ ; iii) Store $300(R1, R2), R3$ .	04
	b	Describe any four addressing techniques. Give examples.	08
	c	Explain the operation of stack with an example.	04
6	a	What is an interrupt? Explain polling interrupt along with its advantages and disadvantages.	06
	b	What is <i>DMA</i> ? With the help of a diagram, explain different registers used in <i>DMA</i> interface.	06
	c	Write a brief note on exceptions.	04
<b>OR</b>			
7	a	With a neat diagram, explain a distributed bus arbitration scheme.	08
	b	Draw a timing diagram and explain Asynchronous input Data transfer bus operation.	08
8	a	Design and describe the organization of $4M \times 32$ memory using $1M \times 8$ static memory modules.	06
	b	Explain set associative mapping between cache memory and main memory.	06

	c	What are the key factors that affect the performance and cost of a computer with respect to memory?	04
		<b>OR</b>	
9	a	With a suitable diagram, explain the basic organization of a micro programmed control unit.	06
	b	Develop the control sequence instructions for execution of the instruction <i>ADD (R3), R1</i> .	06
	c	List the different steps required to fetch a word from memory.	04
10	a	Draw a 4-stage pipeline diagram and discuss different types of pipeline hazards during instruction execution.	10
	b	Briefly explain <i>MIMD</i> parallel architecture with a neat diagram.	06
		<b>OR</b>	
11	a	With the help of a diagram, explain the following multiprocessor systems: i) Uniform Memory Access ( <i>UMA</i> ); ii) Nonuniform Memory Access ( <i>NUMA</i> ).	10
	b	Differentiate between symmetric and asymmetric multiprocessors.	06

USN


--	--	--	--	--	--	--	--	--	--

**R. V. COLLEGE OF ENGINEERING**  
**Autonomous Institution affiliated to VTU**  
**III Semester B. E. Fast Track Examinations July-16**  
**Common to CSE / ISE**  
**DISCRETE MATHEMATICAL STRUCTURES**


**Time: 03 Hours****Maximum Marks: 100****Instructions to candidates:**

3. Answer all questions from Part A. Part A questions should be answered in first three pages of the answer book only.
4. Answer FIVE full questions from Part B.

**PART-A**

1	1.1	How many positive integers between 100 and 999 inclusive, are not divisible by 4?	02
	1.2	How many arrangements of the letters $ABCDEFGH$ contain the strings $BA$ and $GF$ ?	02
	1.3	How many solutions are there to the equation $x_1 + x_2 + x_3 + x_4 = 7$ , where $x_1, x_2, x_3, x_4$ are non-negative integers?	01
	1.4	For the positive integers $1, 2, 3, 4, \dots, n-1, n$ there are 11,660 derangements where 1, 2, 3, 4 and 5 appear in the first five positions. What is the value of $n$ ?	01
	1.5	Find the rook polynomial for the chess board given below: <div style="text-align: center;">  </div>	
		Fig 1.5	02
	1.6	Construct the truth table for: $((p \leftrightarrow q) \vee (p \rightarrow r)) \rightarrow (\sim q \wedge p)$	02
	1.7	Find the recurrence relation for the integer sequence given below: 2, 10, 50, 250, ... ..	02
	1.8	Let $x_1, x_2, x_3, x_4, \dots, x_{20}$ be the list of distinct real numbers to be sorted by the bubble-sort technique. After how many comparisons will the 10 smallest numbers of the original list be arranged in ascending order?	02
	1.9	Let $A = \{1, 2, 3\}$ , $B = \{w, x, y, z\}$ , and $C = \{4, 5, 6\}$ . Define the relations $R_1 \subseteq A \times B$ , $R_2 \subseteq B \times C$ , and $R_3 \subseteq B \times C$ where: $R_1 = \{(1, w), (2, x), (3, w), (1, y)\}$ , $R_2 = \{(w, 5), (x, 6), (y, 4), (y, 6)\}$ and $R_3 = \{(w, 4), (w, 5), (y, 5)\}$ . Determine $R_1 \circ (R_2 \cup R_3)$ and $(R_1 \circ R_2) \cup (R_1 \circ R_3)$ .	02
	1.10	Let $A = \{1, 2, 3, 4, 5\}$ and $B = \{a, b, c, d, e, f\}$ . How many functions are there from $A$ to $B$ ? How many of these are one-to-one? How many are onto?	02
	1.11	Show that $(\mathbb{Z}_6, +)$ is an abelian group.	02

## PART-B

2	a	i) How many permutations are there for the eight letters $a, c, f, g, i, t, w, x$ ? How many of these start with the letter $f$ and end with the letter $w$ ?	05
		ii) How many positive integers $n$ can be formed using the digits 3,4,4,5,5,6,7 if we want $n$ to exceed 5,000,000?	
	b	i) Determine the co-efficient of $w^3x^2yz^2$ in the expansion of $(2w - x + 3y - 2z)^8$ .	06
		ii) Determine the sum of all the coefficients in the expansion of $(x + y + z)^{10}$ .	05
	c	Determine the number of integer solutions of $x_1 + x_2 + x_3 + x_4 = 32$ where $x_i \geq 0, 1 \leq i \leq 4$ .	05
<b>OR</b>			
3	a	Determine the number of positive integers, $n$ $1 \leq n \leq 2000$ , that are not divisible by 2,3,5 or 7.	06
	b	i) How many permutations of 1,2,3,4,5,6,7 are not derangements?	04
		ii) List the derangements of 1,2,3,4,5,6 where the first three numbers are 1,2,3 in some order.	
	c	By using the expansion formula, find the rook polynomial for the board shown below:	06
			
Fig 3c			
4	a	i) Prove the following by mathematical induction: $1^2 + 3^2 + 5^2 + \dots + (2n-1)^2 = (n(2n-1)(2n+1))/3$ .	06
		ii) Evaluate the following: $\sum_{i=11}^{33} i^2$	04
	b	Find the general solution for the following recurrence relation: $2a_n - 3a_{n-1} = 0, n \geq 1, a_4 = 81$ .	
		Solve the recurrence relation: $a_n - 6a_{n-1} + 9a_{n-2} = 0, n \geq 2, a_0 = 5, a_1 = 12$ .	06
<b>OR</b>			
5	a	Solve the following non-homogenous recurrence relation: $a_{n+2} + 3a_{n+1} + 2a_n = 3^n, n \geq 0, a_0 = 0, a_1 = 1$ .	08
	b	Find the generating function for the recurrence relation: $a_{n+2} - 5a_{n+1} + 6a_n = 2, n \geq 0, a_0 = 3, a_1 = 7$ . Hence solve the relation.	08
6	a	If $p, q$ are primitive statements, prove that $\sim(p \vee (\sim p \wedge q)) \Leftrightarrow \sim p \wedge \sim q$ by using laws of logic. Write the dual of the logical equivalence and show that the resulting statements are equivalent.	06
	b	For the implication "If today is thanksgiving, then tomorrow is Friday", give the converse, inverse and contra positive of the implication.	04



b  c	<p>Prove that composition of functions is not commutative but composition of function is associative.</p> <p>Prove the following:</p> <p>i) A function <math>f:A \rightarrow B</math> is invertible if and only if it is one to one and onto.</p> <p>ii) If <math>f:A \rightarrow B, g:B \rightarrow C</math> are invertible functions then <math>g \circ f:A \rightarrow C</math> is invertible and <math>(gof)^{-1} = f^{-1} \circ g^{-1}</math>.</p>	06  06
10 a  b  c	<p>Define the following :</p> <p>i) Semigroup ii) Monoid iii) Group iv) Abelian group.</p> <p>If <math>f</math> is a homomorphism from <math>G_1</math> to <math>G_2</math> and if <math>f</math> is onto, prove the following:</p> <p>i) If <math>G_1</math> is abelian then <math>G_2</math> is also abelian. ii) If <math>e_1</math> is the identity of <math>G_1</math> and <math>e_2</math> is the identity of <math>G_2</math>, then we have <math>f(e_1) = e_2</math>. iii) <math>f(a^{-1}) = (f(a))^{-1}</math> for all <math>a \in G_1</math>.</p> <p>State and prove Langrange's theorem.</p>	04  06 06
<b>OR</b>		
11 a  b  c	<p>Let <math>E:Z_2^3 \rightarrow Z_2^9</math> be the encoding function for the(9,3) triple repetition code.</p> <p>i) If <math>D:Z_2^9 \rightarrow Z_2^3</math> is the corresponding decoding function, apply <math>D</math> to decode the received words 111101100; 000100011; 010011111. ii) Find three different received words <math>r</math> for which <math>D(r) = 000</math>. iii) For each <math>w \in Z_2^3</math>, what is <math> D^{-1}(w) </math>?</p> <p>For each of the following encoding functions, find the minimum distance between the code words. Discuss the error detecting and correcting capabilities of each code.</p> <p>i) <math>E:Z_2^2 \rightarrow Z_2^5</math> m) <math>00 \rightarrow 00001; 01 \rightarrow 01010</math> n) <math>11 \rightarrow 11111; 10 \rightarrow 10100</math>.</p> <p>ii) <math>E:Z_2^2 \rightarrow Z_2^{10}</math> m) <math>00 \rightarrow 0000000000, 01 \rightarrow 0000011111</math> n) <math>10 \rightarrow 1111100000, 11 \rightarrow 1111111111</math></p> <p>The encoding function <math>E:Z_2^2 \rightarrow Z_2^5</math> is given by the generator matrix:  <math display="block">G = \begin{bmatrix} 1 &amp; 0 &amp; 1 &amp; 1 &amp; 0 \\ 0 &amp; 1 &amp; 0 &amp; 1 &amp; 1 \end{bmatrix}</math> </p> <p>i) Determine all code words. What can we say about the error detection capability of this code? What about error correction capability? ii) Find the associated parity check matrix <math>H</math>. iii) Use <math>H</math> to decode each of the following received words. m) 11011 n) 00110.</p>	06  04  06