

Cucumber Report

21-Nov-2022, 11:16:32 pm

Start : Nov 21, 11:04:43.254 pm

End : Nov 21, 11:16:31.290 pm

Duration : 11 m 48.036 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0


FAILED - 1

SKIPPED - 0

PASSED - 4

FAILED - 1


SKIPPED - 11



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Renew Fleet feature</u>	11 m 48.036 s	1	0	1	0	16	4	1	11





#	Feature Name	T	P	F	S	Duration
1	<u>Renew Fleet feature</u>	1	0	1	0	11 m 48.036 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Renew Fleet feature</u>	<u>IRP Renew fleet</u>	16	4	1	11	11 m 48.033 s




Renew Fleet feature

FAILED	DURATION - 11 m 48.036 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 16 Pass - 4 Fail - 1 Skip - 11	
/ 11:04:43.254 pm // 11:16:31.290 pm /					

IRP Renew fleet

<div>FAILED</div>	<div>DURATION - 11 m 48.033 s</div>	<div></div>	<div>Steps</div> <div>Total - 16</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 11</div>	<div></div>
<div>/ 11:04:43.257 pm // 11:16:31.290 pm /</div>				
<div>Renew Fleet feature</div>				

#	Step / Hook Details	Status	Duration
1	Given User login as a Internal user	PASSED	17.336 s
	Launch the application using URL and login with valid credentials		
	AFTER_STEP - apphooks.Application_Hooks.as(io.cucumber.java.Scenario)	PASSED	0.348 s
	anyname		
			
2	When User will navigate to the IRPLink	PASSED	29.223 s
	Expand the Services header on the left column of the screen and select IRP		
	Click on Renew fleet from Fleet card menu.		
	AFTER_STEP - apphooks.Application_Hooks.as(io.cucumber.java.Scenario)	PASSED	0.268 s
	anyname		

#	Step / Hook Details	Status	Duration
			
3	Then User will provide all the Account Number Details to start with IRP Transaction Enter valid search data and click to proceed	PASSED	7.303 s
	AFTER_STEP - apphooks.Application_Hooks.as(io.cucumber.java.Scenario) anyname	PASSED	0.256 s
			
4	Then User will navigate to account section and fill the data Enter valid all detail in account page with comments and click on proceed button Click on proceed from the verification page	PASSED	34.038 s
	AFTER_STEP - apphooks.Application_Hooks.as(io.cucumber.java.Scenario) anyname	PASSED	0.278 s
			
5	Then User will navigate to Fleet section and fill the data and validate message "IRPACC00 : [I] Renewal account has been generated." Enter update all the mandatory and valid details in fleet page. Also update Fleet Expiration Date & Fleet Type & Commodity Class and click on proceed button after entering comments java.lang.NullPointerException: Cannot invoke "java.io.FileOutputStream.close()" because "out" is null at com.celtic.automation.cmcs.util.WriteExcelUtil.setCellData(WriteExcelUtil.java:92) at parallel.RWC_001.user_will_navigate_to_fleet_section_and_fill_the_data_and_validate_message(RWC_001.java:242) at ?.User will navigate to Fleet section and fill the data and validate message "IRPACC00 : [I] Renewal account has been generated." "(file:///C:/Users/HP/Downloads/gitbuild-MyLocalRepository(1)/gitbuild-MyLocalRepository/updated_celtic_project-main/src/test/resources/Parallel/RWC_001.feature:7) * Not displayable characters are replaced by '?'. AFTER_STEP - apphooks.Application_Hooks.as(io.cucumber.java.Scenario)	FAILED	10 m 16.748 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found	FAILED	0.004 s

#	Step / Hook Details	Status	Duration
	<p>(Session info: chrome=107.0.5304.107) Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'LAPTOP-8ANFSSC4', ip: '192.168.0.115', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.3' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2121e2ed38f557cf6afcd18bdb44ef8e, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.107, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\HPV\AppData\Local\T...}, goog:chromeOptions: {debuggerAddress: localhost:55238}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:55238/devtoo..., se.cdpVersion: 107.0.5304.107, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 2121e2ed38f557cf6afcd18bdb44ef8e</p> <p>at jdk.internal.reflect.GeneratedConstructorAccessor65.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at com.celtic.automation.cmcs.util.Generic_Functions.getBytesScreenshot(Generic_Functions.java:33) at apphooks.Application_Hooks.as(Application_Hooks.java:47)</p>		
6	Then User will navigate to Distance section and fill the data and validate message "IRPFLT01 : [I] Renewal fleet has been generated." "[I] MCE: IRP status successfully updated."	SKIPPED	0.000 s
7	Then User will navigate to Weight group section and fill the data and validate message "IRPMLG13 : [I] Renewal Distance has been generated."	SKIPPED	0.000 s
8	Then User will navigate to Add vehicle and validate the message "IRPVEH375 : [I] Please search the VIN first to process a vehicle." "IRPVEH491 : [W] New Plate Required flag set for this vehicle to Yes." "IRPVEH004 : [I] Vehicle amended successfully."	SKIPPED	0.000 s
9	Then User will Delete vehicle as per the requirement and validate the message "IRPVEH246 : [I] Vehicle(s) deleted successfully."	SKIPPED	0.000 s
10	And User will confirm cancel "GEN1062 : [I] Cancellation completed successfully"	SKIPPED	0.000 s
11	Then User will navigate to vehicle list to update existing vehicle	SKIPPED	0.000 s
12	Then User will navigate to billing to verify as well to adjust the cost & Waive Fees "IRPBILL09 : [E] Manual adj. reason is required."	SKIPPED	0.000 s
13	And User will navigate to Payment Tab to input the data and validate message "GEN24 : [I] Invoice report generated successfully." "IRPREP28 : [I] Billing completed successfully." "GEN1239 : [I] TVR generated successfully."	SKIPPED	0.000 s
14	Then User will navigate to supplement continuance and validate the message "GENPAY01 : [E] This transaction already exists"	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
	in the cart."		
15	Then User will navigate to payment tab and fill the requirement	SKIPPED	0.001 s
16	And user will validate message "Payment Receipt generated successfully" "Credentials generated successfully."	SKIPPED	0.000 s
	AFTER - apphooks.Application_Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.006 s
	<p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=107.0.5304.107) Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'LAPTOP-8ANFSSC4', ip: '192.168.0.115', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.3' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2121e2ed38f557cf6afcd18bdb44ef8e, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.107, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\HP\AppData\Local\T...}, goog:chromeOptions: {debuggerAddress: localhost:55238}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55238/devtoo..., se:cdpVersion: 107.0.5304.107, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 2121e2ed38f557cf6afcd18bdb44ef8e</p> <p>at jdk.internal.reflect.GeneratedConstructorAccessor65.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at apphooks.Application_Hooks.tearDown(Application_Hooks.java:66)</p>		