

GMetis - Xeon Phi

David Pereira Rui Brito

August 6, 2013

Outline

- 1 Introduction
- 2 System characteristics
- 3 Metis
- 4 Conclusion

Introduction

- GMetis is a graph partitioning application which uses the Galois framework
- Consists of three major phases
 - ▶ Coarsening
 - ★ Find matching nodes
 - ★ Coarsen Graph
 - ▶ Initial Partitioning (Clustering)
 - ▶ Refinement

Stampede Host

Manufacturer	Intel
Model	Xeon E5-2680
μ Arch	Sandy Bridge
Clock freq	2.70 GHz
#CPUs (sockets)	2
#Cores/CPU	8
#Thread/Core	1
L1 cache size/core	32 KB
L2 cache size/core	256 KB
L3 shared cache size/CPU	20 MB
Vector width	256 bits (AVX)

Table 1 : Intel Xeon E5-2680

Stampede Coprocessor - Xeon Phi

Manufacturer	Intel
Model	Xeon E5-2680
μ Arch	Sandy Bridge
Clock freq	1.1 GHz
#CPUs (sockets)	1
#Cores/CPU	61
#Thread/Core	4
L1 cache size/core	32KB
L2 cache size/core	512 KB
Vector width	512 bits
Peak SP Gflops/s	2112
Peak DP Gflops/s	1056

Table 2 : Intel Xeon Phi

Important characteristics

- Four hardware threads per core
- In-order dual issue pipeline
- Pipeline does not issue instructions from the same hardware context for two consecutive clock cycles
- Maximum issue rate only attainable with at least 2 threads per core

Number of Hardware Threads per core	Minimum Theoretical CPI per Core
1	1
2	0.5
3	0.5
4	0.5

Table 3 : Minimum Theoretical CPIs

Conclusion

- Metis and mt-metis have better edgecut
- Metis and mt-metis have lower runtime for small number of partitions
- GMetis is faster for high number of partitions
- Metis graph partitioning algorithm is not suitable to run on MIC as it do not harness vector
- Metis and mt-metis are written in C whereas GMetis is written in C++ and uses Templates. This may explain differences in performance

GMetis - Xeon Phi

David Pereira Rui Brito

August 6, 2013

Questions & Discussion