




Seaborn

[< Previous](#)[Next >](#)

Visualize Distributions With Seaborn

Seaborn is a library that uses Matplotlib underneath to plot graphs. It will be used to visualize random distributions.



Install Seaborn.

If you have Python and PIP already installed on a system, install it using this command:

```
C:\Users\Your Name>pip install seaborn
```

If you use Jupyter, install Seaborn using this command:

```
C:\Users\Your Name>!pip install seaborn
```

Distplots

Distplot stands for distribution plot, it takes as input an array and plots a curve corresponding to the distribution of points in the array.

Import Matplotlib

Import the pyplot object of the Matplotlib module in your code using the following statement:

```
import matplotlib.pyplot as plt
```

You can learn about the Matplotlib module in our [Matplotlib Tutorial](#).

Import Seaborn

Import the Seaborn module in your code using the following statement:

```
import seaborn as sns
```

Plotting a Distplot

Example

```
import matplotlib.pyplot as plt
import seaborn as sns

sns.distplot([0, 1, 2, 3, 4, 5])

plt.show()
```

[Try it Yourself »](#)

Plotting a Distplot Without the Histogram

Example

```
import matplotlib.pyplot as plt
import seaborn as sns

sns.distplot([0, 1, 2, 3, 4, 5], hist=False)

plt.show()
```

[Try it Yourself »](#)

Note: We will be using: `sns.distplot(arr, hist=False)` to visualize random distributions in this tutorial.

[< Previous](#)


[Next >](#)



ADVERTISEMENT


NEW

We just launched
W3Schools videos



Explore now

COLOR PICKER



Get certified
by completing
a Python
course today!



Get started

CODE GAME



[Play Game](#)

ADVERTISEMENT

ADVERTISEMENT



[Report Error](#)

[Spaces](#)

[Pro](#)

[Get Certified](#)

Top Tutorials

[HTML Tutorial](#)
[CSS Tutorial](#)
[JavaScript Tutorial](#)
[How To Tutorial](#)
[SQL Tutorial](#)
[Python Tutorial](#)
[W3.CSS Tutorial](#)
[Bootstrap Tutorial](#)
[PHP Tutorial](#)
[Java Tutorial](#)
[C++ Tutorial](#)
[jQuery Tutorial](#)

Top References

[HTML Reference](#)
[CSS Reference](#)
[JavaScript Reference](#)
[SQL Reference](#)
[Python Reference](#)
[W3.CSS Reference](#)
[Bootstrap Reference](#)
[PHP Reference](#)
[HTML Colors](#)

[Java Reference](#)
[Angular Reference](#)
[jQuery Reference](#)

Top Examples

[HTML Examples](#)
[CSS Examples](#)
[JavaScript Examples](#)
[How To Examples](#)
[SQL Examples](#)
[Python Examples](#)
[W3.CSS Examples](#)
[Bootstrap Examples](#)
[PHP Examples](#)
[Java Examples](#)
[XML Examples](#)
[jQuery Examples](#)

Get Certified

[HTML Certificate](#)
[CSS Certificate](#)
[JavaScript Certificate](#)
[Front End Certificate](#)
[SQL Certificate](#)
[Python Certificate](#)
[PHP Certificate](#)
[jQuery Certificate](#)
[Java Certificate](#)
[C++ Certificate](#)
[C# Certificate](#)
[XML Certificate](#)

[FORUM](#) | [ABOUT](#)

W3Schools is optimized for learning and training. Examples might be simplified to improve reading and learning. Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness of all content. While using W3Schools, you agree to have read and accepted our [terms of use](#), [cookie](#) and [privacy policy](#).

Copyright 1999-2022 by Refsnes Data. All Rights Reserved.
W3Schools is Powered by W3.CSS.

