



# Python - Set Methods

[< Previous](#)[Next >](#)

## Set Methods

Python has a set of built-in methods that you can use on sets.


Method	Description
<u><a href="#">add()</a></u>	Adds an element to the set
<u><a href="#">clear()</a></u>	Removes all the elements from the set
<u><a href="#">copy()</a></u>	Returns a copy of the set
<u><a href="#">difference()</a></u>	Returns a set containing the difference between two or more sets
<u><a href="#">difference_update()</a></u>	Removes the items in this set that are also included in another, specified set
<u><a href="#">discard()</a></u>	Remove the specified item
<u><a href="#">intersection()</a></u>	Returns a set, that is the intersection of two other sets
<u><a href="#">intersection_update()</a></u>	Removes the items in this set that are not present in other, specified set(s)
<u><a href="#">isdisjoint()</a></u>	Returns whether two sets have a intersection or not
<u><a href="#">issubset()</a></u>	Returns whether another set contains this set or

	not
<u>issuperset()</u>	Returns whether this set contains another set or not
<u>pop()</u>	Removes an element from the set
<u>remove()</u>	Removes the specified element
<u>symmetric_difference()</u>	Returns a set with the symmetric differences of two sets
<u>symmetric_difference_update()</u>	inserts the symmetric differences from this set and another
<u>union()</u>	Return a set containing the union of sets
<u>update()</u>	Update the set with the union of this set and others

[< Previous](#)[Next >](#)


**NEW**

We just launched  
W3Schools videos



[Explore now](#)

## COLOR PICKER



Get certified  
by completing  
a Python  
course today!



Get started

## CODE GAME



Play Game

---

[Report Error](#)

[Spaces](#)

[Pro](#)

[Get Certified](#)

---

## **Top Tutorials**

[HTML Tutorial](#)  
[CSS Tutorial](#)  
[JavaScript Tutorial](#)  
[How To Tutorial](#)  
[SQL Tutorial](#)  
[Python Tutorial](#)  
[W3.CSS Tutorial](#)  
[Bootstrap Tutorial](#)  
[PHP Tutorial](#)  
[Java Tutorial](#)  
[C++ Tutorial](#)  
[jQuery Tutorial](#)

## **Top References**

[HTML Reference](#)  
[CSS Reference](#)  
[JavaScript Reference](#)  
[SQL Reference](#)  
[Python Reference](#)  
[W3.CSS Reference](#)  
[Bootstrap Reference](#)  
[PHP Reference](#)  
[HTML Colors](#)  
[Java Reference](#)  
[Angular Reference](#)  
[jQuery Reference](#)

## **Top Examples**

[HTML Examples](#)  
[CSS Examples](#)  
[JavaScript Examples](#)  
[How To Examples](#)  
[SQL Examples](#)  
[Python Examples](#)  
[W3.CSS Examples](#)  
[Bootstrap Examples](#)  
[PHP Examples](#)  
[Java Examples](#)

[XML Examples](#)  
[jQuery Examples](#)

## Get Certified

[HTML Certificate](#)  
[CSS Certificate](#)  
[JavaScript Certificate](#)  
[Front End Certificate](#)  
[SQL Certificate](#)  
[Python Certificate](#)  
[PHP Certificate](#)  
[jQuery Certificate](#)  
[Java Certificate](#)  
[C++ Certificate](#)  
[C# Certificate](#)  
[XML Certificate](#)

---

[FORUM](#) | [ABOUT](#)

W3Schools is optimized for learning and training. Examples might be simplified to improve reading and learning. Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness of all content. While using W3Schools, you agree to have read and accepted our [terms of use](#), [cookie and privacy policy](#).

Copyright 1999-2022 by Refsnes Data. All Rights Reserved.  
W3Schools is Powered by W3.CSS.

