

```
In [44]: from sklearn.datasets import make_classification
```

```
In [45]: #Define DataSet.  
x, y = make_classification(n_samples = 1000, n_features = 20, n_informative = 15, n_redundant = 5, random_state = 1)
```

```
In [46]: from sklearn.tree import DecisionTreeClassifier  
from sklearn.ensemble import RandomForestClassifier  
from sklearn.svm import SVC  
from sklearn.model_selection import cross_val_score  
from sklearn.model_selection import RepeatedStratifiedKFold  
from sklearn.ensemble import VotingClassifier  
from sklearn.pipeline import Pipeline
```

```
In [47]: from collections import Counter  
counter = Counter(y)
```

```
In [48]: counter
```

```
Out[48]: Counter({0: 501, 1: 499})
```

```
In [49]: x
```

```
Out[49]: array([[ 2.47475454,  0.40165523,  1.68081787, ..., -6.59044146,  
                -2.21290585, -3.139579   ],  
               [ 0.84802507,  2.81841945, -2.76008732, ...,  3.00844461,  
                0.78661954, -1.27681551],  
               [-1.90041246, -0.56901823, -1.76220236, ...,  3.37336417,  
                -2.28613707,  1.90344983],  
               ...,  
               [ 0.7673844 , -2.91920559,  2.80851577, ...,  4.42591832,  
                0.46321196, -3.30523346],  
               [ 2.05510667, -0.99009741,  0.73577291, ...,  3.05100898,  
                -1.40715279, -0.51579331],  
               [-10.96847792, -2.39810735, -0.96700953, ..., -11.16298557,  
                1.16646392,  0.60835176]])
```

```
In [50]: y
```

```
Out[50]: array([0, 0, 0, 0, 0, 0, 0, 0, 1, 1, 1, 1, 0, 0, 0, 0, 0, 1, 1, 0, 1, 0,
 1, 0, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 0, 0, 0, 1, 0, 0, 0, 1, 0,
 0, 1, 1, 1, 0, 0, 0, 1, 1, 1, 0, 0, 1, 0, 0, 0, 1, 0, 0, 0, 0, 1,
 0, 0, 0, 1, 0, 1, 1, 1, 1, 1, 1, 1, 1, 1, 0, 1, 0, 1, 1, 1, 0,
 1, 1, 0, 0, 1, 0, 0, 1, 1, 1, 0, 0, 1, 1, 1, 1, 1, 0, 1, 0, 0,
 1, 1, 0, 1, 0, 0, 1, 1, 1, 0, 1, 0, 0, 1, 1, 1, 0, 1, 0, 0,
 1, 0, 1, 0, 0, 0, 0, 1, 0, 1, 1, 0, 0, 1, 0, 1, 0, 0, 0, 1, 1, 0,
 1, 1, 0, 0, 0, 0, 1, 0, 0, 0, 0, 1, 0, 1, 0, 1, 0, 0, 1, 0, 1, 1,
 0, 0, 0, 1, 0, 1, 1, 0, 0, 0, 0, 1, 1, 1, 0, 0, 1, 0, 0, 0, 1,
 1, 0, 1, 1, 0, 1, 0, 0, 1, 0, 1, 0, 0, 0, 1, 0, 0, 1, 1, 1, 0, 0,
 0, 0, 1, 1, 0, 1, 1, 1, 0, 0, 1, 0, 0, 1, 0, 1, 0, 1, 1, 1, 1,
 1, 0, 1, 1, 1, 1, 1, 0, 1, 1, 1, 0, 1, 0, 1, 0, 0, 1, 1, 0, 0, 0,
 1, 1, 0, 0, 1, 0, 0, 1, 1, 1, 0, 0, 1, 0, 0, 1, 1, 0, 0, 0, 0,
 0, 0, 1, 0, 1, 0, 0, 1, 0, 0, 0, 0, 1, 0, 0, 0, 1, 1, 1, 0, 0, 0,
 0, 0, 0, 1, 1, 0, 0, 0, 0, 1, 1, 0, 0, 1, 0, 0, 0, 1, 0, 0, 1,
 1, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 1, 1, 0, 1, 0, 1, 1, 0, 1,
 1, 1, 0, 0, 1, 1, 1, 0, 1, 0, 1, 1, 0, 0, 1, 0, 1, 0, 0, 1, 0, 1,
 1, 0, 1, 0, 0, 0, 1, 1, 1, 0, 1, 0, 1, 1, 1, 0, 1, 1, 1, 0,
 0, 1, 1, 1, 0, 0, 0, 1, 1, 0, 0, 1, 0, 0, 1, 1, 0, 1, 0, 0, 1,
 1, 1, 1, 1, 0, 1, 1, 0, 1, 0, 0, 1, 1, 0, 0, 1, 0, 0, 1, 1, 0, 0,
 0, 1, 1, 1, 1, 1, 0, 1, 0, 1, 0, 1, 0, 1, 1, 1, 0, 0, 1, 1, 1,
 1, 0, 1, 1, 1, 0, 0, 1, 1, 1, 1, 1, 1, 0, 1, 0, 0, 0, 1, 0, 0, 1,
```

```

0, 0, 1, 1, 1, 0, 0, 1, 0, 0, 0, 0, 1, 0, 1, 1, 1, 1, 0, 0, 1, 1,
0, 0, 1, 1, 0, 0, 1, 0, 1, 0, 0, 0, 1, 1, 1, 0, 0, 0, 1, 0, 1, 1,
0, 1, 0, 1, 0, 0, 1, 0, 1, 0, 0, 1, 0, 0, 1, 0, 0, 0, 0, 1, 0, 1,
0, 1, 1, 1, 0, 0, 0, 1, 0, 1, 1, 1, 0, 0, 1, 1, 1, 1, 0, 0, 0, 1,
1, 0, 0, 1, 1, 1, 0, 0, 0, 0, 0, 0, 1, 0, 1, 0, 0, 1, 0, 1, 1, 1,
0, 1, 1, 0, 0, 1, 1, 0, 0, 1, 1, 1, 1, 0, 0, 0, 0, 1, 0, 1, 0, 0,
0, 1, 1, 1, 1, 0, 1, 0, 0, 1, 0, 0, 0, 0, 0, 1, 0, 1, 1, 0, 0, 1,
1, 1, 1, 0, 0, 1, 1, 0, 0, 1])

```

```

In [51]: #get models
         #get a voting ensemble of models
         #define the base models

models = list()

```

```

In [52]: #Normalization.
DT1 = Pipeline([('m', DecisionTreeClassifier())])
models.append(('decision', DT1))

```

```

In [53]: #Standardization - RandomForest Classifier.
RF1 = Pipeline([('m', RandomForestClassifier())])
models.append(('RandomForest', RF1))

```

```

In [54]: #Robust.
svc = Pipeline([('m', SVC())])
models.append(('svc', svc))

```

```

In [55]: #define the Voting Ensemble.
ensemble = VotingClassifier(estimators = models, voting = 'hard')

```

```

In [56]: #return a list of tuples each with a name and model.
models

```

```

Out[56]: [('decision', Pipeline(steps=[('m', DecisionTreeClassifier())])),
          ('RandomForest', Pipeline(steps=[('m', RandomForestClassifier())])),
          ('svc', Pipeline(steps=[('m', SVC())]))]

```

```
In [57]: ensemble
```

```
Out[57]: VotingClassifier(estimators=[('decision',  
                                     Pipeline(steps=[('m',  
                                                       DecisionTreeClassifier())])),  
                                     ('RandomForest',  
                                     Pipeline(steps=[('m',  
                                                       RandomForestClassifier())])),  
                                     ('svc', Pipeline(steps=[('m', SVC())]))])
```

```
In [58]: cv = RepeatedStratifiedKFold(n_splits = 10, n_repeats = 3, random_state = 1)
```

```
In [59]: n_scores = cross_val_score(ensemble, x, y, scoring = 'accuracy', cv = cv, n_jobs = -1)
```

```
In [60]: n_scores
```

```
Out[60]: array([0.91, 0.97, 0.93, 0.9 , 0.91, 0.97, 0.93, 0.93, 0.96, 0.94, 0.96,  
               0.92, 0.91, 0.96, 0.93, 0.93, 0.92, 0.95, 0.96, 0.94, 0.94, 0.97,  
               0.97, 0.97, 0.91, 0.88, 0.95, 0.94, 0.95, 0.89])
```

```
In [ ]:
```