

LINUX COMMAND LINE CHEAT SHEET

Table of Contents

| | |
|--|----------|
| 1 - SYSTEM INFORMATION | 2 |
| 2 - HARDWARE INFORMATION | 2 |
| 3 - PERFORMANCE MONITORING AND STATISTICS | 2 |
| 4 - USER INFORMATION AND MANAGEMENT | 3 |
| 5 - FILE AND DIRECTORY COMMANDS | 3 |
| 6 – MANIPULATING DATA | 4 |
| 7 - PROCESS MANAGEMENT | 5 |
| 8 - FILE PERMISSIONS | 5 |
| 9 - NETWORKING | 6 |
| 10 - ARCHIVES (TAR FILES) | 7 |
| 11 - INSTALLING PACKAGES | 7 |
| 12 - SEARCH | 7 |
| 13 - SSH LOGINS | 7 |
| 14 - FILE TRANSFERS | 7 |
| 15 - DISK USAGE | 8 |
| 16 - DIRECTORY NAVIGATION | 8 |
| 17 - PROGRAMMING | 8 |

1 - SYSTEM INFORMATION

| | |
|-----------------------------|--|
| <code>uname -a</code> | # Display Linux system information |
| <code>uname -r</code> | # Display kernel release information |
| <code>lsb_release -a</code> | # Show which version of ubuntu installed |
| <code>uptime</code> | # Show how long the system has been running + load |
| <code>hostname</code> | # Show system host name |
| <code>hostname -I</code> | # Display the IP addresses of the host |
| <code>last reboot</code> | # Show system reboot history |
| <code>date</code> | # Show the current date and time |
| <code>cal</code> | # Show this month's calendar |
| <code>w</code> | # Display who is online |
| <code>whoami</code> | # Who you are logged in as |

2 - HARDWARE INFORMATION

| | |
|----------------------------------|---|
| <code>cat /proc/cpuinfo</code> | # Display CPU information |
| <code>cat /proc/meminfo</code> | # Display memory information |
| <code>free -h</code> | # Display free and used memory (-hfor human readable, -mfor MB, -gfor GB.) |
| <code>lspci -tv</code> | # Display PCI devices |
| <code>lsusb -tv</code> | # Display USB devices |
| <code>dmidecode</code> | # Display DMI/SMBIOS (hardware info) from the BIOS |
| <code>hdparm -i /dev/sda</code> | # Show info about disk sda |
| <code>hdparm -tT /dev/sda</code> | # Perform a read speed test on disk sda |

3 - PERFORMANCE MONITORING AND STATISTICS

| | |
|--|---|
| <code>top</code> | # Display and manage the top processes |
| <code>mpstat 1</code> | # Display processor related statistics |
| <code>vmstat 1</code> | # Display virtual memory statistics |
| <code>iostat 1</code> | # Display I/O statistics |
| <code>tcpdump -i eth0</code> | # Capture and display all packets on interface eth0 |
| <code>tcpdump -i eth0 'port 80'</code> | # Monitor all traffic on port 80 (HTTP) |

| | |
|-------------|--|
| ls | # List all open files on the system |
| ls -u user | # List files opened by user |
| free -h | # Display free and used memory (-h for human readable, -m for MB, -g for GB.) |
| watch df -h | # Execute "df -h", showing periodic updates |

4 - USER INFORMATION AND MANAGEMENT

| | |
|---------------------------------|--|
| id | # Display the user and group ids of your current user. |
| last | # Display the last users who have logged onto the system. |
| who | # Show who is logged into the system. |
| w | # Show who is logged in and what they are doing. |
| groupadd test | # Create a group named "test". |
| useradd -c "John Smith" -m john | # Create an account named john, with a comment of "John Smith" and create the user's home directory. |
| userdel john | # Delete the john account. |
| usermod -aG sales john | # Add the john account to the sales group |

5 - FILE AND DIRECTORY COMMANDS

| | |
|------------------------------------|--|
| ls -al | # List all files in a long listing (detailed) format |
| pwd | # Display the present working directory |
| mkdir directory | # Create a directory |
| rm file | # Remove (delete) file |
| rm -r directory | # Remove the directory and its contents recursively |
| rm -f file | # Force removal of file without prompting for confirmation |
| rm -rf directory | # Forcefully remove directory recursively |
| rmdir | # Delete a file or files |
| cp file1 file2 | # Copy file1 to file2 |
| cp -r source_directory destination | # Copy source_directory recursively to destination. If destination exists, copy source_directory into destination, otherwise create destination with the contents of source_directory. |
| mv file1 file2 | # Rename or move file1 to file2. If file2 is an existing directory, move file1 into directory file2 |

| | |
|------------------------------|---|
| ln -s /path/to/file linkname | # Create symbolic link to linkname |
| touch file | # Create an empty file or update the access and modification times of file. |
| cat file | # View the contents of file |
| less file | # Browse through a text file |
| head file | # Display the first 10 lines of file |
| tail file | # Display the last 10 lines of file |
| tail -f file | # Display the last 10 lines of file and "follow" the file as it grows |
| lpr | # Spool file for line printing |
| chgrp | # Change file group |
| more, page | # Display file data at your terminal |
| file | # Determine file type |
| vi | # GNOME text editor |
| gedit | # Standard text editor |

6 – MANIPULATING DATA


| | |
|------------------|--|
| awk | # Pattern scanning and processing language |
| perl | # Data manipulation language |
| cmp | # Compare the contents of two files |
| paste | # Merge file data |
| sed | # Stream text editor |
| cut | # Cut out selected fields of each line of a file |
| sort | # Sort file data |
| diff | # Differential file comparator |
| split | # Split file into smaller files |
| expand, unexpand | # Expand tabs to spaces, and vice versa |
| tr | # Translate characters |
| uniq | # Report repeated lines in a file |
| join | # Join files on some common field |
| look | # Find lines in sorted data |
| wc | # Count words, lines, and characters |

| | |
|-------------|--|
| gzip | # Compress files |
| zmore | # File perusal filter for crt viewing of compressed text |
| uncompress | # Uncompress files |
| zcat | # Cat a compressed file |
| gunzip | # Uncompress gzipped files |
| zcmp, zdiff | # Compare compressed files |

7 - PROCESS MANAGEMENT

| | |
|---------------------------|--|
| ps | # Display your currently running processes |
| ps -ef | # Display all the currently running processes on the system. |
| ps -ef grep processname | # Display process information for processname |
| top | # Display and manage the top processes |
| htop | # Interactive process viewer (top alternative) |
| kill pid | # Kill process with process ID of pid |
| killall processname | # Kill all processes named processname |
| program & | # Start program in the background |
| bg | # Display stopped or background jobs |
| fg | # Brings the most recent background job to foreground |
| fg n | # Brings job n to the foreground |

8 - FILE PERMISSIONS



PERMISSION

| U | G | W |
|-----|-----|-----|
| rw | rw | rw |
| rw | rw | r-x |
| rw | r-x | r-x |
| rw- | rw- | r-- |
| rw- | r-- | r-- |

EXAMPLE

```

chmod 777 filename
chmod 775 filename
chmod 755 filename
chmod 664 filename
chmod 644 filename

```

LEGEND

U = User
G = Group
W = World

r = Read
w = write
x = execute
- = no access

9 - NETWORKING

| | |
|-----------------------------|--|
| ifconfig -a | # Display all network interfaces and ip address |
| ifconfig eth0 | # Display eth0 address and details |
| ethtool eth0 | # Query or control network driver and hardware settings |
| ping host | # Send ICMP echo request to host |
| whois domain | # Display whois information for domain |
| dig domain | # Display DNS information for domain |
| dig -x IP_ADDRESS | # Reverse lookup of IP_ADDRESS |
| host domain | # Display DNS ip address for domain |
| hostname -i | # Display the network address of the host name. |
| hostname -l | # Display all local ip addresses |
| wget http://domain.com/file | # Download http://domain.com/file |
| netstat -nutlp | # Display listening tcp and udp ports and corresponding programs |
| ftp | # File transfer program |
| tftp | # Trivial file transfer program |
| sftp | # Secure shell file transfer program |
| rcp | # Remote file copy |
| scp | # Secure shell remote file copy |
| wget | # Non-interactive network downloader |
| telnet | # Make terminal connection to another host |
| ssh | # Secure shell terminal or command connection |
| rlogin | # Remote login to a Linux host |
| rsh | # Remote shell |
| curl | # Transfer data from a url |

10 - ARCHIVES (TAR FILES)

| | |
|--|--|
| <code>tar cf archive.tar directory</code> | <code># Create tar named archive .tar containing directory.</code> |
| <code>tar xf archive.tar</code> | <code># Extract the contents from archive.tar. tar czf</code> |
| <code>archive.tar.gz directory</code> | <code># Create a gzip compressed tar file name archive.tar.gz</code> |
| <code>tar xzf archive.tar.gz</code> | <code># Extract a gzip compressed tar file.</code> |
| <code>tar cjf archive.tar.bz2 directory</code> | <code># Create a tar file with bzip2 compression</code> |
| <code>tar xjf archive.tar.bz2</code> | <code># Extract a bzip2 compressed tar file.</code> |

11 - INSTALLING PACKAGES

| | |
|---|--|
| <code>yum search keyword</code> | <code># Search for a package by keyword.</code> |
| <code>yum install package</code> | <code># Install package.</code> |
| <code>yum info package package.</code> | <code># Display description and summary information about</code> |
| <code>rpm -i package.rpm</code> | <code># Install package from local file named package.rpm</code> |
| <code>yum remove package</code> | <code># Remove/uninstall package</code> |
| <code>tar zxvf sourcecode.tar.gz cd sourcecode ./configure make make install</code> | <code># Install software from source code.</code> |

12 - SEARCH

| | |
|--|---|
| <code>grep pattern file</code> | <code># Search for pattern in file</code> |
| <code>grep -r pattern directory</code> | <code># Search recursively for pattern in directory</code> |
| <code>locate name</code> | <code># Find files and directories by name</code> |
| <code>find /home/john -name 'prefix*'</code> | <code># Find files in /home/john that start with "prefix".</code> |
| <code>find /home -size +100M</code> | <code># Find files larger than 100MB in /home</code> |

13 - SSH LOGINS

| | |
|------------------------------------|--|
| <code>ssh host</code> | <code># Connect to host as your local username.</code> |
| <code>ssh user@host</code> | <code># Connect to host as user</code> |
| <code>ssh -p port user@host</code> | <code># Connect to host using port</code> |

14 - FILE TRANSFERS

| | |
|---------------------------------------|---|
| <code>scp file.txt server:/tmp</code> | <code># Secure copy file.txt to the /tmp folder on</code> |
|---------------------------------------|---|

| | |
|-----------------------------------|---|
| | server |
| scp server:/var/www/*.html /tmp | # Copy *.html files from server to the local /tmp folder. |
| scp -r server:/var/www /tmp | # Copy all files and directories recursively from server to the current system's /tmp folder. |
| rsync -a /home /backups/ | # Synchronize /home to /backups/home |
| rsync -avz /home server:/backups/ | # Synchronize files/directories between the local and remote system with compression enabled |

15 - DISK USAGE

| | |
|----------|---|
| df -h | # Show free and used space on mounted filesystems |
| df -i | # Show free and used inodes on mounted filesystems |
| fdisk -l | # Display disks partitions sizes and types |
| du -ah | # Display disk usage for all files and directories in human readable format |
| du -sh | # Display total disk usage off the current directory |

16 - DIRECTORY NAVIGATION

| | |
|---------|---|
| cd .. | # To go up one level of the directory tree. (Change into the parent directory.) |
| cd | # Go to the \$HOME directory |
| cd /etc | # Change to the /etc directory |

17 - PROGRAMMING

| | |
|--------|---|
| make | # Maintain groups of programs |
| size | # print program's sizes |
| nm | # print program's name list |
| strip | # remove symbol table and relocation bits |
| bcpp | # make C++ beautifier |
| gcc | # GNU ANSI C Compiler |
| ctrace | # C program debugger |
| indent | # indent and format C program source |
| cxref | # generate C program cross reference |
| g++ | # GNU C++ Compiler |