

spArticle Document

Sweet Pastry *Fudan University*

July 23, 2025

Abstract. This document provides comprehensive instructions for the L^AT_EX class file `spArticle`. The accompanying text and source code are located within the same directory. The `spArticle` class is designed to offer a fully packaged article template, enabling users to focus exclusively on content creation without the need to manage complex L^AT_EX code or address grammatical issues. It incorporates nearly all packages commonly utilized by students in scientific and engineering disciplines, allowing users to avoid adding extra code in the preamble. `spArticle` is not tailored specifically for scientific thesis writing; instead, it serves as a versatile template suitable for personal notes, assignments, and similar applications.

1 How to Use

1.1 .tex File

To use this template, first download the class file `spArticle.cls` and create a new `.tex` file. In that file, include the following code snippet to specify the essential information for your article.

```
\documentclass[
  author = author,
  affiliation = affiliation,
  date = \today,
  bibstyle = ieee,
  title = title,
  abstract = abstract,
  ref = ref
]{spArticle}
```

If your title, name, affiliation, or abstract is very long or contains advanced elements like mathematical symbols, you may encounter compilation issues¹. In such cases, I recommend avoiding the use of `\documentclass` options to set private variables. Instead, please use the specialized commands in the preamble provided below.

¹This happens because any values passed to the `.cls` file via the `\documentclass` command are processed before certain macros are loaded.

```
\spAuthor{Your Name}
\spAffiliation{Your Affiliation}
\spDate{If You want set time manually}
\spTitle{Your Title}
\spAbstract{You can write a lot here}
```

After providing all the necessary information, you no longer need to add any extra packages or typographical customizations manually. Simply begin writing your text between `\begin{document}` and `\end{document}`. This environment is required in the main `.tex` file to indicate where the formal document starts.

So your `.tex` file may like this:

```
\documentclass[
  bibstyle=apa, % specify apa style
  ref=yourref
]{spArticle}
\spAuthor{Sweet Pastry}
\spAffiliation{Fudan University}
\spDate{\today}
\spAbstract{
  This is my abstract, i will...
}

\begin{document}
  \section{Introduction}
```

```

    Long time ago...

\section{Analysis}
  \subsection{Point1}
  ...
  \subsection{Point2}
  ...

\section{Conclusion}
  All in all...
\end{document}

```

References in `spArticle` are managed through `bibtex`. To specify a `.bib` file, simply assign its name to the `ref` option. For instance:

```
\documentclass[ref=myref]{spArticle}
```

or

```
\documentclass[ref=myref.bib]{spArticle}
```

If your `.bib` file is named `ref.bib`, you do not need to supply the filename explicitly, because `spArticle` sets the default value of `ref` to `ref`. Note that the `.bib` file must reside in the same directory as the main `.tex` file.

By default, `spArticle` invokes the command `\nocite{*}`, causing all entries in the `.bib` file to appear in the bibliography. If you prefer not to cite all entries—particularly when using a single `.bib` file as a large citation library—you may disable this feature by setting the private Boolean variable `nocite` to `false`, for example:

```
\documentclass[ref=myref, nocite=false]
{spArticle}
```

1.2 Compile

It is recommended to compile using `xelatex` and `biber`. In most cases, the following sequence will suffice:

```

xelatex (tex_file_name) % with .tex or not
biber (tex_file_name) % with no .tex
xelatex (tex_file_name)
xelatex (tex_file_name)

```

This workflow ensures that references and bibliographic entries are correctly generated and updated in your final document.

Occasionally, LaTeX compilers behave unpredictably, generating unusual errors or warnings even when the output document is correct. Moreover, the compilation process may sometimes rely on external tools—such as Python or Inkscape—for tasks like generating visual graphs or processing data. In these cases, it is advisable to include specific options with `xelatex` to ensure a smoother compilation process:

```

xelatex -interaction=nonstopmode
-shell-escape (tex_file_name)

```

2 Feature Library

2.1 Math and Physics Symbol Support

The `spArticle` class automatically loads `amsmath` and other packages that provide a comprehensive suite of mathematical symbols. Consequently, you can enter mathematical expressions directly without the need for additional configuration.

$$\langle x_f, t_f | x_i, t_i \rangle = \int \mathcal{D}[x(t)] \exp\left(\frac{i}{\hbar} S[x(t)]\right), \quad (1)$$

$$\gamma_{\text{Berry}} = i \int_C \langle \psi(\lambda) | \nabla_\lambda \psi(\lambda) \rangle \cdot d\lambda, \quad (2)$$

2.2 tikz

The `spArticle` class automatically loads the `tikz` package, allowing you to create diagrams and figures directly without any additional configuration.²

²This figure's origin code is copy from [mathcha](#).




Figure 1: tikz draw graph example

2.2.1 tikz-cd




Figure 2: commutative diagram demo1




Figure 3: commutative diagram demo2

2.2.2 circuitikz






Figure 4: circuit graph demo

2.3 Chemistry

In addition, `spAbstract` loads various chemistry-related macros, including `mhchem` and similar packages.



`chemfig` is also provided, here are some example:




Figure 5: Ferrocene, Fc. author: Lineas de ayuda, cuadrícula




Figure 6: mesomeric effect




Figure 7: Structure of adenosine triphosphate (ATP), protonated

2.4 hlight math

This insight is derived from the GitHub repository [annotated-latex-equations](https://github.com/annotated-latex-equations).

$$P\left(\underbrace{\mu - \bar{X}}_{\text{Expectation}} \geq \underbrace{t}_{\text{Gap Length}}\right) \leq \exp\left(-\frac{2 \underbrace{N}_{\text{Samples Number}} \underbrace{t^2}_{\text{Gap Length}}}{\sum_{i=1}^N (b_i - a_i)^2}\right)$$

Hoeffding inequality

References

- Beeton, B. (2003). The history of tex and latex. *TUGboat*, 24(1), 11–24.
- Group, T. U. (2023). *Tex live - official manual* [Available at <https://www.tug.org/texlive/>]. TeX Users Group.
- Knuth, D. E. (1986). *The texbook*. Addison-Wesley.
- Lamport, L. (1994). *Latex: A document preparation system* (2nd). Addison-Wesley.
- Mittelbach, F., Goossens, M., Braams, J., Carlisle, D., & Rowley, C. (2004). *The latex companion* (2nd). Addison-Wesley.
- Redaelli, M. A., Lindner, S., Erhardt, S., & Giannetti, R. (2024). *Circuitikz*. <https://github.com/circuitikz/circuitikz>.
- Tellechea, C. (2024). *chemfig: A TeX package for drawing molecules*. <https://ctan.org/pkg/chemfig>.
- Wasserman, T. (2024). *tikzcd: Commutative diagrams with TikZ*. <https://ctan.math.washington.edu/tex-archive/graphics/pgf/contrib/tikz-cd/tikz-cd-doc.pdf>.
- Wen-Wei, L. (2024). *AlJabr-1* (2nd). <https://github.com/wenweili/AlJabr-1>.