



Delegated Proof-of-Stake Payments Blockchain



Abstract: Swipechain is designed from open-source blockchain protocols to power peer-to-peer decentralized payments. Built with a DPoS consensus, Swipechain is secured and validated by block producers known as Delegates who are voted in based on SXP vote delegation. SXP is the native cryptocurrency of the network and is used throughout the protocol and Swipe ecosystem.

Disclaimer

Legal Notice

Our website available at <https://Swipechain.org> (the "Website"), which discusses Swipechain (the "Project"), and any other information communicated by us or on our behalf, whether through our whitepaper, communication channels or otherwise (collectively, the "Materials"), do not constitute an offer to sell, a recommendation or solicitation to buy, sell or hold Tokens or any other assets or securities. Nothing in the Materials constitutes a recommendation or solicitation to use the Tokens, the Project or any related products, services or technologies. Always make sure to verify that the information that you believe is provided by us is posted or communicated by our authorised representatives.

Any and all Materials are provided for informational and educational purposes only, and should not be relied upon, either wholly or partially, when making any decision. We do not warrant, guarantee or represent, whether expressly or impliedly, that the Materials are true, complete, timely, reliable, accurate, sufficient, non-infringing or fit for a particular purpose, and we will be under no obligation to update or fix such Materials. We shall not be responsible for the accuracy or completeness of the Materials; therefore any use of such Materials is at your own discretion and risk, and you are solely responsible for any possible damages or losses arising from such use. You should always conduct your own independent research and investigation.

Materials may also contain references to third-party data and industry publications. Although we believe that such data is accurate and reasonable, there are no assurances as to the accuracy or completeness of this data. We have not independently verified any of the data from third-party sources referred to on the Website or in connection with the Project, or ascertained the underlying assumptions relied upon by such sources. Any reference to such third-party data and industry publications does not imply our endorsement thereof.

SXP Tokens

We do not make any warranties or representations of any kind with regard to SXP (the "Token" or "Tokens"), and we expressly disclaim all warranties and representations relating to the Tokens, whether express or implied, including, without limitation, any implied warranties of merchantability, fitness for a particular purpose, title, and non-infringement.

The Tokens are provided on an «as is» and «as available» basis. There is no guarantee that the Tokens will perform as expected or hold any particular value or price. The Tokens may lose some or all of their value. We do not make any promises with respect to the Tokens, its price, value, supply amount, performance, etc. We cannot and do not influence the price of the Tokens or its performance, and assume no liability to any person for the Tokens, their performance, value or loss in value, the use or inability to use the Tokens.

The Token is not an investment, security, share or equity interest, debt or loan nor a derivative instrument of any of the foregoing. Neither the Materials nor anything communicated or provided by us constitutes a prospectus or offering document, or is an offer to sell or solicitation of an offer to buy Tokens or any other asset.

Unless otherwise specified, the Tokens do not provide any person with the rights of any type with respect to us or our affiliates, their revenues or assets, including, but not limited to, any voting, distribution, redemption, liquidation, proprietary or other financial or legal rights, nor are the Tokens intended to provide any person with any other rights of any type. The Tokens are not a loan and do not provide any right of ownership or other interest.

The Project is in its Beta Stage

The Project, while not owned, operated, developed or otherwise controlled by us, is in beta stage, which means that the Project and all related software are experimental.

The Project is provided on an "as is" and "as available" basis, without warranty of any kind, either expressed or implied, including, without limitation, warranties that the Project is free of defects, vulnerabilities, merchantable, fit for a particular purpose or non-infringing. Any use of the Project shall be at your own risk. In no event shall we be held liable in connection with or for any claims, losses, damages or other liabilities, whether in contract, tort or otherwise, arising out of or in connection with the Project or its operation or use.

Disclaimer

Forward-Looking Statements

The Website, the Project, and the Materials may contain forward-looking statements based on current expectations that involve a number of risks and uncertainties. All opinions, forecasts, projections, future plans or other statements other than statements of historical fact, are forward-looking statements. Any development plans and projections, business projections, future functionality and projected performance of the Tokens, the Project or us, as well as prospects and the future prospects of any industry, are forward-looking statements.

Forward-looking statements by their nature address matters that are, to different degrees, uncertain or unknown. We can give no assurance that any forward-looking statements will prove to have been correct. Actual events, results or outcomes could differ materially from what is stated in the forward-looking statement, and you should not rely on any such forward-looking statement. These risks and uncertainties include the impact of economic, competitive, technical and other factors affecting the Tokens, the Project, us or our operations, including, but not limited to, the following: development of science and technology, development of the industry in which we are in, competition, regulatory uncertainty and government actions, the introduction of new regulations and laws, market changes, the performance of the Tokens, the Project or related products, other business and market conditions.

No Advice

No part of the Website, the Project or the Materials should be considered to be business, legal, financial, investment, or tax advice, or advice of a broker regarding any matters to which all or any part of such information relates. You should consult your own legal, financial, tax, or other professional advisors regarding any such information.

Acceptance of Risks and No Liability

You must read the Risk Disclosure Statement below, and by accessing or using the Tokens and/or the Project you accept all of the listed risks and agree that we shall not be in any way liable for any losses or damages incurred due to or in connection with such risks. You do hereby also acknowledge and agree that both the Tokens and the Project may be subject to additional risk disclosure statements that may be amended from time to time.

Indemnity and Limitation of Liability

You do hereby to the fullest extent permitted by applicable laws and regulations indemnify, defend and hold us, our employees, directors, shareholders, officers, consultants, representatives, agents or contractors harmless from and against any and all loss, penalty, claim, damage, liability or expense whatsoever (including reasonable attorneys' fees and disbursements) due to or arising out of or based upon (i) any inaccurate representation or warranty made by you, or breach or failure by you to comply with any covenant or agreement made by you or in any other document furnished by you to any of the foregoing persons in connection with the Tokens or the Project, or (ii) any action instituted by or on your behalf against any of the foregoing persons that is finally resolved by judgment against you or in favor of any of the foregoing persons.

To the maximum extent permitted by applicable laws and regulations, in no event shall us, our employees, directors, shareholders, officers, consultants, representatives, agents or contractors be liable or responsible for any direct, indirect, special, punitive, exemplary, incidental, or consequential damages or losses of any kind, nor shall they be liable for the loss of goodwill, loss of profits (including expected), loss of data, diminution of value, and business interruption arising out of or in connection with the use of the Tokens, the Project or the Materials or reliance thereon, any inaccuracy or omission in any Materials, whether based upon breach of warranty or contract, negligence, strict liability, tort, or any other legal theory, regardless of whether we have been advised of the possibility of such damages or losses.

Disclaimer

Risk Disclosure Statement

Although we make reasonable efforts to ensure that the Tokens, the Project and their related software follow the high-security standards, we do not warrant or represent that the Tokens, the Project or any such related software are secure or safe, or protected from fishing, malware or other malicious attacks. Further, the Tokens, theProject and their related software may contain weaknesses, bugs, vulnerabilities, viruses or other defects which may have a material adverse effect on the operation of the Tokens, the Project or any such related software or may lead to losses and damages for you, other users of the Tokens, the Project or any such related software or third persons.

Introduction

Swipechain is a delegated proof-of-stake blockchain which enables SXP holders to control and dictate the network through voting weight. The consensus mechanism is utilized through open-source blockchain protocols where 51 delegates produce blocks and validate transactions throughout the network. Swipechain offers users block speed that is fast and secure at 8 seconds per block.

Other blockchain networks strive to become the distributed ledger protocol for smart contract developers to build their own token and platform that benefits the third party. Swipechain focuses on building plugins and applications that directly benefit the swipe ecosystem and SXP as opposed to attracting other tokens to benefit from the base layer.



Architecture

Consensus

Swipechain is operated and secured by a Delegated Proof of Stake (DPoS) algorithm which ensures high performance of 8 second block times and 51 voters in delegates that produce blocks and validate transactions in the network. SXP is the central unit of currency for the blockchain which also represents the voting power to vote in Delegates whom are block producers. Delegates that are in the top 51 earn block rewards and transactions fees all proportionally per block. Delegates may change over time as new ones enter the top 51 as each 1 SXP in a users wallet represents 1 vote. When these tokens are moved the vote weight is removed thus encouraging on-chain use of SXP. Users are able to change their votes to any other delegate at any time.

Decentralization & Performance

Based on SXP's transactional activity on Ethereum and Binance Chain, the performance of 8 second block times exceeds what is currently required by a great margin. By compromising block time against some block chains that offer few seconds of block confirmations, ensuring security and decentralization is the trade off. By having 51 distributed delegates that all receive equal block rewards protects consensus throughout the network. Relay Nodes work in tandem with Delegate Nodes which also confirm and maintain copies of the ledger for distributed data validation.

Voting for Delegates that control the network gives the full power to SXP holders. Built into the protocol is voting capabilities that users can assign to any Delegate of their choice through nominal block fees. Votes are tallied per block and delegates are voted in as the primary 51 block producers and back up producers if one goes offline or misses blocks.

SXP Incentive Mechanics

Delegates are incentivized to produce blocks and validate transactions by earning a block reward and transaction fees included in that block. Therefore every 8 seconds, 51 delegates validate in a round that takes 408 seconds to produce and validate blocks. Every round will have a random order of Delegates to produce blocks to ensure all delegates are always online. Once a block is produced, 10 SXP is awarded to that Block Producers as well as all transaction fees in the block.

If the Delegate is not online or fails to produce the block timely, the Delegate loses their turn and will be marked offline. Therefore, network uptime for these Delegates is essential or they miss the economic incentives. Delegates can set up pools and distribute rewards to their voters.

Delegates

Swipechain Delegates are 51 community groups or members that operate Delegate Nodes and are voted in through the top 51 SXP vote weights. Delegates do not just run Delegate Nodes known as Forging Nodes and produce blocks. They are a pillar to the Swipechain infrastructure offering developer resources, marketing resources, or other various contributions to the network. Voting for Delegates that offer more than just distributing block rewards is highly recommended. Delegates have a pledge to the network to voice their support on protocol improvements and enhancements and should create their own respective sub communities to promote to their audience.

Preventing Spam

To ensure malicious actors don't flood and spam the network, each transaction will go through a simple payment verification (SPV) on a isolated server or process before entering the mempool. This protects the network by segregating the network against attacks. Transaction fees acts as a second layer of protecting the network from spam as free based transactions could potentially give no economics disadvantage to spam the network whereas having fees does.

Modular Architecture

Swipechain is using forked and open-source infrastructure to create a core that is scalable through multiple standalone packages. By setting this base layer, upgrades and custom implementations can be achieved by the broader community without significant core changes.


Plugin Architecture

The modular architecture core gives the ability to add improvements to the core of the blockchain like smart contracts called Plugins. All plugins developed by the community are interconnected via the Core Plugin Manager package which serves as a container to incorporate all of the instances across all sharers plucks.

This Plugin Manager allows developers to provision difference Bootstrap commands for processes like spinning a relay node or delegate node. This system accepts two key parameters to a core folder that contains the plugin.json file and a parameter that is optional which has the ability to include and exclude plugins from the Bootstrap process.

Custom and Dynamic Fees

Transaction Fees are required to prevent spam attacks on the network and to pay for transaction processing to Delegate nodes. However, instead of static base fees Swipechain enables users to replicate gas fee implementations based on other blockchains on the network. Dynamic fees are a benefit to users to set low fees when Swipechain is not full of transactions in the mempool and beneficial to Delegates when higher fees need to be paid due to high transaction performance.



Special Transaction Types

Built into Swipechain are an array of transaction types aside from transferring SXP which are articulated below:

Bridgechain registration:

Vendor Field:	A special data field allowing raw data, code or plain text that Vendors can use as a memo or other function.
Delegate Registration & Resignation:	Any user globally can register their wallet address to become a delegate by broadcasting a delegate registration transaction, paying the fees and setting a custom name. Once the wallet receives enough voting weight either independently or through community voting, they can begin producing blocks with a forging node. Delegates may also resign from their position by broadcasting and paying for the resignation.
Vote & Unvote:	Each Wallet can vote and unvote for their delegates on-demand. Vote weight is factored as long as SXP remains in the wallet.
Second Signature:	Each Wallet can vote and unvote for their delegates on-demand. Vote weight is factored as long as SXP remains in the wallet.
Timelock:	A transaction of this type acts as a simple logic function that restricts the spending of an amount of ARK at a specified address until a predefined future time or block height is met. This is useful for hash-based contracts and payment channels.

Multipayments

This type is designed to reduce the payload on the blockchain by enabling multiple payments to be combined and broadcast to the network as a single transaction. This benefits the end user and delegates by lowering transaction fees per payment and reducing congestion. Initially and depending on testing, the Swipechain Core will allow 400-500 payments to be combined within a single transaction. Eventually, the number of payments per transaction will be able to scale as needed.

IPFS.

IPFS. This transaction type utilizes a special data field similar to the vendor field to store Interplanetary File System data on the blockchain. This provides an easy way to timestamp and optionally encrypt and verify files. This implementation of the IPFS transaction type won't allow storing data on the blockchain - for that, special IPFS nodes are needed.

Business Registration.

This transaction type enables users and businesses to register on Swipechain.


Bridgechain Registration.

This transaction type, which requires business registration, grants users and businesses access to the a deployer suite for bridgechains.

SXP

SXP is the native cryptocurrency powering the entire Swipechain network and Swipe ecosystem. SXP is utilized for payments within the Swipe ecosystem, peer-to-peer transfers, paying for transaction fees, voting, and to distribute economic incentives to delegates securing and validating transactions. SXP delegates will control the blockchain and make any necessary governance based changes to upgrade these parameters with consensus.


SXP is currently available in many cryptocurrency exchanges with a global diversification. SXP is deployed currently on Ethereum and Binance Chain/Smart Chain. Upon the launch of the main network both ERC20 & BEP2 SXP will be swapped for native SXP. BEP20 (Binance Smart Chain) can be swapped by unwrapping back to BEP2 (Binance Chain) prior to the swap or after the swap through [Binance.com](#). All SXP units will be accounted for and users will have until 6 months after the mainnet to upgrade. Thereafter we will end transactional support for the swap. All SXP from both Binance Chain and Ethereum block chains will be swapped at a 1 to 1 basis.



Core Products

Desktop Clients

Swipechain users will have access to open source desktop wallets available on:



Windows



MacOSX



Linux

Mobile Wallet

Swipechain will deploy a open-source mobile wallet available for:



iOS



Android

Swipechain SDK & API

Building on Swipechain becomes developer friendly to build plugins and applications through many different programming languages utilizing our extensive SDK library. The Swipechain API is built into the node architecture to offer lightweight access to features for users.

Explorer

View Swipechain and all the blockchain data in a user friendly open-source interface.

Conclusion

Swipechain is the base layer for the SXP community to diversify and disrupt payments globally. With a high speed and decentralized architecture users and developers can enjoy building the next series of upgrades on Swipechain. Swipechain has architecture that plans to create interoperability with other chains through Smart Bridges to perform atomic swaps at the Layer 1 level through Swipe Swap. We welcome developers to build applications and protocols that center around Swipechain and SXP. For more technical and additional information visit docs.Swipechain.org



