

Dashboard / My courses / MySQL Database / Function-Scalar & Aggregate / Post-Quiz

## Quiz review

Started on Thursday, 25 January 2024, 11:08 PM

State Finished

Completed on Thursday, 25 January 2024, 11:09 PM

Time taken 1 min 4 secs

**Marks** 5.00/5.00

Grade 100.00 out of 100.00

Feedback Congratulations!!! You have passed by securing more than 80%

## Question 1

Correct

Mark 1.00 out of 1.00

All columns in the SELECT list that are not in group functions must be in the GROUP-BY clause. State True or False.

Select one:

■ TRUE**✓** 

FALSE

The correct answer is: TRUE

45099



## Question 2

Correct

Mark 1.00 out of 1.00

What will be the output for the below query:

select ceil(5.3) from dual;

Select one:

- **5**
- 5.0
- 6
- None of the options

Your answer is correct.

The correct answer is: 6

# 45099

Question 3

Correct

Mark 1.00 out of 1.00

Single row functions can be nested to any level. State true or False.

Select one:

- TRUE
- FALSE

45099

The correct answer is: TRUE

### Question 4

Correct

Mark 1.00 out of 1.00

We need to create a report to display the order id, ship date and order total of your ORDER table. If the order has not been shipped, your report must display 'Not Shipped'. If the total is not available, your report must display 'Not Available'.

In the ORDER table, the SHIPDATE column has a datatype of DATE. The TOTAL column has a datatype of INT.

Which statement do you use to create this report?

### Select one:

- SELECT ordid,TO\_CHAR(shipdate, 'Not Shipped'),
   TO\_CHAR(total,'Not Available')
   FROM order;
- SELECT ordid, IFNULL(shipdate, 'Not Shipped') SHIPDATE, ✓ IFNULL(total,'Not Available') TOTAL FROM order; FROM order;
- SELECT ordid, shipdate "Not Shipped", total "Not Available"
   FROM order;
- SELECT ordid, IFNULL(shipdate, 'Not Shipped') as SHIPDATE, Total FROM order;

The correct answer is: SELECT ordid, IFNULL(shipdate, 'Not Shipped') SHIPDATE, IFNULL(total,'Not Available') TOTAL FROM order; FROM order;

## Question 5

Correct

Mark 1.00 out of 1.00

Group functions can be used in the where clause. State True or False.

Select one:

- TRUE
- FALSE

  ✓

The correct answer is: FALSE

■ Average Cost For Location

Jump to...

Pre-Quiz ▶

45099

45099